

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
1 April 2004 (01.04.2004)


PCT

(10) International Publication Number
WO 2004/026888 A2

- (51) International Patent Classification⁷: **C07H**
- (21) International Application Number:
PCT/US2003/029577
- (22) International Filing Date:
19 September 2003 (19.09.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/412,479 19 September 2002 (19.09.2002) US
- (72) Inventors; and
(75) Inventors/Applicants (for US only): **LIPFORD, Grayson, B.** [US/US]; 38 Bates Road, Watertown, MA 02472 (US). **MOOKHERJEE, Neeloffer** [IN/CA]; Apt 408, 2233 Allison Road,, Vancouver, BC V6T 1T7 (CA). **BABIUK, Lorne** [CA/CA]; 245 East Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). **BROWNIE, Robert** [CA/CA]; 123 O'Brien Crescent, Saskatoon, Saskatchewan S7K 5K3 (CA). **GRIEBEL, Phillip** [CA/CA]; Box 36, RR5, Saskatoon, Saskatchewan S7K 3J8 (CA). **MUTWIRI, George** [CA/CA]; 569 Nordstrum Road, Saskatoon, Saskatchewan S7K 7X6 (CA). **HECKER, Rolf** [DE/DE]; Benrodestr. 60, 40597 Düsseldorf (DE).
- (74) Agent: **STEELE, Alan, W.**; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).
- (81) Designated States (national): AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,

[Continued on next page]

(54) Title: TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES



(57) Abstract: Novel amino acid and nucleotide sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) Toll-like receptor 9 (TLR9) are provided. Also provided are amino acid and nucleotide sequences for dog (canine), cat (feline), mouse (murine), and human TLR9. Comparison of these sequences, especially in combination with functional assessment for species-specific CpG motif preferences, permits identification of specific regions and amino acid residues of interest in TLR9 ligand interaction. Novel chimeric TLR9 receptor molecules, cells expressing these molecules, and methods for their use in screening assays for TLR9 ligands are also provided.



MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— *without international search report and to be republished upon receipt of that report*

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

Background of the Invention

Synthetic oligodeoxynucleotides (ODN) and DNA containing immunostimulatory
5 CpG motifs (CpG DNA) function as potent adjuvants and activators of the innate immune
system. Heeg K et al. (2000) *Int Arch Allergy Immunol* 121:87-97; Krieg AM (2001)
Vaccine 19:618-22. A wide variety of CpG-containing sequences have been screened for
biological activity and it is reported that optimal CpG DNA sequences can vary among
species. Rankin R et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:333-40.
10 Toll-like receptor 9 (TLR9) has recently been identified as a receptor for CpG ODN.
Hemmi H et al. (2000) *Nature* 408:740-5. The molecular mechanism by which TLR9
recognizes CpG DNA is not understood.

Summary of the Invention

15 Toll-like receptor 9 (TLR9) is known to be involved in innate immunity and to signal
in response to CpG DNA. To date, the amino acid sequences only of human and murine
TLR9 have been reported, and, interestingly, these two species are known to prefer different
CpG motifs. The structural basis for this species-specific CpG motif preference has not yet
been fully elucidated. The instant invention provides, in part, novel amino acid and
20 nucleotide sequences of rat, pig, cow, and horse TLR9. These novel TLR9 sequences are
useful for elucidating certain key structural features of TLR9. Specifically, comparison of
sequences of murine, human, and these novel TLR9 sequences permits identification of areas
of highly conserved sequence, areas of group conservation, and areas of hypervariability. In
addition, such comparisons permit an assessment of evolutionary relatedness among TLR9
25 molecules of the various species, as well as an assessment of inter-species homologies.
Importantly, such comparisons permit a rational basis for identifying amino acids in TLR9
that may be involved in the CpG binding site, as well as amino acids involved in conferring
species specificity for particular CpG motifs. Such information may be used to design and
construct novel TLR9 molecules which incorporate specific point or regional mutations and
30 which possess desired ligand binding characteristics. Such information may also be useful in
designing and identifying novel ligands for TLR9 of a given species.

- 2 -

In one aspect, the invention provides isolated polypeptides having amino acid sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) TLR9 polypeptides. These amino acid sequences correspond to SEQ ID NOs 1, 5, 9, 13, and 17, respectively. Each of these sequences is believed to include at least a majority of an
5 extracellular domain, as well as a transmembrane region and at least part of a TLR/IL-1 receptor (TIR) domain. To the extent any such sequence may lack an amino-terminal and/or carboxy-terminal sequence, such sequence is ascertainable, without undue experimentation, using conventional molecular biology techniques and the sequence information provided herein.

10 In another aspect the invention provides isolated polypeptides having amino acid sequences for essentially the whole extracellular domain, optionally including a signal peptide, of each of rat, porcine, bovine, equine, and ovine TLR9. These amino acid sequences correspond to SEQ ID NOs 2, 6, 10, 14, and 18, respectively. Such extracellular domains are believed to include sequence specifically involved in binding to TLR9 ligand,
15 such as CpG DNA. In addition, such extracellular domains are believed to include sequence that confers species specificity for particular CpG motifs.

Isolated nucleic acid molecules encoding the polypeptides just described above are also provided according to further aspects of the invention. Such nucleic acid molecules include, but are not limited to, nucleic acid molecules having sequences provided by SEQ ID
20 NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively. Isolated nucleic acid molecules encoding the TLR9 polypeptides of SEQ ID NOs 1, 5, 9, 13, 17; and 2, 6, 10, 14, and 18 also include nucleic acid molecules that differ in sequence from SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively, due to degeneracy of the genetic code. Such nucleic acid molecules will hybridize, under stringent conditions, with suitably selected nucleic acid
25 molecules having sequences selected from SEQ ID NOs 3, 4, 7, 8, 11, 12, 15, 16, 19, and 20.

In another aspect the invention provides a vector which includes an isolated nucleic acid molecule of the invention. In one embodiment the vector is an expression vector and the isolated nucleic acid molecule of the invention is operably linked to a regulatory sequence in the vector. When present within a cell, an expression vector according to this aspect of the
30 invention causes the cell to express a polypeptide of the invention.

The invention according to another aspect provides a cell in which a vector of the invention is present. In one embodiment the cell containing the vector expresses a

- 3 -

polypeptide of the invention. In certain embodiments the cell also contains a reporter construct that transduces a TLR9-mediated signal in response to contact of the polypeptide of the invention or a TLR9 with a suitable TLR9 ligand. The cell containing the vector, and optionally containing the reporter construct, can be used in screening methods also provided
5 by the invention.

In yet another aspect the invention provides an antibody or antibody fragment that binds specifically to an isolated polypeptide of the invention. In certain embodiments the antibody or antibody fragment binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide. More specifically, the antibody or antibody fragment binds uniquely to
10 one of the isolated polypeptides of the invention. In one embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide also binds to either mouse or human TLR9. In another embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide does not also bind to either mouse or human TLR9. In some embodiments
15 the antibody or antibody fragment binds selectively to a chimeric TLR9 polypeptide of the invention. In certain embodiments the antibody or antibody fragment of the invention is a monoclonal antibody or fragment of a monoclonal antibody.

In one aspect the invention provides a method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the
20 first species. The method involves aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species; generating an initial set of candidate amino acids in the TLR9 of the
25 first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b)
30 differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

- 4 -

In another aspect the invention provides a method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9. The method according to this aspect of the invention involves aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9; generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids. In one embodiment the method according to this aspect of the invention is performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

In another aspect the invention also provides an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (extracellular domain (ECD) of murine TLR9) except for substitution of at least one key amino acid identified according to the method above. The polypeptide according to this aspect of the invention is a chimeric TLR9 polypeptide. Preferably the polypeptide according to this aspect of the invention binds to CpG DNA optimized for human TLR9 better than does the isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (ECD of murine TLR9). In one embodiment the polypeptide includes only one substituted amino acid. The isolated polypeptide according to this aspect of the invention may further include sequence involved in TLR/IL-1R signal transduction, e.g., intracellular domain of TLR9 as provided in SEQ ID NOs 29 and 33. For example, in one embodiment a polypeptide according to this aspect of the invention is an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:29 (full length murine TLR9) except for substitution of at least one key amino acid identified according to the method above.

- 5 -

In another aspect the invention provides an isolated nucleic acid molecule including a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described. In one embodiment the isolated nucleic acid molecule has a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described.

5 In yet another aspect, the invention provides a screening method to identify a TLR9 ligand. The method involves contacting a polypeptide (including a chimeric TLR9 polypeptide) of the invention with a candidate TLR9 ligand; measuring a signal in response to the contacting; and identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling. In one embodiment
10 the candidate TLR9 ligand is an immunostimulatory nucleic acid. In one embodiment the candidate TLR9 ligand is a CpG DNA.

The invention also provides, in yet a further aspect, a screening method to identify species-specific CpG-motif preference of an isolated polypeptide of the invention. The method according to this aspect of the invention involves contacting an isolated polypeptide
15 of the invention with a CpG DNA including a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG; measuring a signal in response to the contacting; and identifying a species-specific CpG-motif preference when the signal in
20 response to the contacting is consistent with TLR9 signaling. In one embodiment the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

	TCCATGACGTTTTTGTGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGTGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGTGTT	(SEQ ID NO:41),
25	TCCATTACGTTTTTGTGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGTGTT	(SEQ ID NO:43),
	TCCATGCCGTTTTTGTGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGTGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGTGTT	(SEQ ID NO:46),
30	TCCATGAAGTTTTTGTGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGTGTT	(SEQ ID NO:48),
	TCCATGACATTTTTGTGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGTGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGTGTT	(SEQ ID NO:51),
35	TCCATGACGCTTTTGTGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGTGTT	(SEQ ID NO:53),
	TCCATGACGGTTTTTGTGTT	(SEQ ID NO:54),

- 6 -

TCCATGACGTCTTTGATGTT (SEQ ID NO:55),
 TCCATGACGTATTTGATGTT (SEQ ID NO:56), and
 TCCATGACGTGTTTGATGTT (SEQ ID NO:57).

In certain embodiments of the screening methods of the invention, the signal includes
 5 expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway. In one
 embodiment the reporter gene is operatively linked to a promoter sensitive to NF- κ B. In one
 embodiment the signal in response to contacting is binding of the candidate TLR9 ligand or
 CpG DNA to the polypeptide of the invention.

In one embodiment the screening method is performed on a plurality of test
 10 compounds. In one embodiment the response mediated by the TLR9 signal transduction
 pathway is measured quantitatively and the response mediated by the TLR9 signal
 transduction pathway associated with each of the plurality of test compounds is compared
 with a response arising as a result of an interaction between the functional TLR9 and a
 reference immunostimulatory compound.

15

Brief Description of the Figures

Figure 1 depicts a Clustal W multiple sequence alignment of deduced amino acid
 sequences for cat (feline), dog (canine), cow (bovine), mouse (murine), sheep (ovine), pig
 (porcine), horse (equine), human, and rat TLR9 polypeptides. The deduced amino acid
 20 sequences for feline, canine, bovine, murine, ovine, porcine, equine, human, and rat TLR9
 polypeptides shown in the figure correspond to SEQ ID NOs 25, 21, 9, 29, 17, 5, 13, 33, and
 1, respectively. Lines labeled "multiple" refer to the multiple sequence alignment of all six
 sequences shown. Lines labeled "mo/hu" refer to a paired sequence alignment of mouse and
 human TLR9 sequences alone.

25 Figure 2 is a cladogram depicting an evolutionary relatedness tree for rat, murine,
 porcine, bovine, equine, and human TLR9 polypeptides in Figure 1.

Figure 3 is a graph depicting species specificity of TLR9 signaling with selected
 oligonucleotides having strong specificity for human (2006), mouse (5890), or neither (1982).

30

Detailed Description of the Invention

The present invention provides novel amino acid and nucleotide sequences for TLR9
 derived from rat, pig, cow, horse, and sheep. These sequences can be used to identify key
 features of the primary sequences of these and related TLR molecules, including previously

- 7 -

known primary sequences of human and mouse (murine) TLR9. Such key features include binding site information and species specificity toward particular CpG motifs. Native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to identify and to design novel TLR9 ligands. Additionally, the native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to compare various TLR9 ligands, including CpG DNA.

In one aspect the invention provides isolated TLR9 polypeptides, and isolated nucleic acid molecules encoding them, from rat, pig, cow, horse, and sheep. The term "isolated" as used herein with reference to a nucleic acid molecule or polypeptide means substantially free of or separated from components with which it is normally associated in nature, e.g., other nucleic acids, proteins, lipids, carbohydrates or *in vivo* systems to an extent practical and appropriate for its intended use. In particular, the nucleic acids or polypeptides are sufficiently pure and are sufficiently free from other biological constituents of host cells so as to be useful in, for example, producing pharmaceutical preparations. Because an isolated nucleic acid or polypeptide of the invention may be admixed with a pharmaceutically acceptable carrier in a pharmaceutical preparation, the nucleic acid or polypeptide may represent only a small percentage by weight of such a preparation. The nucleic acid or polypeptide is nonetheless substantially pure in that it has been substantially separated from the substances with which it may be associated in living systems.

An amino acid sequence of rat TLR9 is provided as SEQ ID NO:1. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:1 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of rat TLR9 (See Figure 1). Amino acids numbered 1-821 of SEQ ID NO:1 are presumptively extracellular domain and correspond to SEQ ID NO:2. SEQ ID NO:3 is a nucleotide sequence of rat TLR9 cDNA having an open reading frame corresponding to nucleotides 1-3096. SEQ ID NO:4 is a nucleotide sequence of rat cDNA encoding amino acids 1-821 of SEQ ID NO:1.

An amino acid sequence of porcine TLR9 is provided as SEQ ID NO:5. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:5 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of porcine TLR9

- 8 -

(See Figure 1). Amino acids numbered 1-819 of SEQ ID NO:5 are presumptively extracellular domain and correspond to SEQ ID NO:6. SEQ ID NO:7 is a nucleotide sequence of porcine TLR9 cDNA having an open reading frame corresponding to nucleotides 77-3166. SEQ ID NO:8 is a nucleotide sequence of porcine cDNA encoding amino acids 1-819 of SEQ ID NO:5.

An amino acid sequence of bovine TLR9 is provided as SEQ ID NO:9. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:9 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of bovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:9 are presumptively extracellular domain and correspond to SEQ ID NO:10. SEQ ID NO:11 is a nucleotide sequence of bovine TLR9 cDNA having an open reading frame corresponding to nucleotides 84-3170. SEQ ID NO:12 is a nucleotide sequence of bovine cDNA encoding amino acids 1-818 of SEQ ID NO:9.

An amino acid sequence of equine TLR9 is provided as SEQ ID NO:13. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:13 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of equine TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:13 are presumptively extracellular domain and correspond to SEQ ID NO:14. SEQ ID NO:15 is a nucleotide sequence of equine TLR9 cDNA having an open reading frame corresponding to nucleotides 115-3207. SEQ ID NO:16 is a nucleotide sequence of equine cDNA encoding amino acids 1-820 of SEQ ID NO:13.

An amino acid sequence of ovine TLR9 is provided as SEQ ID NO:17. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:17 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of ovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:17 are presumptively extracellular domain and correspond to SEQ ID NO:18. SEQ ID NO:19 is a nucleotide sequence of ovine TLR9 cDNA having an open reading frame corresponding to nucleotides 92-3178. SEQ ID NO:20 is a nucleotide sequence of ovine cDNA encoding amino acids 1-818 of SEQ ID NO:17.

SEQ ID NO:1 (Rat TLR9)

MVLCRRTLHPLSLVQAQAVLAELALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAEPRSNITSLSLIANRI
HHLHNLD FVHLPNVRQLNLKWNCP PGLSPLHFSCRM TIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL
5 SHTNILLVDASSLAGLHSLRVLFMDGNCYK NPCNGAVNVTPDAFLGLSNLTHLSLKYNNTLTVPRQLPPSLEYL
LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSLSLHSLN
SKWFQGLANLSVLDLSENFLYESINKTSAFQNLTRLRKLDLSFNKYCKVSFARLHLASSFKSLVSLQELNMNGIF
FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPKADAEKGV PW
PASLT PALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK
10 VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS
VEYLD FSGNGVGRMWDEEDLYLYFFQDLRSLIHLDSLQNKHLILRPQNLNYLPKSLTKLSFRDNHLSFFNWSSLA
FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPFAFFALAVELKEVNLSHNILKTVDRSWFGPIV
MNLTVLDVSSNPLHCACGAPFVDLLELVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGLSLL
AVAVGTVLPLLOHLGCGWDVWYCFHLCLAWLPLLTRGRSAQALPYDAFVFDKAQSAVADWVYNELRVRLERRG
15 RRALRLCLEDRDLPGQTLFENLWASITYGSRKTLFVLAHTDKVSGLLRTSFLLAQQRLLLEDKDVVVLVILRPDA
HRSRYVRLRQLRCRQSVLFWPHQPNQGQSFWAQLSTALTRDNHFFYNRNFCRGPTAE

SEQ ID NO:2 (Rat TLR9)

MVLCRRTLHPLSLVQAQAVLAELALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAEPRSNITSLSLIANRI
20 HHLHNLD FVHLPNVRQLNLKWNCP PGLSPLHFSCRM TIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL
SHTNILLVDASSLAGLHSLRVLFMDGNCYK NPCNGAVNVTPDAFLGLSNLTHLSLKYNNTLTVPRQLPPSLEYL
LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSLSLHSLN
SKWFQGLANLSVLDLSENFLYESINKTSAFQNLTRLRKLDLSFNKYCKVSFARLHLASSFKSLVSLQELNMNGIF
FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPKADAEKGV PW
25 PASLT PALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK
VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS
VEYLD FSGNGVGRMWDEEDLYLYFFQDLRSLIHLDSLQNKHLILRPQNLNYLPKSLTKLSFRDNHLSFFNWSSLA
FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPFAFFALAVELKEVNLSHNILKTVDRSWFGPIV
MNLTVLDVSSNPLHCACGAPFVDLLELVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG
30

SEQ ID NO:3 (Rat TLR9)

atgggtctctctgctgcaggaccctgcaccccttgctctctctggtacaggccgcagtgctggctgaggtctctggcc
ctgggtaccctgctctgccttctctaccctgtgaactgaagcctcatggcctggttagactgcaactggctcttctctg
aagtctgtgcctcacttctctgccgcagaaccccggtcccaacatcaccagccttctcttgatcgccaaccgcac
35 caccacctgcacaacctgcactttgtccacctgcccaacctgacagctgaacctcaagtggaaactgtccgccc
cctggcctcagcccttgcaacttctctgccgcagatgaccttgagcccaaaccttctctgctatgagcagctg
gaagagctgaacctgagctataacgggtatcaccactgtgccccgcctgccagctccctgacgaatctgagccta
agccacaccaacatcctgggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctctctcatggac
gggaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagcgccttctctgggcttgagcaac
40 ctacccacttgctcccttaagtataaacacctcacagaggtgccccgccaactgccccccagcctggagtagctc
ctgctgtcctataacctcatcgtaagctgggggcgaagacctagccaacctgacctcccttcgaatgcttgat
gtgggtgggaattgccgtcgctgtgatcacgccccgacctctgtacagaatgccggcagaagtcccttgatctg
caccctcagactttccatcacctgagccaccttgaggcctggtgctgaaggacagttctctccactcgctgaac
tccaagtgggtccaggtctggcgaaacctctcggtgctggacctgaagcagaacttctctacgagagcatcaac
45 aaaaccagcgccttccagaacctgaccgctctgcgcaagctcgacctgtccttcaattactgcaagaaggtatcg
ttcgccgcctccacctggcaagttcttcaagagcctgggtgctcgctgcaggagctgaacatgaacggcatcttc
ttccgcttactcaacaagaacacgctcaggtggctggctggtctgcccgaagctccacacgctgcaccttcaa
aatttcatcaaccaggcgcagctcagcgtctttagtaccttccgagcccttcgcttctgtggacctgtccaataat
cgcatcagcgggctccaacgctgtccagagtcgccccgaaaaggcagacgaggcggagaaggggttccatgg
50 cctgcaagtctcaccacgctctcccgagcactccgctctcaagaacttcatgggtcaggtgtaagaacctcaga
ttcaccatggagctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctccatctccag
tgtctgagcctgagccacaactgcgcagctgtcaatggctctcagttcctgcccgtgaccaacctgaag
gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcgttcagtgagctccacagttgcaggcc

- 10 -

ctggacctgagctacaacagccagccattcagcatgcaggggataggccacaacttcagttttctggccaatctg
tccagggttacagaaccttagcctggcacacaatgacattcacagccgctgtcctcacgcctctacagcacctca
gtggagtatctggacttcagcggcaacgggtgtgggcccagatgtgggacgaggaggacctttacctctatttcttc
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaaacctcaac
5 tacctccccaaagagcctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagtctggcc
ttcctgccccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta
ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagccttctttgctctggcg
gtagagctaaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggcccattgtg
atgaacctgacgggttctagacgtgagcagcaacctctgcattgtgcctgcggtgcaccctttgtagacttactg
10 ctggaagtgcagaccaaggtgcctggcctggctaacgggtgtgaagtgtggcagtcctcccgccagctgcagggcgcg
agcatctttgcgcaagacctgcgctgtgctggatgacgtcctttctcgggactgctttggcctttcactcctg
gctgtggcgtgggacgggtgttgccctttactgcagcatctctgcggctgggacgtctggtactgtttccatctg
tgcttgccatggctacctttgctgacctggcggcgagcgcccaagctctccttatgatgccttcgtgggtg
15 ttcgataaggcgagagcgctgtgctgactgggtgtataacgagcttcgagtgcggctagaggagcgccggt
cgccgagccctacgcttgtgtctggaggaccgagattggctgcctggccagacactcttcgagaacctctgggccc
tccatctatggcagccgcaagactctgtttgtgctggcccacacggacaaggtcagtgccctcctgcgcaccagc
ttcctgctggctcagcagcctgctggaggaccgcaaggacgtgggtgttgggtgatcctgcgcacctgatgcc
caccgctcccgctacgtgcgactgcgcccagcctctgcgcccagagtgtgctcttctggccccatcagcccaac
gggcagggcagcttctgggcccagctgagtacagccctgactagggacaaccaccacttctataaccggaacttc
20 tgccggggacctaagcagaatag

SEQ ID NO:4 (Rat TLR9)

atgggttctctgtgcaggacctgcacccttgtctctcctggtagagccgcagtgctggctgaggctctggcc
ctgggtacctgcctgccttccctacctgtgaactgaagcctcatggcctggtagactgcaactggctcttccctg
25 aagtctgtgcctcacttctctgcgcgagaaccccggttccaacatcaccagcctttccttgatgcgcaaccgcac
caccacctgcacaacctcgactttgtccacctgcccacagtgcgacagctgaacctcaagtggaaactgtccgccc
cctggcctcagcccttgacttctcctgcgcgtagcattgagcccaaaccttccctggctatgcgcagctgctg
gaagagctgaacctgagctataacgggtatcaccactgtgccccgcctgcccagctccctgacgaatctgagccta
agccacaccaacatcctggtagctgagcagcctcgctggcctgcacagcctgcgagttctcttcatggac
30 gggaactgctactacaagaacctcctgcaacggggcggtgaacgtgaccccgagccttccctgggcttgagcaac
ctcaccacttgtcccttaagtataacaacctcacagaggtgccccgccaactgccccccagcctggagtagctc
ctgctgtcctataacctcatcgtcaagctgggggcccgaagacctagccaacctgacctcccttcgaatgcttgat
gtgggtgggaattgcccgtcgtgtgatcacgccccgacctctgtacagaatgcccggcagaagtcccttgatctg
caccctcagactttccatcacctgagccaccttgaggcctgggtgctgaaggacagttctctcactcgtgaac
35 tccaagtgggtccagggtctggcgaacctctcggtgtggacctaaagcgagaactttctctacgagagcatcaac
aaaaccagcgcccttcagaacctgacctgtgcgcaagctcgacctgtccttcaattactgcaagaaggtatcg
ttcgcccgccctccacctggcaagttccttcaagagcctgggtgctcgctgcaggagctgaacatgaacggcatctc
ttccgcttactcaacaagaacacgctcaggtggctggctgggtctgccaagctccacacgctgcaccttcaaatg
aatctcatcaaccaggcgcagctcagcgtcttagtaccttcagagcccttcgctttgtggacctgtccaataat
40 cgcatcagcgggctccaacgctgtccagagtcgccccgaaaaggcagacgaggcgggagaaggggttccatgg
cctgcaagctcaccacagctctcccgagcactcccgctctcaagaacttcatggtcaggtgtaagaacctcaga
ttcaccatggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaaccttcccatctccag
tgtctgagcctgagccacaactgcacgcgaggtgtcaatggctctcagttcctgcgctgaccaacctgaag
gtgctggacctgtcctataacaagctggacctgtaccttcgaaatcggttcagttagctcccacagttgcaggcc
45 ctggacctgagctacaacagccagccattcagcatgcaggggataggccacaacttcagttttctggccaatctg
tccaggttacagaaccttagcctggcacacaatgacattcacagccgctgtcctcacgcctctacagcacctca
gtggagtatctggacttcagcggcaacgggtgtgggcccagatgtgggacgaggaggacctttacctctatttcttc
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaaacctcaac
tacctccccaaagagcctgacgaagctgagtttccgtgacaatcacctctcttctttaactggagcagtctggcc
50 ttctgccccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta
ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagccttctttgctctggcg
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggcccattgtg
atgaacctgacgggtctagacgtgagcagcaacctctgcattgtgcctgcggtgcaccctttgtagacttactg
ctggaagtgcagaccaaggtgcctggcctggctaacgggtgtgaagtgtggcagtcctcccgccagctgcagggcgcg
55 agcatctttgcgcaagacctgcgctgtgctggatgacgtcctttctcgggactgctttggc

- 11 -

SEQ ID NO:5 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRPAFLPCELQPHGLVNCNWLFLKSVPHFSAAPRANVTSLSLLSNRIH
 HLHDSDFVHLSSLRTNLKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTVPALPDSLVSLSLS
 RTNILLVDPHTLTGLHALRYLYMDGNCYYKNPCQGALEVPVPGALLGLGNLTHLSLKYNNTLTPRSLPPSLETLL
 5 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHPLHSDTFSHLSRLEGLVLKDSLSYLNLD
 RWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLRSLNLSFNHYHKKVSFAHLHLAPSFGLHLSLKELDMHGIF
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSNDRISGAARPVAITREVDGRERVWLP
 NLAPRPLDTRLSEDMPNCKAFSFTLDLSRNNLVTIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL
 10 DLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFQMVGHNLSFVAQLPALRYLSLAHNDIHSRVSQQQLCSASLC
 ALDFSGNDLSRMWAEGDLYLRFFQGLRSLVWLDLSQNLHHTLLPRALDNLPSKSLKHLHLRDNNAFFNWSSLTLL
 PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN
 LKVLDSANPLHCACGATFVGFLLEVQAAPVGLPSRVKCGSPGQLQGHISFAQDLRLCLDETLNWCNFCGISLLAM
 ALGLVPMLEHLCGWDLYCFHLCLAWLPHRGQRGADALFYDAFVVDKAQSAVADWVYNELRVQLEERRGRRRA
 15 LRLCLEERDWPGLKTLFENLWASVYSSRKTFLVLAHTDRVSGLLRASFLAQQRLLLEDKDVVVLVILRPDAYRS
 RYVRLRQRLCRQSVLLWPHQPRGQGSFWAQLGTALTRDNHNFYNRNFCRGPTTAE

SEQ ID NO:6 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRPAFLPCELQPHGLVNCNWLFLKSVPHFSAAPRANVTSLSLLSNRIH
 HLHDSDFVHLSSLRTNLKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTVPALPDSLVSLSLS
 20 RTNILLVDPHTLTGLHALRYLYMDGNCYYKNPCQGALEVPVPGALLGLGNLTHLSLKYNNTLTPRSLPPSLETLL
 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHPLHSDTFSHLSRLEGLVLKDSLSYLNLD
 RWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLRSLNLSFNHYHKKVSFAHLHLAPSFGLHLSLKELDMHGIF
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSNDRISGAARPVAITREVDGRERVWLP
 NLAPRPLDTRLSEDMPNCKAFSFTLDLSRNNLVTIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL
 25 DLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFQMVGHNLSFVAQLPALRYLSLAHNDIHSRVSQQQLCSASLC
 ALDFSGNDLSRMWAEGDLYLRFFQGLRSLVWLDLSQNLHHTLLPRALDNLPSKSLKHLHLRDNNAFFNWSSLTLL
 PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN
 LKVLDSANPLHCACGATFVGFLLEVQAAPVGLPSRVKCGSPGQLQGHISFAQDLRLCLDETLNWCNFCGISLLAM

30 SEQ ID NO:7 (Porcine TLR9)

gagcacgaacatccttactgtagctgctgccccggtctgccagccagacccttggagaagacccccactccctgt
 catgggcccccgctgcaccctgcaccccttctctcctggtgcaggtgacagcgctggctgcccgtctggccca
 gggcaggctgctgccttctgccccctgtagctccagccccagcgctggtgaactgcaactgcttctcctgaa
 gtccgtgccccacttctcgccgagcgccccggcccaacgtcaccagcctctccttactctccaaccgcatcca
 35 ccacctgcacgactccgacttcgtccacctgtccagcctacgaactctcaacctcaagtggaaactgcccgcggc
 tggcctcagccccatgcacttccccctgccacatgaccatcgagcccaacaccttctgcccgtgcccaccctgga
 ggagctgaacctgagctacaacagcatcacgacgtgctgccccctgcccagctccctcgtgtccctgtcgctgag
 ccgcaccaacatcctggtgctagacccccaccctcactggcctacatgccctgcgctacctgtacatggatgg
 caactgtactacaagaaccctgccagggggcgctggaggtggtgccgggtgccctcctcgccctgggcaacct
 40 cacacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagaccctgct
 gttgtcctacaaccacattgtcacccctgacgctgaggacctggccaatctgactgccctgcgcgtgcttgatgt
 gggggggaaactgcccgcgctgtgaccatgccccgaacccctgcagggagtgcccaaggaccaccccaagctgca
 ctctgacaccttcagccacctgagccgcctcgaaggcctggtgtgaaagacagttctctctacaacctggacac
 caggtggttccgaggcctggacaggctccaagtgtggaacctgagtgagaacttctctacgactgcatcacaa
 45 gaccacggccttccagggcctggcccagactgcgcagcctcaacctgtccttcaattaccacaagaaggtgtcctt
 tgcccacctgcacctggcaccctccttgggacacctccggtccctgaaggagctggacatgcatggcatcttctt
 ccgctcgctcagtgagaccacgctccaacctctggtccaactgcctatgctccagaccctgcgctgcatgaa
 cttcattaaaccaggccagctcagcatcttggggccttccccctggcctgctgtacgtggacatcggacaaccg
 catcagcggagctgcaaggccagtgggcattactaggagggtggatggtagggagagggtctggctgccttccag
 50 gaacctcgctccacgtccactggacactctccgctcagaggacttcatgccaactgcaaggccttcagcttcac
 cttggacctgtctcggaacaacctggtgacaatccagtcggagatgtttgctgcctctcacgcctcgagtgcct
 ggcctgagccacaacagcatctcccaggcggtcaatggctctcagtttgctgcgctgaccagcctgcgggtgct
 ggacctgtcccacaacaagctggacctgtatcacggcgctcgttcacggagctgcccgcgctggaagcactgga
 cctcagctacaatagccagcccttaccatgcagggtgtgggccacaacctcagcttcgtggcccagctgcccgc

- 12 -

5 cctgcgctacctcagcctggcgacacaatgacatccatagccgagtggtcccagcagctctgtagcgcctcactgtg
cgccctggacttttagcggcaacgatctgagccggatgtgggctgagggagacctctatctccgcttcttccaagg
cctaagaagcctagctctggctggacctgtcccagaaccacctgcacacctcctgccacgtgccctggacaacct
ccccaaaagcctgaagcatctgcatctccgtgacacaataacctggccttcttcaactggagcagcctgacctcct
10 gcccagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcac
ccagctgcgaggctggacctcagtggaacagcatcggttttgaacctggcttcttggcctggccaagca
gttagaagagctcaacctcagcgccaatgccctcaagacagtgaggccctcctgggttggctcgatgggtgggcaa
cctgaaagtcttagacgtgagcgccaacctctgcaactgtgcctgtggggcgaccttcgtgggcttctgctggga
15 ggtacagctgcccgtgctgggtgcccagccgctcaagtgtggcagtcggggcgagctccagggccatagcat
ctttgcgcaagacctgcccctctgacctgagacctctcgaggaaactgttttggcatctcgctgctggccat
ggccctgggctgggttgtgcccctgctgcaccacctgagccctgggacctctggtaactgcttccacctgtgcct
ggcctggctgccccaccgagggcgagggggggcgagacgcccctgttctatgatgccttcgtggcttcttgacaa
agctcagagtgtgtggccgactgggtgtacaacgagctgcgggtgcagctggaggagcgccgtggcgccgcg
actggcctgtgctggaggagcgagactggttacctggcaagacgctcttcgagaacctgtgggctcagctca
15 cagcagccgcaagacctgtttgtgctggccacacggacctgtcagcgccctcttgcgtgccagtttctgct
ggcccagcagcgcctgtgaggaccgcaaggacgttgtagtgtggtgatcctgcccgcctgacctaccgctc
ccgctacgtgcggctgcccagcgccctctgcccagagtgctcctcctctggccccaccagccccgtgggcaagg
cagcttctggggccagctgggacagccctgaccagggaacaccaccttctataaccggaacttctgcccggg
20 cccacgacagccgaatagcactgagtgacagccagttgcccagccccctggatttgcctctctgctgggg
tgccccaacctgctttgtcagccacacctgctctgctcctgttccccaccaccagcctggcatgt
aacatgtgccaataaatgtaccggaggggccaagaaaaa

SEQ ID NO:8 (Porcine TLR9)

25 atgggcccccgctgcacctgcacccccctttctcctggtgcaggtgacagcgctggctgcggctctggccag
ggcaggtgcctgccttctgcccctgtgagctccagccccacggcctggtgaactgcaactggctcttctgaag
tcgctgccccacttctcgccgagcgccccgggccaacgtcaccagcctctccttactctccaaccgcatccac
cacctgcacgactccgacttctgcccacctgtccagcttcaacctcaactgaactggaactgcccgcggct
ggcctcagccccatgcacttcccctgccacatgacctcgagcccaacaccttctgcccgtgcccacctggag
30 gagctgaacctgagctacaacagcatcacgacctgacctgcccactccctcgctgctcctgctgagc
cgacccaacatcctggtgcttagacccccaccacctactggcctacatgcccctgcgctacctgtacatggatggc
aactgctactacaagaacccccctgccagggggcgctggaggtggtgcccgggtgcccctcctcgccctgggcaacctc
acacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagacctgctg
ttgtcctacaaccacattgtcacctgacgcctgaggacctggccaatctgactgcctgcccgtgcttgatgtg
35 ggggggaactgcccgcgctgtgacctgcccgcacccccctgcagggagtgcccaaaggaccacccaagctgcac
tctgacaccttcagccacctgagccgcctcgaaggcctgggtgttgaaagacagttctctacaacctggacacc
aggtggttccgaggcctggacaggtccaagtgtggacctgagtgagaacttctctacgactgcacccaag
accacggccttccagggcctggccgactgcgcagcctcaacctgtccttcaattaccacaagaaggtgtccttt
gccacctgcacctggcaccctccttgggacacctccggtccctgaaggagctggacatgcatggcatcttcttc
cgctcgctcagtgagaccagctccaacctctggtccaactgcctatgctccagacctgcccctgcagatgaac
40 ttcatataaccaggcccagctcagcatctttgggccccttccctggcctgctgtacctggacctatcggaacccgc
atcagcggagctgcaaggccagtgccattactagggaggtggatggtagggagagggctggtgctgcttccagg
aacctcgctccacgtccactggacactctccgctcagaggacttcatgccaactgcaaggcctcagcttcacc
ttggacctgtctcggaacaacctggtgacaatccagtcggagatgtttgctcgccctctcacgcctcgagtgccctg
cgctgagccacaacagcatctcccaggcggtcaatggctctcagtttgtgcccgtgaccagcctgcccgtgctg
45 gacctgtccacaacaagctggacctgtatcacggcgctcggtcacggagctgcccgcgctggaagcactggac
ctcagctacaatagccagcccttaccatgcagggtgtgggccaacctcagcttctggtggccagctgcccgc
ctgcgctacctcagcctggcgacaaatgacatccatagccgagtggtcccagcagctctgtagcgccctcactgtgc
gcccctggacttttagcggcaacgatctgagccggatgtgggctgagggagacctctatctcgcttcttccaaggg
ctaagaagcctagctctggctggacctgtcccagaaccacctgcacacctcctgcccagctgcccctggacaacctc
50 cccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgccatctggcacc
cagctgcccagggctggacctcagtggaacagcatcggttttgaacctggcttcttggcctggccaagcag
ttagaagagctcaacctcagcgccaatgcctcaagacagtgaggccctcctgggttggctcgatgggtgggcaac
ctgaaagtcttagacgtgagcgccaacctctgactgtgctgtggggcgaccttcgtgggcttctgctgggag
55 gtacaggctgcccgtgctgggtgcccagccgctcaagtgtggcagtcggggcgagctccagggccatagcatc
tttgcgcaagacctgcccctctgacctggatgagacctctcgaggaaactgttttggc

- 13 -

SEQ ID NO:9 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPALPCELQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH
 HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLSVLSLS
 5 HTSILVLGPTHFTGLHALRFLYMDGNCYYMNPCCRALEVPAGALLGLGNLTHLSLKYNNTLTPRRLPPSLDTLL
 LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSLSLRLEGLVLKDSLSLYKLEK
 DWFRGLGRLOVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVLEKLDHMGIFF
 RSLTNTITLQSLTRLPLKQLSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR
 GLAPGPLDAVSSKDFMPSCNLFNFTLDLSRNNLVTIQEMFTRLRLQLCLRLSHNSISQAVNGSQFVPLTSLRVLD
 10 LSHNKL DLYHGRSFTLTPQLEALDLSYNSQPFMSQGVGHNL SFVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA
 LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSLTVLP
 RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIPGFFVRATRLIELNLSANALKTVDP SWFGSLAGTL
 KILDVSANPLHCACGA AFVDFLLERQEA VPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFGLSLLMVA
 LGLAVPMLHHL CGWDLWYCFHLCLAHLP RRRRQRGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEERRGRRAL
 15 RLCLEERDWLPKKTLPENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRLLLEDKDVVVLVILRPAAYRSR
 YVRLRQLRCRQSVLLWPHQPSGQGSFWANLGIALTRDNRFYNNRNFRCGPPTAE

SEQ ID NO:10 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPALPCELQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH
 20 HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLSVLSLS
 HTSILVLGPTHFTGLHALRFLYMDGNCYYMNPCCRALEVPAGALLGLGNLTHLSLKYNNTLTPRRLPPSLDTLL
 LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSLSLRLEGLVLKDSLSLYKLEK
 DWFRGLGRLOVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVLEKLDHMGIFF
 25 RSLTNTITLQSLTRLPLKQLSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR
 GLAPGPLDAVSSKDFMPSCNLFNFTLDLSRNNLVTIQEMFTRLRLQLCLRLSHNSISQAVNGSQFVPLTSLRVLD
 LSHNKL DLYHGRSFTLTPQLEALDLSYNSQPFMSQGVGHNL SFVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA
 LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSLTVLP
 RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIPGFFVRATRLIELNLSANALKTVDP SWFGSLAGTL
 30 KILDVSANPLHCACGA AFVDFLLERQEA VPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFG

SEQ ID NO:11 (Bovine TLR9)

gggaagtggcgccaagcatccttccctgcagctgcctcccaacctgcccgccagaccctctggagaagccgcac
 tccctgtcatgggcccactgtgccccgcacccctttctctcctgggtgcaggcgccgactggcagcgccccc
 tggccgagggcaccctgcctgccttccctgcccctgtgagctccagccccatgggtcaggtggactgcaactggctgt
 35 tccctgaagtctgtgcccgcacttttcggctggagcccccgggccaatgtcaccagcctctccttaactctccaacc
 gcatccaccacttgcatgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcc
 cgccggccggcctcagccccatgcaacttcccctgccgtatgaccatcgagcccaacaccttccctggctgtgccc
 ccctggaggagctgaacctgagctacaacggcatcacgacctgcctgcctgcccagttccctcgtgtccctgt
 cgctgagccacaccagcatcctgggtgctagggccccaccacttcaccggcctgcacgccctgcgctttctgtaca
 40 tggacggcaactgctactacatgaacccctgcccgccggccctggaggtggccccaggcgccctcctcgccctgg
 gcaacctcacgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgcctgccccccagcctggaca
 ccctgctgtgtcctacaaccacattgtcaccctggcaccggaggacctggccaacctgactgcctgcccgtgc
 ttgacgtgggtgggaactgccgccgctgcgaccatgcccgcaacccctgcagggagtgcccaagaacttcccc
 agctgcaccctgacaccttcagtcacctgagccgctcgaaggcctgggtgtgaaggacagttctctctacaaac
 45 tagagaaagattgggtccgcggcctgggcaggctccaagtgtcgcacctgagtgagaacttccctctatgactaca
 tcaccaagaccacactcttcaacgacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagg
 tgtcctctgcgccacctgcacctagcgtcctccttgggagctcgtgtcctgggagaagctgacatgcacggca
 tcttctctcgcctccctcaccacatcacgctccagtcgctgaccggctgccccagctccagagctctgcatctgc
 agctgaacttcatcaaccaggccagctcagcatcttggggccttcccagacctgctctcgtggacctgtcgg
 50 acaaccgcatcagcggagccgcgacgccagcggccgcccctgggggaggtggacagcagggtggaagtctggcgat
 tgcccaggggctcgtccaggccgctggagccgctcagctcaaaggacttcatgccaaagctgcaacctcaact
 tcaccttgacctgtcacggaacaacctggtgacaatccagcaagagatgtttaccgcgctctccgcgctccagt
 gcctgcgctgagccacaacagcatctcgcaggcggttaatggctcccagttcgtgcccgtgaccagcctgcgag

- 14 -

tgctcgacctgtcccacaacaagctggacctgtaccatgggcgctcattcacggagctgccgcagctggaggcac
tggacctcagctacaacagccagcccttcagcatgcagggcgctgggccacaacctcagcttcgtggccagctgc
cctccctgcgctacctcagccttgcgcacaatggcatccacagccgctgtcacagaagctcagcagcgccctcgt
tgcgcgccccggacttcagcggcaactccctgagccagatgtgggcccagggagacctctatctctgctttttca
5 aaggcttgaggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcacctggaca
acctgcccagagctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccg
tcttgcctcccggttggagccctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgccgctg
gcatccggctccagaagctggacgtgagcagcaacagcatcggttcgtgatccccggttcttcgtccgcgcga
ctcggtgatagagcttaacctcagcgccaatgcctgaagacagtggatccctcctgggttcggttccttagcag
10 ggacctgaaaatcctagacgtgagcgccaacctgcctcactgcgctgcggggcgccctttgtggacttcctgc
tggagagacaggaggccgtgcccgggtgttccaggcgctcacatgtggcagtcggggccagctccagggccgca
gcatcttcacacaggacctgcgctctgcctggatgagacctctccttggactgctttggcctctcactgctaa
tgggtggcgctgggctggcagtgcccatgtgcaccacctctgtggctgggacctctgggtacttccacctgt
gtctggccccatttgcctccagcgccggcgagcgggcgaggacacctgctctatgatgccgtcgtggctctcg
15 acaaggtgcagagtgcagtggtgatgggtgtacaacagctccgctgcagctggaggagcgccggggcgcc
ggcgctccgctctgcctggaggagcgagactggctccctggtaagacgctcttcgagaacctgtgggctcgg
tctacagcagcgcaagacctgttcgtgctggaccacacggaccgggtcagcgccctcctgcgcgcagcttcc
tgetggccacagcgccgtgttggaggaccgcaacgctcgtagtgtggtgatcctgcgccccgcgcctatc
ggctccgctacgtgcggctgcgcagcgctctgcgcagcagcgctcctccttggccccaccagccagtgggc
20 agggtagtttctgggccaacctgggcatagccctgaccagggaacaacctcacttctataaccggaaactctgc
ggggccccacgacagccgaatagcacagagtgcctgcccag

SEQ ID NO:12 (Bovine TLR9)

atggggccctactgtgccccgcaccccccttctctcctggtgcagggcgccgactggcagcgccctggccgag
25 ggcacctgcctgccttctgcctgtgagctccagcccatgggtcaggtggactgcaactggctgttctgaag
tctgtccgcacttttcggtggagcccccgcccaatgtcaccagcctctccttaatctccaaccgcattccac
cacttgcatgactctgctccacctgtccacctgcgggtcctcaacctcaagtggaaactgccgcggccg
ggcctcagccccatgcacttccccctgacctatgacctcgagcccaaaccttcttggtgtgcccacctggag
30 gagctgaacctgagctacaacggcatcacgacctgcctgcctgcccagttccctcgtgtccctcgtcgtgac
cacaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcccctgcgcttctgtacatggacggc
aactgctaactacatgaacccctgcccgccggccctggaggtggccccagcgccctcctcgccctgggcaacctc
acgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgcctgccccccagcctggacacctgctg
ctgtcctacaaccacatgtcacctggcaccgagacctggccaacctgactgcctgcgctgcttgacgtg
35 ggtgggaaactgcgcgcgctgcgacctgcccgaacctgagggaggtgcccgaagacttccccaaactgcac
cctgacaccttcagtcacctgagccgctcgaaggcctgggtgttgaggacagttctctctacaaactagagaaa
gattggttcgcggcctgggaggtccaagtgtcgacctgagtgagaacttctctatgactacatcaccaag
accacctcttcaacgacctgacctgagcgcagactcaacctgtccttcaattaccacaagaaggtgtccttc
gcccacctgcacctagcgtcctccttgggagctgtgtgctcctggagaagctggacatgcacggcatcttcttc
cgctccctcaccacatcacgctccagtcgctgacctggctgcccagctccagagtctgcatctgcagctgaac
40 ttcatacaaccaggccagctcagcatcttggggccttcccagcctgctcttcgtggacctgtcggaacaaccgc
atcagcggagccgcagcgcagccgcccctggggaggtggacagcaggggtggaagtctggcgattgcccagg
ggcctcgtccaggcccgctggacccgtcagctcaaaggacttcatgccaaagctgcaacctcaacttcaccttg
gacctgtcacggaacaacctgggtgacaatccagcaagagatgtttaccgcctctccgcctcagtgccctgcgc
ctgagccacaacagcatctcgagcggttaatggctcccagttcgtgcgcgtgaccagcctgcgagtgctcgac
45 ctgtcccacaacaagctggacctgtaccatgggcgctcattcacggagctgccgcagctggaggcactggacctc
agctacaacagccagcccttcagcatgcagggcgctgggccacaacctcagcttcgtggccagctgccctccctg
cgctacctcagccttgcgcacaatggcatccacagccgctgtcacagaagctcagcagcgccctgttgcgcgcc
ctggacttcagcggaacctcctgagccagatgtggcgaggagacctctatctctgcttttcaaaggcttg
aggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcacctggacaacctgccc
50 aagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgacccgtgccc
cggttggaaagcctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgccgctggcatccgg
ctccagaagctggacgtgagcagcaacagcatcggttcgtgatccccggttcttcgtccgcgcgactcggtg
atagagcttaacctcagcgccaatgccctgaagacagtggatccctcctgggttcggttcttagcagggaacctg
aaaatcctagacgtgagcgccaacctgcctgcgctgcggggcgccctttgtggacttctgctggagaga
55 caggaggccgtgcccgggtgtccaggcgctcacatgtggcagtcggggccagctccaggggccgagcatcttc
acacaggacctgcgctctgcctggatgagacctctccttggactgctttggc

- 15 -

SEQ ID NO:13 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPFPCELPQHLVNCNWFLKSVPHFSAAAPRDNVTSLSLLSNRI
HHLHDSDFAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL
5 SRTNQLQDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTTPRSLPSPLEYL
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSLYQLN
PRWFRGLGNLTVLDLSENFLYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGLSLLSQELDMHGIF
FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS
RDLTGPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQEMFAQLSRLOCLRLSHNSISQAVNGSQFVPLTSLQV
10 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFSSMRGVGHNLSFVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRHLTLPLCTLGNLPKSLQLRLRNNYLAFNWSLTL
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG
SLEVLDVSANPLHCACGAAFVDFLLQVQAAVPGLP SRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLV
VALGLAMPMLHHLGWDLWYCFHLGLAWLPRRGWQRGADALS YDAFVVFDAQSAVADWVYNELRVRLERRGRR
15 ALRLCLEERDWPGLTKTFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQQRLLLEDKRDVVVLVILSPDARR
SRYVRLRQLRCRQSVLFWPHQPSGQRSFWAQLGMALTRDNRHFYNQNFRCGPTMAE

SEQ ID NO:14 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPFPCELPQHLVNCNWFLKSVPHFSAAAPRDNVTSLSLLSNRI
HHLHDSDFAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL
20 SRTNQLQDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTTPRSLPSPLEYL
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSLYQLN
PRWFRGLGNLTVLDLSENFLYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGLSLLSQELDMHGIF
FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS
RDLTGPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQEMFAQLSRLOCLRLSHNSISQAVNGSQFVPLTSLQV
25 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFSSMRGVGHNLSFVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRHLTLPLCTLGNLPKSLQLRLRNNYLAFNWSLTL
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG
SLEVLDVSANPLHCACGAAFVDFLLQVQAAVPGLP SRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG
30

SEQ ID NO:15 (Equine TLR9)

ctctgttctctgagctgttgccgctgaagggaactgagcagcacaagcatcctcctctgagctgctgccagtg
tgccagctggaccctctggatcatctccactcctgtcatgggcccttgccatggtgccctgcagccctgtct
ctcctggtgcaggcgccatgctggcctggtctctggcccaaggcaccctgcctccctcctgcctgtgagctc
35 cagccccacggcctggtgaactgcaactggctgtctcctgaagtcctgcccacttctcagcagcagcaccgg
gacaatgtcaccagccttctctgtctctcaaccgcatccaccactccacgactccgactttgcccaactgtcc
aacctgcagaaactcaacctcaaatggaactgcccgcagccggcctcagccccatgcacttcccctgccacatg
accatcgagcccaacttctcctggtgtacccaccctggaggagctgaacctgagctacaacggcatcacgact
gtgcctgcccagcctccctcgtgtccctgacccctgagccgcaccaacatcctgcagctagacccaccagc
40 ctacgggctgcatgcccctgcgtctcctatacatggatggcaactgctactacaagaacccctgcgggcgggcc
ctggagggtggccccagggcgccctccttgccctgggcaacctcaccacctgtcactcaagtacaacaacctcaca
acgggtgccccgcagcctgcccctagcctggagtacctgctgtgtcctacaaccacattgtcaccctggcact
gaggacctggccaatctgactgcccctgctgtgtcctgatgtgggtggaactgcccgcctgtgacctgacgc
aaccctgctgtggagtggccacataaattccccagctgcaactccgacaccttcagccacctaaagccgctagaa
45 ggcctcgtgttgaggatagttctctctaccagctgaacccagatggttcctgctggcctgggcaacctcacagt
ctcgactgagtgagaacttctctacgactgcatcaccaaacaaaggcattccagggtcggccagctgcga
agactcaacttgtccttcaattaccataagaagggtgtccttcgcccactgacgctggcaccctccttcgggagc
ctgctctcctgcaggaactggacatgcatggcatcttcttcgctcactcagccagaagacgctccagccactg
gcccgcctgcccctgctccagcgtctgtatctgcagatgaacttcatcaaccaggcccagctcgccatcttcaag
50 gacttcccctggtctgcgctacatagacctgtcagacaaccgcatcagtgaggctgtggagccgggtggccaccaca
ggggagggtggtggtgggaagaaggctgtggtgacatccaggacactcactccaggcccactggacacccccagc
tctgaggacttcatgccaaagctgcaagaacctcagcttcccttgacctgtcacggaacaacctggttaacagtc
cagccagagatgtttgccagctctcgcgcctccagtgccctgagccacaacagcatctcgaggcggtc

- 16 -

aatggctcacagttcgtgccactgaccagcctgcaggtgctggacctgtcccataacaaactggacctgtaccat
ggcgctcgtttacggagctgcccgcactggaggccctggacctcagctacaacagccagcccttcagcatgagg
ggtgtggggccacaacctcagctttgtggcccagctgcccaccctgcgctacctcagcctggcacacaatggcatc
cacagccgtgtgtcccagcagctctgcagcacctcgctgtgggcccctggacttcagcggcaattccctgagccag
5 atgtgggctgagggagacctctatctccgcttctccaaggcctgagaagcctaatccggctagacctgtcccag
aatcgtctgcataacctcctgccatgcacctgggcaacctcccaagagcttcagctgctgcgtctccgtaac
aattacctggccttcttcaattggagcagcctgacctcctgcccaacctggaaacctggacctggctggaaac
cagctgaaggctctgagcaatggcagcctgccttctggcaccagctccagaggctggacgtcagcaggaacagc
atcatcttcgtggctccctggcttcttctgtctggccacgaggctgcgagagctcaacctcagtgccaacgcctc
10 aggacagaggagccctcctggtttgggttctctagcaggctcccttgaaagtctagatgtgagcgccaacctcctg
cactgcgctgtggggcagccttctgtggacttctgtcaggttcaggctgcccgtgacctgtgacctggacaag
gtcaagtgtggcagtcggggcagctccaggggccgcagcatcttcgcacaagacctgcccctctgacctggacaag
tccctctcctgggactgttttgggtctctcattgtctgggtgtggccctgggctggccatgcctatgttgaccac
ctctgcggctgggacctctgtactgtctccacctgggctggcctggctgccccgggggggtggcagcggggc
15 gcggtatgcccctgagctatgatgccttctgtgtcttcgacaaggcacagagcgcagtgccgactgggtgtacaat
gaactgccccctgagcctagaggagcgcctggggcgcggggcgtccgcctgtgtctggaggagcgtgactggcta
cctggcacaagcgtgttctgaaaacctgtgggctcagctctacagcagccgcaagatgctgttctgtctggccac
acggacaggtcagtgccctcttgcgtgcagcttctgtcctggccagcagcgtctgctggaggaccgcaaggac
gttgtgggtgctggaatctgagccctgacgcccgcgttcccggttacgtgcggctgcccagcgcctctgcgcg
20 cagagtgtcctctctggccccaccagcctagtggccagcgcagcttctggggccagctaggctggccctgacc
agggacaaccgcccacttctataaccagaacttctgcccggggcccgacgatggctgagtagcacagagtgcagcc
tggcatgtacaacccccagccctgaccttgcctctctgcctatgatgccagctctgcctcactctgtgacgcccc
tgctctgcctccgccacctcaccctggcatacagcaggcactcaataaatgccactggcaggccaaacagcca
aaaaaaaaaaaaaaaa

25

SEQ ID NO:16 (Equine TLR9)

atgggccccttgccatgggtgccctgcagccctgtctctcctgggtgcaggcggccatgctggccgtggctctggcc
caaggcaccctgcctcccttccctgcctgtgagctccagcccacggcctgggaactgcaactggctgttccctg
aagtccgtgccccacttctcagcagcagcaccgggacaatgtcaccagccttccctgtctccaaccgcatc
30 caccacctccacgactccgactttgccaaactgtccaacctgcagaaactcaacctcaaatggaactgcccgcga
gcccgcctcagcccatgcaacttccctgccacatgaccatcgagcccaacttctcctggctgtaccaccctg
gaggagctgaacctgagctacaacggcatcacgactgtgcctgcccctgcccagctccctcgtgtccctgatcctg
agccgcaccaacatcctgcagctagacccaccagcctcaaggccctgcctgcccctgccttccctatacatggat
ggcaactgtctactacaagaacctcgcggcgggccctggagggtggccccaggcgccctccttggcctgggcaac
35 ctaccacacctgtcactcaagtacaacaacctcaaacgggtgccccgcagcctgccccctagcctggagtacctg
ctgttgcctacaaccacattgtcaccctggcacctgaggacctggccaatctgactgcccctgcgtgtgctcgat
gtgggtggaaactgcccgcgtgtgacctgcacgcaacctcgtggagtggccacataaattccccagctg
cactccgacaccttcagccacctaaaggccctagaaggcctcgtgtgaaggatagtctctctaccagctgaac
cccagatgggtccgtggcctgggcaacctcacagtgtcgacctgagtgagaacttccctctacgactgcatcacc
40 aaaaccaaggcatccagggctggcccagctgcgaagactcaacttgccttcaattaccataagaagggtgtcc
ttcgcccaacctgacgtggcaccctccttcgggagcctgtctcctgcaggaactggacatgcatggcatcttc
ttccgctcactcagccagaagagctccagccactggccgcctgcccctgcccctgctccagcgtctgtatctgcagatg
aacttcatcaaccaggcccagctcggcatcttcaaggacttccctggctgtgcgtacatagacctgtcagacaac
cgcatcagtgagctgtggagccgtggccaccacaggggaggtggatgggtgggaagaaggcttggtgacatcc
45 agggacctcactccaggcccactggacacccccagctctgaggacttcatgccaagctgcaagaacctcagcttc
accttggacctgtcacggaacaacctggtaacagtccagccagagatgtttgccagctctcgcgcctccagtgct
ctgcgctgagccacaacagcatctcgaggcggtcaatggctcacagttcgtgccactgaccagcctgcaggtg
ctggacctgtccataacaaactggacctgaccatggcgctcgtttacggagctgcccgcactggaggccctc
50 gacctcagctacaacagccagcccttcagcatgcccgggtgtggggccacaacctcagcttctgtggccagctgccc
acctgctgtacctcagcctggcacacaatggcatccacagcctgtgttcccagcagctctgcagacacctcgtctg
tgggcccctggacttcagcggcaatccctgagccagatgtgggctgaggagacctctatctccgcttcttccaa
ggcctgagaagcctaataccggctagacctgtcccagaatcgtctgcataacctcctgccatgcacctgggcaac
ctcccaagagcttcagctgtcgtctccgtaacaattacctggccttcttcaattggagcagcctgacctc
ctgcccacacctggaaacctggacctgggtggaaccagctgaaggctctgagcaatggcagcctgccttctggc
55 acccagctccagaggctggacgtcagcaggaacagcatctctcgtggctccctggcttcttctgtctggccacg
aggctgcgagagctcaacctcagtgccaacgcctcaggacagaggagccctcctgggttctctagcaggc
tcccttgaagtctagatgtgagcgccaacctctgcactgcgctgtggggcagccttctgtggacttctgtcgt

- 17 -

cagggttcagggtgccgtgcctggtctgccagccgcgtcaagtgtggcagtcggggccagctccaggggccgcagc
atcttcgcacaaagacctgcgcctctgcctggacaagtcctctcctgggactgttttgggt

SEQ ID NO:17 (Ovine TLR9)

5 MGPYCAPHPLSLLVQAAALAAALAAQGTLPAPFLPCELQPRGKVCNWLFLKSVPRFSAGAPRANVTSLSLISNRIH
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVSLSL
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAVEVAPGALLGLGNLTHLSLKYNNTLTPVPRRLPPSLDTLL
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK
10 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTLQRLRLNLSFNHYHKKVSFAHLQLAPSFGGLVSLEKLDMHGIF
RSLTNTTLRPLTQLPKLQSLSLQLNFINQAELSI FGAFPSLLFVDLSDNRI SGAARPVAALGEVDSGVEVWRWPR
GLAPGPLAAVSAKDFMPSCNLFNFTLDLSRNNLVITIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNNAFFNWSSSLTVLP
15 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL
NILDVSANPLHCACGAAFVDFLLEMQAAPVGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFGFSLLMVA
LGLAVPMLHHLGWDLWYCFHLCLAHLP RRRRQRGEDTLLYDAFVVDKAQSAVADWVYNELRVQLEERRGRAL
RLCLEERDWPGLTFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRLLEDKDVVVLVILRPAAYRSR
YVRLRQRLCRQSVLLWPHQPSGQGSFWANLGMALTRDNRFYNRNFCRGPTTAE

20 SEQ ID NO:18 (Ovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAAQGTLPAPFLPCELQPRGKVCNWLFLKSVPRFSAGAPRANVTSLSLISNRIH
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVSLSL
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAVEVAPGALLGLGNLTHLSLKYNNTLTPVPRRLPPSLDTLL
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK
25 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTLQRLRLNLSFNHYHKKVSFAHLQLAPSFGGLVSLEKLDMHGIF
RSLTNTTLRPLTQLPKLQSLSLQLNFINQAELSI FGAFPSLLFVDLSDNRI SGAARPVAALGEVDSGVEVWRWPR
GLAPGPLAAVSAKDFMPSCNLFNFTLDLSRNNLVITIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNNAFFNWSSSLTVLP
30 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL
NILDVSANPLHCACGAAFVDFLLEMQAAPVGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFG

SEQ ID NO:19 (Ovine TLR9)

gtcggcacgggaagtgcagcgcgaagcatccttccctgcagctgccgcccacttgcccgcagaccctctggaga
35 agccgcatttccctgccatgggcccctactgtgcccgcaccccccttctctcctggtgcaggcgggcgctggc
agcagccctggccagggcaccctgcctgccttctgcctgtgagctccagccccgggtaaggatgaactgcaa
ctggctgttctgaagtctgtgcgcgcttctcgccgggagccccgggccaatgtcaccagcctctccttaat
ctccaaccgcatccaccacttgacgactctgacttcgtccacctgtccaaactgcgggtcctcaacctcaagt
gaactgcccgcggccggcctcagcccatgcacttccctgcgcgcatgaccatcgagcccaacaccttctggc
40 tgtgcccaccctggaggagctgaacctgagctacaatggcatcacgaccgtgctgcccctgcccagttctctcgt
atccctgtcgtgagccgcaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcccctgcgctt
tctgtacatggacggcaactgctactataagaacccctgccagcaggcctggaggtggccccaggcgccctcct
tggcctgggcaacctcacgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgctgccccccag
cctggacacctgtgctgtcctacaaccacatcatcaccctggcaccgaggacctggccaatctgactgcccct
45 gctgtgctgtgatggcggggaactgcccgcgtgcgaccacgcccgaacccctgcaggagtgcccaagaa
cttccccaaagctgcacctgacaccttcagccacctgacgcgctcgaaggcctgggtgtgaaaggacagttctct
ctacaaactagagaaagactgggtcccgccgctgggcaggctccaagtgtcgacctgagtgagaacttctcta
tgactacatcaccaagaccacctcttcaggaaacctgaccagctgcgcagactcaacctgtccttcaattacca
caagaaggtgtccttcgcccacctgcaactggcaccctccttgggggctggtgtcctggagaagctggacat
50 gcacggcatcttctccgctccctcaccaacaccagctccggccgctgaccagctgcccagctccagagctct
gagctgtcagctgaacttcatcaaccaggccgagctcagcatcttggggccttcccagagcctgtcttctcgtgga
cctgtcggacaaccgcatcagcggagctgcgagggcgggtggccgcccctcggggaggtggacagcgggggtggaagt
ctggcggtggcccaggggcctcgctccaggcccgtggccgcccgtcagcgcaaggaacttcatgccaagctgcaa

- 18 -

5 cctcaacttcaccttggacctgtcacggaacaacctggtgacgatccagcaggagatgtttaccgcctctcccg
cctccagtgcctgcgctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgccgctgacccg
cctgcgagtgctcgacctgtctctacaacaagctggacctgtaccatggcgctcgttcacggagctgccgcagct
ggaggcactggacctcagctacaacagccagcccttcagcatgcagggcgctggggccacaacctcagcttcgtggc
10 ccagctgccgtccctgcgctacctcagccttgccgacacacggcatccacagccgctgtcacagaagctcagcag
cgctcgctgcgcgccctggacttcagcggcaactccctgagccagatgtgggcccagggagacctctatctctg
cttcttcaaaggcttgaggaacctggctccagctggacctgtccaagaaccacctgcacacctcctgcctcgtca
cctggataacctgcccagagctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcag
cctgactgttctgccccagctggaagccctggatctggcggaaccagctgaaggccctgagcaacggcagcct
15 gccacctggcaccggctccagaagctggacgtgagcagcaacagcatcggcttctgtgacccctggcttcttctgt
ccttgccaaccggctgaaagagcttaacctcagcgccaacggcctgaagacagtggaatcccttctgggttcggctcg
cttaacagagacctgaatatcctagacgtgagcgccaacggcctccactgtgcctgccccggcgcccttctgtgga
cttctctgctggagatgcaggcgccgctgcctgggctgtccaggcgctcacgtgtggcagtcgggcccagctcca
ggggccgagcatcttcgcacaggacctgcgctcctgctggatgagacctctccttggactgcttggcttctc
20 gctgctaattgggtggcgctgggctggcggtgccatgctgcaccacctctgtggctgggacctgtggtactgctt
ccacctgtctggcccatctgccccagcgccggcgagcgggcgaggaaccctgctctacgatgccttcgt
ggctctcgacaaggcgagagtgagtgccgactgggtgtacaacagagctccgctgagctggaggagcgccg
cgggcgccggcgctccgctctgcctggaggagcagctggctccctggcaagacgctcttcgagaacctgtg
ggcctcggtctacagcagccgtaagacctgttctgtgagaccacagcagccgggtcagtgccctcctgcgcgc
25 cagcttctgctggccagcagcgctgttgaggaccgcaaggatgtcgtgggtgctgggtgactcctgcgccccgc
cgctaccgggtcccgctacgtgcggctgcgcagcgctctgcgcagagcgtcctccttggccccaccagcc
cagtgggccagggtagcttctgggccaacctgggcatggcctgaccagggaacaaccgcaacttctataaccggaa
cttctgcggggggccccacgacagccgaatagcacagagtgaactgccag

25 SEQ ID NO:20 (Ovine TLR9)

atggggccctactgtgccccgcaccccccttctctcctgggtgagggcgggcgctggcagcagccctggccag
ggcaccctgcctgccttctgcctgtgagctccagccccgggtaagggtgaactgcaactggctgttctgaag
tctgtgcccgcgttcttcggcgaggcccccgggccaatgtcaccagcctctccttaattctccaaccgcatccac
30 cacttgcaagactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactccccaccctggag
ggcctcagccccatgcaacttcccctgcccagatgacctcgagcccaaacaccttctggctgtgccccaccctggag
gagctgaacctgagctacaatggcatcacgacctgcctgcccctgcccagttctctcgtatccctgtcgtgagc
cgaccagcatcctgggtgctaggccccaccacttaccggcctgcagccctgcgcttctgtacatggacggc
aactgctactataagaacccctgcccagcaggcgctggagggtggccccaggcgccctccttggcctgggcaacctc
35 acgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgctgccccccagcctggacacctgctg
ctgtcctacaaccacatcatcacctggcaccgaggaacctggccaatctgactgcctgctgtgcttgatgtg
ggcggaactgcccgcgctgcgaccacgcccgaacctgcagggagtggccaaagaacttccccaaagtgcac
cctgacaccttcagccacctgagccgctcgaaggcctgggtgtgaaggacagttctctctacaactagagaaa
gactgggtccgcggcctgggacggctccaagtgtcagacctgagtgagaacttctctatgactacatcaccaag
accaccatcttcaggaacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagggtgtccttc
40 gcccacctgcaactggcaccctccttgggggctgggtgtcctggagaagctggacatgcagggcatcttcttc
cgctccctcaccaacaccagctccggcgctgaccagctgccaagctccagagctgagctgcagctgaac
tcatcaaccaggccgagctcagcatcttggggccttccgagcctgctcttctgtggacctgcggacaaccgc
atcagcggagctgcgaggccggtggcgccctcggggaggtggacagcggggtggaagtctggcggtggcccagg
ggcctcgctccaggcccgctggcgccgctcagcgcaaggacttcatgccaagctgcaacctcaacttcaccttg
45 gacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctcccgcctccagtgcctgcgc
ctgagccacaacagcatctcgaggcggttaattggctcgcagttcgtgcgctgacccgcctgcgagtgctgcac
ctgtcctacaacaagctggacctgtacctggcgctcgttcacggagctgcccagctggaggcactggacctc
agctacaacagccagcccttcagcatgcaggcgctggggccacaacctcagcttcgtggcccagctgcgctccctg
cgctacctcagccttgccgacacggcatccacagccgctgtcacagaagctcagcagcgcctcgtgcgcgccc
50 ctggacttcagcggcaactccctgagccagatgtggggcgaggagacctctatctctgcttcttcaaaggcttg
aggaacctgggtccagctggacctgtccaagaaccacctgcacacctcctgcctcgtcacctggataacctgccc
aagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgactgttctgccc
cagctggaagccctggatctggcgggaaaccagctgaaggccctgagcaacggcagcctgcaacctggcaccgg
ctccagagctggagctgagcagcaacagcatcggtcttctgtgacccctggcttcttctgcttggccaaccggctg
55 aaagagcttaacctcagcggcaacggcctgaagacagtgatcccttctgggttcggctcgttaacagagacctg
aatatcctagacgtgagcgccaaccgctccactgtgcctgccccggcgcttctgtggacttctgctggagatg

- 19 -

caggcgccgctgcctgggctgtccaggcgcggtcacgtgtggcagtcggggccagctccaggggcgcagcatcttc
gcacaggacctgcgcctctgcctggatgagaccctctccttgactgctttggc

Complete nucleotide and amino acid sequences for canine and feline TLR9 are
publicly available. For example, an amino acid sequence for canine TLR9 is available as
GenBank accession number BAC65192 and its corresponding nucleotide sequence is
available as GenBank accession number AB104899. An amino acid sequence for feline
TLR9 is available as GenBank accession number AAN15751 and its corresponding
nucleotide sequence is available as GenBank accession number AY137581.

Complete nucleotide and amino acid sequences for canine and feline TLR9 were also
determined independently from those available from public databases.

An amino acid sequence of canine TLR9 is provided as SEQ ID NO:21. Based on
comparison with known amino acid sequences of human and murine TLR9, it appears that
SEQ ID NO:21 includes sequence for at least a majority of the extracellular domain, all of the
transmembrane domain, and at least a portion of the intracellular domain of canine TLR9
(See Figure 1). Amino acids numbered 1-822 of SEQ ID NO:21 are presumptively
extracellular domain and correspond to SEQ ID NO:22. SEQ ID NO:23 is a nucleotide
sequence of canine TLR9 cDNA having an open reading frame corresponding to nucleotides
91-3186. SEQ ID NO:24 is a nucleotide sequence of canine cDNA encoding amino acids 1-
822 of SEQ ID NO:21.

An amino acid sequence of feline TLR9 is provided as SEQ ID NO:25. Based on
comparison with known amino acid sequences of human and murine TLR9, it appears that
SEQ ID NO:25 includes sequence for at least a majority of the extracellular domain, all of the
transmembrane domain, and at least a portion of the intracellular domain of feline TLR9 (See
Figure 1). Amino acids numbered 1-820 of SEQ ID NO:25 are presumptively extracellular
domain and correspond to SEQ ID NO:26. SEQ ID NO:27 is a nucleotide sequence of feline
TLR9 cDNA having an open reading frame corresponding to nucleotides 87-3179. SEQ ID
NO:28 is a nucleotide sequence of feline cDNA encoding amino acids 1-820 of SEQ ID
NO:25.

SEQ ID NO:21 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPRFSAAAPRGNVTSLSLYSNRI
HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDLNLNSYNSITVTPALPSSLVSLSL
SRTNILLVDPATLAGLYALRFLFDGNCYYKNPCQALQVAPGALLGLGNLTHLSLKYNLTVVPRGLPPSLEYL

- 20 -

LLSYNHIIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKGFPLHPNTFGHLSHLEGLVLRDSSLYSLD
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNYHKKVSFAHLHLASSFGSLLSLQELDIHGIF
 FRSLSKTTLQSLAHLPMQLRLHLQNFISQAQLSIFGAFPGRLRYVDLSDNRISGAAPAAATGEVEADCGERVWP
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDSLRRNNLVTQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL
 5 RVLDSLHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSMRGVGHNSFVAQLPALRYLSLAHNGIHSRVSQQLRSA
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNRHLTLPRNLDNLPKSLRLLRLRDNLYLAFFNWSSL
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPFFALAVRLRELNLSANALKTVEPSWFGSL
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGPLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSLSL
 LAVALSLAVPMLHLQCGWDLWYCFHLCLAWLPRRGRRRGVDALAYDAFVVFDKAQSSVADWVYNELRVQLEERRG
 10 RRALRLCLEERDWPVKTLFENLWASVYSRKTLFVLARTDRVSGLLRASFLLAQQRLLLEDKDVVVLVILCPDA
 HRSRYVRLRQRLCRQSVLLWPHQPSGQRSFQAQLGTALTRDNHRHFNQNFRCRGPPTA

SEQ ID NO:22 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAAGTLPALPCELPQPHGLVNCNWLFLKSVPFRFSAAAPRGNVTSLSLYSNRI
 15 HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCMTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSLVSLSL
 SRTNIVLDPATLAGLYALRFLFLDGNCCYKNPCQALQVAPGALLGLGNLTHLSLKYNLTVVPRGLPPSLEYL
 LLSYNHIIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKGFPLHPNTFGHLSHLEGLVLRDSSLYSLD
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNYHKKVSFAHLHLASSFGSLLSLQELDIHGIF
 20 FRSLSKTTLQSLAHLPMQLRLHLQNFISQAQLSIFGAFPGRLRYVDLSDNRISGAAPAAATGEVEADCGERVWP
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDSLRRNNLVTQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL
 RVLDSLHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSMRGVGHNSFVAQLPALRYLSLAHNGIHSRVSQQLRSA
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNRHLTLPRNLDNLPKSLRLLRLRDNLYLAFFNWSSL
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPFFALAVRLRELNLSANALKTVEPSWFGSL
 25 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGPLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSL

SEQ ID NO:23 (Canine TLR9)

aggaaggggctgtgagctccaagcatcctttcctgacgtgctgcccagcctgccagccagaccctctggagaag
 ccccgctccctgtcatgggcccctgccgtggcgccctgcacccccctgtctctcctggtgcaggctgccgcgcta
 30 gccctggccctggccagggcaccctgcctgccttctcctgccctgtgagctccagcccatggcctggtgaactgc
 aactggctgttctcctcaagtccgtgcccgccttctcctgcagctgcaccccgcggttaacgtcaccagccttctcctg
 tactccaaccgcatccaccacctccatgactatgactttgtccacttcgtccactgcggcgctctcaatctcaag
 tggaaactgcccgcggccagcctcagcccatgacacttctcctgtcacatgaccattgagcccaacaccttctcct
 gctgtgcccaccctagaggacctgaatctgagctataacagcatcacgactgtgcccgcctgcccagttcgctt
 gtgtccctgtccctgagccgcaccaacatcctggtgctggaccctgccaccctggcaggcctttatgccctgcgc
 35 ttctgttctcctggatggcaactgctactacaagaacccctgccagcaggccctgcaggtggcccaggtgccctc
 ctggcgctgggcaacctcacacactgtcactcaagtacaacaacctcaccgtggtgccgcggggcctgcccccc
 agcctggagtagctgtctgtcctacaaccacatcaccctggcactgaggacctggccaatctgactgcc
 ctgctgtctcctcgatgtgggtgggaactgtcgccgctgtgaccatgccgtaacctgcaggagtgccccaag
 40 ggcttccccagctgcaccccaacaccttcggccacctgagccacctcgaaggcctggtgttgagggaacagctct
 ctctacagcctggacccaggtggttccatggcctgggcaacctcatggtgctggacctgagtgagaacttctg
 tatgactgcatcaccaaaacaaagccttctacggcctggcccgctgcgcagactcaacctgtccttcaattat
 cataagaaggtgtcctttgccacctgcatctggcatcctccttcgggagcctactgtccctgcaggagctggac
 atacatggcatcttcttcgctcgtcagcaagaccagctccagtcgctggccacactgccatgctccagcgt
 ctgcatctgcagttgaactttatcagccaggcccagctcagcatcttcggcgcccttcctggactgcggtagctg
 45 gacttgctcagacaaccgcatcagtgagctgcagagcccgcgctgccacaggggaggtagaggcagactgtggg
 gagagagtctggccacagctcccggaacctgtctgggcccactgggcaccccggtcagagggccttcatgccc
 agctgcaggacctcaacttcaccttggacctgtctcggaacaacctagtactgttcagccggagatgtttgtc
 cggtggcgccgctccagtgctgggctgagccacaacagcatctcgaggcggtcaatggctcgagttcgtg
 cctctgagcaacctgcgggtgctggacctgtccataacaagctggacctgtaccacggcgctcggttcacggag
 50 tgcggcgctggaggccttgacctcagctacaacagccagcccttcagcatgccccgctggggccacaatctc
 agcttctgtggcacagctccagccctgcgtacctcagctggcgcaataacctgagccagatgtgggcccaggagac
 cagctccgcagcgctcgtccgggcccctggacttcagtggtgcaataacctgagccagatgtgggcccaggagac
 ctctatctccgcttcttccaaggcctgagaagcctggttcagctggacctgtccagaatcgctgcataccctc
 ctgccacgcaacctggacaacctccccaaagcctgcggctcctgcggctccgtgacaattacctggcttcttc
 55 aactggagcagcctggccctcctacccaagctggaagcctggacctggcgggaaaccagctgaaggccctgagc

- 21 -

aatggcagcttgcccaacggcaccagctccagaggtggacctcagcggcaacagcatcggttcgtgggtcccc
 agcttttttgccttgccgtgaggcttcgagagctcaacctcagcgccaacgccctcaagacgggtggagccctcc
 tggtttgggttccttgccgggtgccctgaaagtcttagacgtgacggccaaccccttgcatctgcttgccggcgca
 accttcgtggacttcttgctggaggtgcaggctgcgggtgcccggtccttagccgtgtcaagtgcggcagcccg
 5 gggcagctccagggccgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgtctcctgggtctgt
 ttacgctctcgtgctggctgtggccctgagcctggctgtgcccattgctgcaccagctctgtggctgggacctc
 tggtaactgcttcacactgtgctggcctggctgccccggcgggggcgccggcggggtgtggatgccctggcctat
 gacgccttcgtgggtcttcgacaaggcgagagctcggtggcggaactgggtgtacaatgagctgcgggtacagcta
 gaggagcgccgtggggcgccggcgctacgcctgtgtctggaggaacgtgactgggtaccgggcaaaacctcttc
 10 gagaacctctgggctcagtttacagcagccgcaagacgtgtttgtgctggccgcacggacagagtgcgggc
 ctctgctgctgacagcttctgctggcccaacagcgctgctggaggaccgcaaggacgtcgtgggtgctgggtatc
 ctgtgccccgacgcccaccgctcccgctatgtgcggtgcgccagcgctctgcccgcagagtgctcctcctctgg
 cccaccagcccagtgccagcgagcttctggggccagctgggacggccctgaccagggacaaccggccacttc
 tacaaccagaacttctgcccggggccacgacagcctgataggcagacagccagcaccttcgcgccctacacc
 15 ctgctgctgtctgctgggatgcccagcctgctggctctacaccggcgctctgtctcccctacaccagccctggca
 taaagcgaccgctcaataaatgctgctggtagac

SEQ ID NO:24 (Canine TLR9)

atggggccctgcgctggcgccctgacccccctgtctctcctgggtgcaggetgccgcgctagccctggccctggcc
 20 cagggcaccctgcctgccttctgcctgtgagctccagccccatggcctgggtgaactgcaactggctgttcctc
 aagtcctggtcccgcttctcggcagctgcaccccgcggaacgtcaccagccttctcctgtactccaaccgcac
 caccacctccatgactatgactttgtccacttcgtccacctgcggcgctctcaatctcaagtggaaactgccgccc
 gccagcctcagccccatgcactttccctgtcacatgaccattgagcccaacaccttccctggctgtgcccacccta
 gaggactgaatctgagctataacagcatcacgactgtgcccgcctgcccagttcgctgtgtcctgtccctg
 25 agccgcaacaaccttctggtgctggaccctgcccagcctggcaggccttctatgccctgcgcttccgttcctggat
 ggcaactgctactacaagaaccttgcagcagggcctgcaggtggccccaggtgcctcctgggctggggcaac
 ctcacacacctgtcactcaagtacaacaacctcaccgtgggtgccgcccgggctgccccccagcctggagtacctg
 ctcttgtctacaaccacatcatcaccctggcacctgaggacctggccaatctgactgcctgcgtgtcctcgat
 gtgggtgggaactgtcgccgctgtgacctgcccgttaacccctgcagggagtgcccccaagggttccccccagctg
 30 caccccaacaccttggccacctgagccacctcgaaggcctgggtgtgagggacagctctctctacagcctggac
 ccaggtgggtccatggcctgggcaacctcatggtgctggacctgagtgaacttctgtatgactgcatcacc
 aaaccacaaccttctacggcctggcccgctgcagactcaacctgtccttcaattatcataagaagggtgtcc
 tttgccacctgcatctggcatcctccttcgggagcctactgtccttcagaggagctggacatacatggcatcttc
 ttcgctcgctcagcaagaccaagctccagtcgctggccacctgcccctgctccagcgtctgcatctgcagttg
 35 aactttatcagccaggccagctcagcatcttcggcgccctccctggactgcgggtacgtggacttgtcagacaac
 cgcacatcgtggagctgcagagcccgcggctgccacaggggaggttagaggcagactgtggggagagagctctggcca
 cagtcgccgggaccttgcctctgggcccactgggacccccggctcagaggccttcatgccgagctgcaggacctc
 aacttcaccttggacctgtctcggaacaacctagtgaactgttcagccggagatgtttgtccggctggcgccctc
 cagtgctgggctgagccacaacagcatctcgaggcggtcaatggctcgagttcgtgcctctgagcaacctg
 40 cgggtgctggacctgtccataacaagctggacctgtaccacggcgctcggttcacggagctgcgcggctggag
 gccttggacctcagctacaacagccagcccttcagcatgcggggcgtgggcccacaatctcagcttctgtggcacag
 ctgccagccctgcgtacctcagcctggcgcaaatggcatccacagccgctgtcccagcagctccgcagcgcc
 togtccggccctggacttctagtggaataacctgagccagatgtgggcccagggagacctctatctccgcttc
 ttccaaggcctgagaagcctgggtcagctggacctgtcccagaatcgctgcataacctcctgccacgcaacctg
 45 gacaacctccccaaagcctgcggctcctgcggctccgtgacaattacctggctttcttcaactggagcagcctg
 gccctctacccaagctggaagccctggacctggcgggaaaccagctgaaggccctgagcaatggcagcttgccc
 aacggcaccagctccagaggctggacctcagcggaacagcatcggttcgtgggtcccagcttttttgccttg
 gccgtgaggttcgagagctcaacctcagcgccaacgccctcaagacgggtggagccctcctgggtttgggtccctg
 50 gccgggtgccctgaaagtcttagacgtgaccgccaaccccttgcatctgcgttgccggcgcaacctctgtggacttc
 ttgctggaggtgcaggctgcgggtgcccgccctgctagccgtgtcaagtgcggcagcccgggccagctccagggc
 cgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgtctcctgggtctgtttcagc

SEQ ID NO:25 (Feline TLR9)

MGPCHGALHPLSLLVQAAALAVALAQGTLPFLPCELQRHGLVNCDWLFLKSVPHFSAAAPRGNVTSLSLYSNRI
 55 HHLHDSDFVHLSSLRRLNLKWNCPASLSPMHFPCMTIEPHTFLAVPTLEELNLSYNSITTVPALPSSLVLSLI

- 22 -

SRTNIIIVLDPANLAGLSLRLFLDGNCCYYKNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL
 LLSYNHIIITLAPEDLANLTALRVLDVGGNCRCDHARNPCMECPKGFPHLHPDTFSLNHLLEGLVLKDSLSLYNLN
 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNYHKKVSFAHLHLAPSPGSLLSLQQLDMHGIF
 FRSLSETTLRSLVHLPMLQSLHLQMNFINQAQLSIFGAFGLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS
 5 GDALGPPGTPSSEGFMPGCKTLNFTLDSLRLNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV
 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNLRLHTLLPRTLNDLPKSLRLLRLRDNYLAFFNWSSLV
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLNANALKTVEPSWFGSLAG
 TLKVLDVTGNPLHCACGAAFVDFLLEVQAAPVGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFLSLIT
 10 VALGLAVPMLHHLGWDLWYCFHLCLAWLPRGRRRGADALPYDAFVFDKAQSAVADWVYNELRVRLLEERRGR
 ALRLCLEERDWWLPGKTLFENLWASVYSSRKMFLVLAHTDRVSGLLRASFLLAQORLLEDKRDVVVLVILRPDAHR
 SRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGTALTRDNQHFYNQNFRCRGPTTAE

SEQ ID NO:26 (Feline TLR9)

MGPCHGALHPLSLVQAAALAVALAOGTLPALFLPCELQRHGLVNCDWLFLKSVPHFSAAAPRGNVTSLSLYSNRI
 HHLHDSDFVHLSSLRLNLKWNCPASLSPMHFPCHMTIEPHTFLAVPTLEELNLSYNSITTVPALPSSLVLSL
 SRTNIIIVLDPANLAGLSLRLFLDGNCCYYKNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL
 LLSYNHIIITLAPEDLANLTALRVLDVGGNCRCDHARNPCMECPKGFPHLHPDTFSLNHLLEGLVLKDSLSLYNLN
 20 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNYHKKVSFAHLHLAPSPGSLLSLQQLDMHGIF
 FRSLSETTLRSLVHLPMLQSLHLQMNFINQAQLSIFGAFGLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS
 GDALGPPGTPSSEGFMPGCKTLNFTLDSLRLNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV
 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNLRLHTLLPRTLNDLPKSLRLLRLRDNYLAFFNWSSLV
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLNANALKTVEPSWFGSLAG
 25 TLKVLDVTGNPLHCACGAAFVDFLLEVQAAPVGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG

SEQ ID NO:27 (Feline TLR9)

aggggtctgcgagctccaggaattctctctgccatcgctgccagctctgccatccagaccctctggagaagcccc
 cactccctgtcatgggccccctgccatggcgccccctgcacccccctgtctctcctgggtgcaggtgcgcgctggccg
 30 tggccctggccccagggcacccctgcctctctctgcctgtgagctccagcgccacggcctgggtgaattgcgact
 ggctgttccctcaagtccgtgccccacttctcggcgccagcgccccctggtaacgtcaccagccttccctgtact
 ccaaccgcatccaccacctccagcactccgactttgtccacctgtccagcctgcggcgtctcaacctcaaatgga
 actgcccacccgcccagcctcagccccatgcacttccctgtcacatgaccattgagccccacaccttccctggcgg
 tgccccacccctggaggagctgaacctgagctacaacagcatcacgacagtaccgccccctgccaggttccctcgtgt
 35 cctgtccttgagccgtaccaacatcctgggtgctggaccctgccaacctcgagggctgcactccctgcgcttct
 tgttccctggatggcaactgctactacaagaacctgcccgcagggcctgcaggtggccccggcgccccctccttg
 gctgggcaaccttacgcacctgtcactcaagtaacaacctcactgcgggtgccccggcgccccccagcc
 tggagtacctgctattgtcctacaaccacatcatcaccctggcacttgaggacctggccaacctgaccgccccctgc
 gtgtgctcgatgtgggtgggaactgccgtcgctgtgaccacgcccgaacctgtatggagtgcaccaagggt
 40 tcccgacactgcacctgacaccttcagccacctgaaccacctcgaaggcctgggtgtgaaggacagctctctct
 acaacctgaacccagatgggtccatgccctgggcaacctcatgggtgctggacctgagtgagaacttccatata
 actgcatcaccaaaaccacagccttccagggcctggcccagctgcgcagactcaacttgtcttcaattaccaca
 agaaggtgtccttggccacctgcatctggcgccccctcctcgggagcctgctctccctgcagcagctggacatgc
 atggcatcttcttccgctcgctcagcgagaccagctcgggtcgctgggtccacctgcccagctgcagagctgc
 45 acctgcagatgaacttcatcaatcaggcccagctcagcatctcggggccttccctggcctgcgatacgtggacc
 tgtcagacaaccgcataagtggagccatggagctggcggtgccacggggaggtggatgggtgggagagactcc
 ggctgccatctggggacctagctctggggccaccgggccccctagctccgagggcttcatgccaggctgaaga
 cctcaacttcaacttggacctgtcacggaacaacctagtgaacaatccagccagagatgtttgccccggtctcgc
 gcctccagtgctgctcctgagccgaacagcatctcgcaggcagtcacaggctcacaaatattatgccgctgacca
 50 gcctgcaggtgctggacctgtcccataacaagctggacctgtaccatggcgctcttccacggagctgcgcggc
 tggagccctggacctcagctacaacagccaccttcagcatgcagggcgtgggtcacacacctcagcttctgtgg
 cacagctgcggccccctgcgctatctcagcctggcgcaacagacatccacagccgtgtgtccagcagctgtgca
 gcgctcgctgcgggccccctggacttccagcggaatgccttgagccggatgtggggccgagggagacctgtatcc
 acttcttccgagggcctgaggagcctgggtccggttgatctgtccagaatcgctgcataacctcttggccagca
 55 cctgggacaacctcccccaagagcctgcggctgctgcgtctccgtgacaattatctggcttcttcaactggagca

- 23 -

gcctggctcctcctccccaggtggaagccctggacctggcggaaccagctgaaggccctgagcaacggcagct
 tgcctaataaggaaccagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagcttttttg
 ctctggccaccaggtgcgagagctcaacctcagtgccaacgccctcaagacggtggagccctcctgggtcgggtt
 5 acttcttgctggagggtgcaggtgcagtgcccgccctgcccagggcacgtcaagtgtggcagtcaggtcagctcc
 agggccgcagcatctttgcgaggatctgcgcctctgcctggatgaggccctctcctgggactgttttgccctct
 cgctgctgaccgtggccctgggctggcctgcccattgctgcaccacctctgtggctgggacctctgggtactgct
 tccacctgtgcctggcctggctgccccggcgggggcgggcgggcgggcgggatgcccctgcctacgatgcctttg
 10 tggctctcgacaaggcacagagcgcggtggcgactgggtgtacaacgagctgcccgtacggctagaggagcgcc
 gtggacgcccagcgctccgctgtgcctggaggaaactgactggctaccggtaaaacgctctttgagaacctgt
 gggcctcagtttacagcagccgcaagatgctgtttgtgctggcccacacagacagggtcagcgccctcttgccg
 ccagctttctgtggccagcagcgccctgctggaggaccgcaaggacgttgtggtgctgggtgatcctgcccgg
 acccccacgctcccgctatgtgcggtgcgcccagcgcctctgcgcccagagcgctcctcctgtggccccaccagc
 ccagtgccagcgagcttctggggccagctgggcagggccctgaccagggacaaccagcacttctataaccaga
 15 acttctgcccggggccccacgacggcagagtgaccgcccagcaccccaagcctcctacaccttgccctgtctgctg
 ggatgcccggg

SEQ ID NO:28 (Feline TLR9)

atggggccctgcatggcgccctgcacccccctgtctctcctgggtgcaggtgcccgcgtggccgtggccctggcc
 20 cagggaaccctgacctgtcttctgacctgtgagctccagcgccacggcctgggtgaattgcgactggctgttcctc
 aagtccgtgccccacttctcgccggcagcgccccgtggtaacgtcaccagcctttccctgtactccaaccgcatc
 caccacctccagcactccgactttgtccacctgtccagcctgcggcgctctcaacctcaaactggaactgccacccc
 gccagcctcagcccccagcacttccccctgtcacatgaccattgagccccacaccttccctggcgtgccccacctg
 25 gaggagctgaacctgagctacaacagcatcacgacagtagcccgccctgcccagttccctcgtgtccctgtccttg
 agcgtaccaacatcctgggtgctggacctgccaacctcgagggctgcactccctgcgcttctgttccctggat
 ggcaactgctactacaagaacccctgcccgcagggccctgcaggtggccccggcgccctccttggcctgggcaac
 cttacgcacctgtcactcaagtacaacaacctcactgcggtgccccggcgccctgccccccagcctggagtacctg
 ctattgtcctacaaccacatcatcaccctggcacctgaggacctggccaacctgaccgcccctgcgtgtgctcgat
 gtgggtgggaactgcccgtcgctgtgaccacgcccgaacccctgtatggagtggcccaagggtctcccgacacctg
 30 gccctgacaccttcagccactgaaccacctgaaggcctgggtgtgaaggacagctctctctacaacctgaac
 cccagatgggtccatgcccctgggcaacctcatgggtgctgacctgacctgagtgagaacttccatatagtatgcac
 aaaaccacagccttccaggccctggcccagctgcgcagactcaacttgtctttcaattaccacaagaaggtgtcc
 tttgcccacctgcatctggcgccctccttcgggagcctgctctccctgcagcagctggacatgcatggcatcttc
 ttccgctcgctcagcgagaccacgctccggtcgctgggtccacctgcccctgctccagagtctgcacctgcagatg
 35 aacttcatcaatcaggccagctcagcatcttcggggccttccctggcctgcgatacgtggacctgtcagacaac
 cgcataagtggagccatggagctggcggtgcccacgggggaggtggatgggtggggagagagctccggctgccatct
 ggggacctagctctggggccaccgggcacccctagctccgagggcttcagtcagggctgcaagacctcaacttc
 accttggacctgtcaggaacaacctagtgaacaatccagccagagatgtttgcccggctctcgccctccagtg
 40 ctgctcctgagccgaacagcatctcgagggcagtcacaggctcacaatttatgcccgtgaccagctgcaggtg
 ctggacctgtccataaagctggacctgtaccatggcgctctttcacggagctgcccggcctggaggccctg
 gacctcagctacaacagccagcccttcagcatgcagggcgtgggtcacaacctcagctttgtggcacagctgccc
 gccctgcgctatctcagcctggcgacacagcatccacagccgtgtgtcccagcagctctgcagcgccctcgctg
 cgggccttggacttcagcggaatgccttgagccggatgtgggcccagggagacctgtatctccacttcttccga
 45 ggctgaggagcctgggtccggttggatctgtcccagaatcgccctgcataacctcttgccacgcacctggacaac
 ctccccaaagagcctgcggctgctgcgtctccgtgacaattatctggctttcttcaactggagcagcctggctctc
 ctccccaggctggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagcttgccaatgga
 acccagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagcttttttgcctctggccacc
 aggtgcgagagctcaacctcagtgccaacgcccctcaagacggtggagccctcctgggttcgggttctctagcgggc
 50 accctgaaagtccatagatgtgactggcaacccctgactgcgcctgtggggcgccctcctggacttcttgcgtg
 gaggtgcaggctgcagtgcccggcctgccaggccacgtcaagtgtggcagtcagggtcagctccaggcccgagc
 atctttgcgaggatctgcgcctctgcctggatgaggccctctcctgggactgttttggc

Complete nucleotide and amino acid sequences for murine and human TLR9 are publicly available. For example, an amino acid sequence of murine TLR9 is available as

- 24 -

GenBank accession no. AAK29625, provided as SEQ ID NO:29. Amino acids numbered 1-821 of SEQ ID NO:29 presumptively include the entire extracellular domain and correspond to SEQ ID NO:30. SEQ ID NO:31 corresponds to GenBank accession number AF348140, which is a nucleotide sequence of murine TLR9 cDNA. SEQ ID NO:32 is a nucleotide
 5 sequence of murine cDNA encoding amino acids 1-821 of SEQ ID NO:29.

An amino acid sequence of human TLR9 is available as GenBank accession no. AAF78037, provided as SEQ ID NO:33. Amino acids numbered 1-820 of SEQ ID NO:33 presumptively include the entire extracellular domain and correspond to SEQ ID NO:34. SEQ ID NO:35 corresponds to GenBank accession number AF245704, which is a nucleotide
 10 sequence of human TLR9 cDNA. SEQ ID NO:36 is a nucleotide sequence of human cDNA encoding amino acids 1-820 of SEQ ID NO:33.

SEQ ID NO:29 (Murine TLR9)

15 MVLRRRTLHPLSLLVQAQAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNL
 SHTNILVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTPGALLGLSNLTHLSLKYNNTKVPRQLPPSLEYL
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRCDHAPNPCIECGQKSLHLHPETFHHLSHLEGLVLKDSLSLHTLN
 SSWFQGLVNLVLDLSENFLYESINHTNAFQNLTRLRKLNLSFNRYKKVSFARLHLASSFKNLVSLQELNMNGIF
 20 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL
 SADPHAPLSTPASKNFMDRCKNFKFTMDLSRNNLVITIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKGIHNFVVAHLSMLHSLSLAHNDIHTRVSSHLSNS
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL
 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV
 25 MNLTVLVDVRSNPLHCACGAFFVDLLLEVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFLSLL
 AVAVGMVVPILHHLCGWDVWYCFHLCLAWPLLLARSRRSAQALPYDAFVVFDDKAQSAVADWVYNELRVLEERRG
 RRALRLCLEDRDLWLPQTLFENLWASIYGSRTFLVLAHTDRVSGLLRTSFLLAQQRLLDRKDVVLVILRPDA
 HRSRYVRLRQRLCRQSVLFWPQQPNGQGFWAQLSTALTRDNRHFYNQNFRCRGPTAE

SEQ ID NO:30 (Murine TLR9)

30 MVLRRRTLHPLSLLVQAQAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNL
 SHTNILVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTPGALLGLSNLTHLSLKYNNTKVPRQLPPSLEYL
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRCDHAPNPCIECGQKSLHLHPETFHHLSHLEGLVLKDSLSLHTLN
 35 SSWFQGLVNLVLDLSENFLYESINHTNAFQNLTRLRKLNLSFNRYKKVSFARLHLASSFKNLVSLQELNMNGIF
 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL
 SADPHAPLSTPASKNFMDRCKNFKFTMDLSRNNLVITIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKGIHNFVVAHLSMLHSLSLAHNDIHTRVSSHLSNS
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL
 40 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV
 MNLTVLVDVRSNPLHCACGAFFVDLLLEVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFLSLL

SEQ ID NO:31 (Murine TLR9)

tgtcagagggagcctcgggagaatcctccatctcccaacatggttctccgtcgaaggactctgcaccccttgctcc
 ctctcggtacaggctgcagtgctggctgagactctggccctgggtaccctgcctgccttctaccctgtgagctg

- 25 -

aagcctcatggcctgggtggactgcaattggctgttctctgaagtctgtaccccggttctctgcggcagcatcctgc
tccaacatcacccgcctctccttgatctccaacggtatccaccacctgcacaactccgacttcgtccacctgtcc
aacctgcggcagctgaacctcaagtgggaactgtccaccacctggccttagccccctgcacttctcttgccacatg
accattgagcccagaaccttctctgggtatgctgacactggaggagctgaacctgagctataatgggtatcaccact
5 gtgccccgactgcccagctccctgggtgaatctgagcctgagccacaccaacatcctgggtcttagatgctaacagc
ctgcgcggcctatacacagcctgcgcgttctcttcatggacgggaactgctactacaagaacccctgcacaggagcg
gtgaaggtgacccccaggcgccctcctgggcctgagcaatctcaccatctgtctctgaagtataacaacctcaca
aagggtgccccgccaactgccccccagcctggagtaacctcctgggtgtcctataacctcatttgtcaagctggggcct
gaagacctggccaatctgacctcccttcgagtaacttgatgtgggtgggaattgccgtcgctgcgacctgcccc
10 aatccctgtatagaatgtggccaaaagtccctccacctgcacctgagaccttccatcacctgagccatctggaa
ggcctgggtgctgaaggacagctctctccatacactgaactcttctcgttccaaggtctgggtcaacctctcggtg
ctggacctaaagcgagaacttctctatgaaagcatcaaccacaccaatgcctttcagaacctaacccgcctgcgc
aagctcaacctgtccttcaattaccgcaagaaggtatcctttgcccgcctccacctggcaagttccttcaagaac
ctgggtgtaactgcaggagctgaacatgaacggcatcttctcgtcgtcacaagtaacagctcagatggctg
15 gccgatctgccccaaactccacactctgcatcttcaaatgaacttcatcaaccaggcacagctcagcatcttgggt
accttccgagcccttctgcttggacttctgagacaatcgcatcagtgggccttcaacgctgtcagaagccacc
cctgaagaggcagatgatgcagagcaggaggagctgttctcgtcgtcaccacagctccactgagcaccct
gcttctaaagaacttcatggacaggtgtaagaacttcaagttcaccatggacctgtctcggaacaacctgggtgact
atcaagccagagatgttctgtaactctctcagcctccagtgctttagcctgagccacaactccattgacagggct
20 gtcaatgggtctcagttcctgcccgtgactaatctgcaggtgctggacctgtcccataacaaactggacttgtac
cctgggaactcgttctcagtgagctaccacagtgaggccctggacctgagctacaacagccagccctttagcatg
aagggtataggccacaatttctagtttctggtggccatctgtccatgctacacagccttagcctggcacacaatgac
attcatacccggtgtgtcctcacatctcaacagcaactcagtgaggttcttctgacttcagcggcgaaggtatgggc
cgcatgtgggatgaggggggcttcttctcatttcttccaaggcctgagtggtgctgaagctggacctgtct
25 caaaataacctgcatatcctccggccccagaaccttgacaacctccccaagagcctgaagctgctgagcctccga
gacaactacctatcttcttcaactggaccagtctgtccttctcctgccccaaactggaaagtccctagacctggcaggc
aaccagctaaaggccctgaccaatggcaccctgcctaatggcaccctcctccagaaactggatgtcagcagcaac
agtatcgtctctgtggtcccagccttcttctcgtctggcggtcgagctgaaagaggtcaacctcagccacaacatt
ctcaagcgggtggatcctcctgggttgggcccattgtgataacctgacagttctagacgtgagaagcaacct
30 ctgcaactgtgctgtgggcagccttctgtagacttactgttggaggtgcagaccaaggtgctggcctggcctaat
gggtgtgaaggtggcagccccggccagctgcaggggcgtagcatcttgcacaggacctggcgtgtgctggat
gaggtcctctcttgggactgcttgggcttctactcttgggtgtggcgtgggcatgggtgggtgcttactgcac
catctctcgggctgggacctctgggtactgttttcatctgtgctggcatggctaccttgtggtggccgcagccga
cgcagcgcccaagctctcccctatgatgccttctggtgttctgataaggcacagagcgcagttgctgggactgggtg
35 tataacgagctgcggtgcggtggaggagcggcggtgcgcgagccctacgcttgtgtctggaggaccagat
tgggtgcttggccagacgctcttctgagaaaccttgggttccatctatgggagcgcgaagactctatttgtgtg
gcccacacggacgcgctcagtggtcctcctgcgcaccagcttctgctgggtcagcagcgcttgggaagccgc
aaggacgtgggtgggtgtgggtgatcctgcgtccggatgcccaccgctcccgctatgtgcgactgcgcccagcgtctc
tgccgcccagagtggtctcttctggccccagcagcccaacgggcaggggggcttctgggcccagctgagtacagcc
40 ctgactaggggacaaccgaccttctataaccagaacttctgcgggggacctacagcagaatagctcagagcaaca
gctggaaacagctgcatcttcatgctgggtcccgagttgctctgctgc

SEQ ID NO:31 (Murine TLR9)

atgggttctccgtcgaaggactctgcaccccttgccctcctgggtacaggtgcagtgctgggtgagactctggcc
45 ctgggtacacctgacctgcttctcctacctgtgagctgaagcctcatggcctgggtggactgcaattgggtgttctg
aagctctgtaccccggttctctgcggcagcatcctgtccaacatcacccgcctctccttgatctccaaccgtatc
caccacctgcacaactccgacttctgctccacctgtccaacctgcggcagctgaacctcaagtggaaactgtccacc
actggccttagccccctgcacttctcttgccacatgaccttgagcccagaaccttctgggtatgctgctacactg
gaggagctgaacctgagctataatgggtatcaccactgtgccccgactgcccagctccctgggtgaatctgagcctg
50 agccacaccaacatcctgggtctagatgctaacagcctcgcgcgctatacagcctgcgcgttctcttcatggac
gggaactgctactacaagaacccctgcacaggagcgggtgaaggtgaccccaggcgccctcctgggcctgagcaat
ctcaccatctgtctctgaagtataacaacctcacaagggtgccccgccaactgccccccagcctggagtacctc
ctgggtgctcctataacctcatttgtcaagctggggcctgaagacctggccaatctgacctcccttcgagtaacttgat
gtgggtgggaattggcgtcgtgcgacctgcccccaacctctgtatagaatgtggccaaaagtccctccacctg
55 cacctgagaccttccatcacctgagccatctggaaggcctgggtgctgaaggacagctctctccatacactgaac
tcttctgggttccaaggtctgggtcaacctctcggtgctggacctaaagcgagaacttctctatgaaagcatcaac
cacaccaatgccttccagaacctaacccgcctgcgcaagctcaacctgtccttcaattaccgcaagaaggtatcc

- 26 -

tttgccgcctccacctggcaagttccttcaagaacctggtgtcactgcaggagctgaacatgaacggcatcttc
 tccgcctcgtcaacaagtacagctcagatggctggccgatctgcccactccacactctgcatcttcaaatg
 aacttcatcaaccaggcacagctcagcatctttggtaccttccgagcccttcgctttgtggacttgcagacaat
 5 cgcacagtgaggccttcaacgctgtcagaagccacctgaagaggcagatgatgcagagcaggaggagctgttg
 tctgcggatcctcaccagctccactgagcaccctgcttctaagaacttcatggacaggtgtaagaacttcaag
 ttcacatggacctgtctcggaacaacctggtgactatcaagccagagatggttgtcaatctctcacgcctccag
 tgtcttagcctgagccacaactccattgcacaggctgtcaatggctctcagttcctgcccgtgactaatctgcag
 gtgctggacctgtcccatacaaaactggacttgtaccactggaaatcggtcagtgagctaccacagttgcaggcc
 10 ctggacctgagctacaacagccagcccttttagcatgaagggtataggccacaatttcagttttgtggccatctg
 tccatgctacacagccttagcctggcacacaatgacattcataccctgtgtcctcacatctcaacagcaactca
 gtgaggtttcttgacttcagcggcaacggatggggccgatgtgggatgaggggggctttatctccatttcttc
 caaggcctgagtggtgctgaagctggacctgtctcaaaataacctgcatactctccggccccagaacctgac
 aacctcccaagagcctgaagctgtgagcctccgagacaactacctatcttctttaactggaccagtctgtcc
 15 ttctgcccacctggaagtcctagacctggcaggcaaccagctaaagccctgaccaatggcaccctgcctaat
 ggcacctctccagaaactggatgtcagcagcaacagtatcgtctctgtggtcccagccttcttcgctctggcg
 gtcgagctgaaaggggtcaacctcagccacaactctcagacgggtggatcgctcctggtttgggcccattgtg
 atgaacctgacagttctagacgtgagaagcaacctctgcactgtgcctgtggggcagcctcgtagacttatg
 ttggaggtgcagaccaaggtgcctggcctggctaattggtgtgaagtgtggcagccccggccagctgagggcgt
 20 agcatcttcgcacaggacctgcggctgtgcctggatgaggtcctctcttgggactgctttggc

SEQ ID NO:33 (Human TLR9)

MGFCRSALHPLSLLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFMSMAAPRGNVTSLSLSSNRI
 HHLHDSDFAHLPRLRLNLKWNCPVGLSPMHFPCMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL
 25 SHTNIMLDSASLAGLHALRFLFMDGNCYKNPCRQALEVAPGALLGLNLTHLSLKYNLTVVPRNLPSSLEYL
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRCDHAPNCPMECPRHFPQLHPDTFSHLSRLEGLVLKDSSLSWLN
 ASWFRGLGNLRVLDLSENFLYKCIKTAKAFQGLTQLRKLNLNLSFNYQKRVSAHLASLAPSGSLVALKELDMHGIF
 FRSLDETTLRPLARLPLQLTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGEADGGEKVLQV
 GD LAPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV
 30 LDLSRNKLDLYHEHSFTLPRLEALDLSYNSQPFMGQVGHNFSAHLRLTLRHLSLAHNNIHSQVSQQLCSTSL
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNLRLTLLPQTLRLNLPKSLQVLRRLDNYLAFFKWSLHF
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRLDVSNCNISFVAPGFFSKAKELRELNLNLSANALKTVDHSWFGPLAS
 ALQILDVSNPLHACGAAMDFLLEVQAAVPGLPSPRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFALSLLA
 VALGLGVPMLHHLGWDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVFDDKTQSAVADWVYNELRGQLEECRG
 35 RWALRLCLEERDWLPKKTLEFENLWASVYGSRTFLVLAHTDRVSGLLRASFLLAQQRLLLEDRKDVVVLVILSPDG
 RRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGMALTRDNHFFYNRNFQGPAT

SEQ ID NO:34 (Human TLR9)

MGFCRSALHPLSLLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFMSMAAPRGNVTSLSLSSNRI
 HHLHDSDFAHLPRLRLNLKWNCPVGLSPMHFPCMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL
 40 SHTNIMLDSASLAGLHALRFLFMDGNCYKNPCRQALEVAPGALLGLNLTHLSLKYNLTVVPRNLPSSLEYL
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRCDHAPNCPMECPRHFPQLHPDTFSHLSRLEGLVLKDSSLSWLN
 ASWFRGLGNLRVLDLSENFLYKCIKTAKAFQGLTQLRKLNLNLSFNYQKRVSAHLASLAPSGSLVALKELDMHGIF
 FRSLDETTLRPLARLPLQLTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGEADGGEKVLQV
 45 GD LAPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV
 LDLSRNKLDLYHEHSFTLPRLEALDLSYNSQPFMGQVGHNFSAHLRLTLRHLSLAHNNIHSQVSQQLCSTSL
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNLRLTLLPQTLRLNLPKSLQVLRRLDNYLAFFKWSLHF
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRLDVSNCNISFVAPGFFSKAKELRELNLNLSANALKTVDHSWFGPLAS
 ALQILDVSNPLHACGAAMDFLLEVQAAVPGLPSPRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFA

50 SEQ ID NO:35 (Human TLR9)

aggctggataaaaatcttacttctctattctctgagccgctgctgcccctgtgggaaggacacctcgagtgtga
 agcatccttccctgtagctgctgtccagctctgccgcagaccctctggagaagccctgccccccagcatgggt
 ttctgcccgcagcgcctgcaccgctgtctctcctggtgcaggccatcatgctggccatgacctggccctgggt

- 27 -

acettgctgcttctaccctgtgagctccagccccacggcctggggaactgcaactggctgttctgaagtct
 gtgccccacttctccatggcagcaccctgggaatgtcaccagccttctctgtcctccaaccgcatccaccac
 ctccatgattctgactttgcccacctgccagcctgcgccatctcaacctcaagtggaaactgcccgcgggtggc
 ctgagccccatgcaacttcccctgccacatgaccatcgagcccagcacttcttggtgtgcccacccctggaagag
 5 ctaaactgagctacaacaacatcatgactgtgctgctgcccacacccctcatatccctgtccctcagccat
 accaacatcctgatgtgtagactctgcccagcctgcccggcctgcatgccctgcgcttctattcatggacggcaac
 tgttattacaagaacccctgagggcagcactggaggtggccccgggtgccctccttgccctggggcaacctcacc
 cactgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccttccagcctggagtatctgctgttg
 tctacaaccgcatcgtcaaacctggcgctgaggacctggccaatctgaccgcccctgctgtgctcgatgtgggc
 10 ggaaattgcccgcgctgagaccagctcccaacccctgcatggagtgccctcgtcacttccccagctacatccc
 gataccttcagccacctgagccgtcttgaggcctgggtgttgaggacagttctctcctggctgaatgccagt
 tgggtccgtgggtgggaaacctccgagtgctggacctgagtgagaacttctctacaaatgcatcactaaaacc
 aaggccttccagggcctaacacagctgccaagcttaacctgtccttcaattacaaaagaggggtgtcctttgccc
 cactgtctctggccccttcttcgggagcctggtgcgccctgaaggagctggacatgcacggcatctcttcgcg
 15 tcaactcgatgagaccagctccggccactggccgctgccatgctccagactctgcgtctgcagatgaacttc
 atcaaccagggccagctcgccatcttcaggcccttccctggcctgcgtacgtggacctgtcggaacacccgcatc
 agcggagcttcggagctgacagccaccatgggggagggagatggaggggagaaggtctggctgcagcctggggac
 cttgtctccggccccagtggaactcccagctctgaagacttcaggcccaactgcagcaccctcaactcactctg
 gatctgtcacggaacaacctggtgacgtgcagccggagatgtttgccagctctcgcacctgcagtgcctgcgc
 20 ctgagccacaactgcatctcgcaggcagtcacatggctcccagttcctgcccctgaccggtctgcaggtgctagac
 ctgtcccgaataagctggacctctaccagagcactcattcacggagctaccgagctggagggcctggacctc
 agtacaacagccagcccttggcatgcaaggcgtggggcccaacttcagcttctgtggctcactcgcgcaacctg
 cgccacctcagcctggcccaacaacatccacagccaagtgtcccagcagctctgcagtagctgcgtgcggggc
 ctggacttcagcggcaatgcaactgggcatatgtgggcccagggagacctctatctgcacttcttccaaggcctg
 25 agcgggttgatctggctggacttgtcccagaacgcctgcacacctcctgccccaaacctgcgcaacctcccc
 aagagcctacaggtgctgcgtctccgtgacaattacctggccttctttaagtggtggagcctccacttctgccc
 aaactggaagtctcgcacctggcaggaaaccggtgaaggccctgaccaatggcagcctgcctgctggcaccgg
 ctccggaggtctggatgtcagctgcaacagcatcagcttctgtggccccggcttctttccaaggccaaggagctg
 cgagagctcaaccttagcgccaacgcctcaagcagctgggaccactcctgggttggggcctcctggcctcgtg
 30 caaatactagatgtaagcgccaacctctgcaactgcgcctgtggggcgccctttatggacttctgctggaggtg
 caggctgcctgcccggctgcccagccgggtgaagtgtggcagtcggggccagctccagggcctcagcatcttt
 gcacaggacctgcgcctctgctggatgaggccctctcctgggactgtttcgccctctcgtgctggctgtggct
 ctgggctgggtgtgcccagctgcatcacctctgtggctgggacctctgggtactgcttccacctgtgctggcc
 tggcttccctggggggggcggaacgtggggcgagatgaggatgcctgcctacgatgccttcgtggtcttcgac
 35 aaaacgcagagcgcagtgccagactgggtgtacaacagagcttcgggggcagctggaggagtgcctggggcgtgg
 gcaactccgccttagctggaggaaacgcagctgctggcggcaaacctcctttgagaacctcctgggacctcgtg
 tatggcagcgcgaagacgctgtttgtgctggccacacggaccgggtcagtggtctcttgcgcgccagcttctg
 ctggcccagcagcgcctgctggaggaccgcaaggacgtcgtggtgctggtgatcctgagccctgacggcccgcc
 tcccgcctacgtgcggctgcgccagcgcctctgcgcagagtgctcctccttgggccccaccagccagtggtcag
 40 cgcagcttctggggccagctgggcatggccctgaccagggacaaccaccacttctataaccgggaacttctgccag
 ggacccacggccgaatagcgtgagccggaatcctgcaggtgccacctccacactcactcactcctgctgctgccc
 tggctgaccctccctgctgcctccctcaccacacactgacacagagca

SEQ ID NO:36 (Human TLR9)

atgggtttctgcccagcgccttgcacccgctgtctctcctgggtgcaggccatcatgctggccatgaccctggcc
 ctgggtaccttgccctgccttctaccctgtgagctccagccccacggcctggggaactgcaactggctgttctg
 aagtctgtgccccacttctccatggcagcaccctgggaatgtcaccagccttctctgtcctccaaccgcatc
 caccacctccatgattctgactttgcccacctgccagcctgcgccatctcaacctcaagtggaaactgcccgcg
 gttggcctcagccccatgcaacttcccctgccacatgaccatcgagcccagcacttcttggtgtgcccacccctg
 50 gaagagctaaacctgagctacaacaacatcatgactgtgctgctgcccacacccctcatatccctgtccctc
 agccataccaacatcctgatgctagactctgccagcctgcgcggcctgcatgccctgcgcttctattcatggac
 ggcaactgttattacaagaacccctgcaggcaggcactggaggtggccccgggtgccctccttgccctgggcaac
 ctccccacctgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccttccagcctggagtatctg
 ctgttgcctacaaccgcatcgtcaaacctggcgctgaggacctggccaatctgaccgcccctgctgctgctgctg
 55 gtggggggaattgcccgcgctgcgaccagctcccaacccctgcatggagtgccctcgtcacttccccagcta
 catcccgataccttcagccacctgagccgtcttgaggcctgggtgttgaggacagttctctcctcctggctgaat
 gccagttgggtccgtgggtgggaaacctccgagtgctggacctgagtgagaacttctctacaaatgcatcact

- 28 -

aaaaccaaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaaagaggggtgtcc
 tttgcccacctgtctctggcccccttcccttcgggagcctgggtcgccctgaaggagctggacatgcacggcatcttc
 tccgctcactcgatgagaccacgctccggccactggcccgctgcccatgctccagactctgcgtctgcagatg
 aacttcataaccagggccagctcggcattcttcagggccttccctggcctgcgctacgtggacctgtcggacaac
 5 cgcacagcggagcttcggagctgacagccaccatgggggaggcagatggaggggagaaggtctggctgcagcct
 ggggaccttgcctcggccccagtggaactcccagctctgaagacttcaggcccaactgcagcacctcaacttc
 accttggatctgtcacggaacaacctgggtgacctgcagccggagatgtttgccagctctcgcacctgcagtgc
 ctgcgcctgagccacaactgcatctcgcaggcagtcattggctcccagttcctgccgctgaccggtctgcaggtg
 ctagacctgtcccgaataagctggacctctaccacgagcactcattcacggagctaccgcgactggaggccctg
 10 gacctcagctacaacagccagccctttggcatgcagggcgtgggccacaacttcagcttcgtggctcacctgcgc
 accctgcgccacctcagcctggccacacaacatccacagccaagtgtcccagcagctctgcagtacgtcgctg
 cgggccttggaacttcagcggcaatgcactgggccatattgtggccgagggagacctctatctgcacttcttccaa
 ggctgagcgggttgatctggctggacttgtccagaaccgctgcacacctcctgccccaaacctgcgcaac
 ctccccaaagagcctacaggtgctgcgtctcctgacaattacctggccttctttaagtggtggagcctccacttc
 15 ctgccccaaactggaagtcctcgacctggcaggaaccggctgaaggccctgaccaatggcagcctgcctgctggc
 acccggtccggaggctggatgtcagctgcaaccagcatcagcttcgtggccccggcttctttccaaggccaag
 gagctgcgagagctcaaccttagcgccaacgcctcaagacagtggaccactcctgggttggggccctggcgagt
 gccctgcaataactagatgtaagcgccaacctctgcactgcgcctgtggggcgcccttatggacttctgctg
 gaggtgcaggtgcgcgtgcccgtctgcccagcgggtgaagtgtggcagtcggggccagctccagggcctcagc
 20 atctttgcacaggacctgcgcctctgcctggatgaggccctctcctgggactgtttcgcc

In addition to the foregoing native rat, porcine, bovine, equine, and ovine TLR9
 polypeptides and nucleic acid molecules encoding them, chimeric TLR9 polypeptides and
 nucleic acid molecules encoding them are provided by the invention. The chimeric
 25 polypeptides include at least one amino acid substitution based on a comparison of
 conserved and non-conserved amino acids among at least two of rat, murine, porcine, bovine,
 equine, ovine, canine, feline, and human TLR9. The information contained in a multiple
 sequence alignment of these various TLR9 polypeptide sequences, provided for example in
 Figure 1, can be used to identify and select individual amino acid positions and even
 30 individual amino acids to substitute in designing a chimeric TLR9. The substitution or
 substitutions can be effected using methods known to those of ordinary skill in molecular
 biology. Nucleic acids encoding the native or chimeric polypeptides of the invention can be
 inserted into an expression vector and used to express TLR9 polypeptide.

A conservative amino acid substitution shall refer to a substitution of a first amino
 35 acid for a second amino acid, wherein side chains of the first amino acid and the second
 amino acid share similar features in terms of hydrophobicity, size, aromaticity, or tendency to
 alter conformation. For example, conservative amino acid substitutions generally may be
 made between members within each of the following groups: hydrophobic (A, I, L, M, V),
 neutral (C, S, T), acidic (D, E), basic (H, K, N, Q, R), and aromatic (F, W, Y). A non-
 40 conservative amino acid substitution refers to any other amino acid substitution.

- 29 -

An expression vector for TLR9 will include at least a nucleotide sequence coding for a TLR9, or a fragment thereof coding for a functional TLR9 polypeptide, operably linked to a gene expression sequence which can direct the expression of the TLR9 nucleic acid within a eukaryotic or prokaryotic cell. A "gene expression sequence" is any regulatory nucleotide
5 sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the nucleic acid to which it is operably linked. With respect to TLR9 nucleic acid, the "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the TLR9 nucleic acid to which it is
10 operably linked. The gene expression sequence may, for example, be a mammalian or viral promoter, such as a constitutive or inducible promoter. Constitutive mammalian promoters include, but are not limited to, the promoters for the following genes: hypoxanthine phosphoribosyl transferase (HPRT), adenosine deaminase, pyruvate kinase, β -actin promoter, and other constitutive promoters. Exemplary viral promoters which function constitutively in
15 eukaryotic cells include, for example, promoters from the simian virus (e.g., SV40), papillomavirus, adenovirus, human immunodeficiency virus (HIV), Rous sarcoma virus (RSV), cytomegalovirus (CMV), the long terminal repeats (LTR) of Moloney murine leukemia virus and other retroviruses, and the thymidine kinase (TK) promoter of herpes simplex virus. Other constitutive promoters are known to those of ordinary skill in the art.
20 The promoters useful as gene expression sequences of the invention also include inducible promoters. Inducible promoters are expressed in the presence of an inducing agent. For example, the metallothionein (MT) promoter is induced to promote transcription and translation in the presence of certain metal ions. Other inducible promoters are known to those of ordinary skill in the art.

25 In general, the gene expression sequence shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribing sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined nucleic acid
30 coding sequence for a TLR9 polypeptide. The gene expression sequences optionally include enhancer sequences or upstream activator sequences as desired.

- 30 -

Generally a nucleic acid coding sequence and a gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the nucleic acid coding sequence under the influence or control of the gene expression sequence. Thus the TLR9 nucleic acid coding sequence and the gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the TLR9 nucleic acid coding sequence under the influence or control of the gene expression sequence. If it is desired that the TLR9 sequence be translated into a functional protein, two DNA sequences are said to be operably linked if induction of a promoter in the 5' gene expression sequence results in the transcription of the TLR9 sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the TLR9 sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a gene expression sequence would be operably linked to a TLR9 nucleic acid sequence if the gene expression sequence were capable of effecting transcription of that TLR9 nucleic acid sequence such that the resulting transcript might be translated into the desired TLR9 protein or polypeptide.

A “TLR9 ligand” as used herein refers to a molecule that specifically binds a TLR9 polypeptide. In one embodiment the TLR9 ligand specifically binds a TLR9 polypeptide corresponding to at least a ligand-binding portion of the extracellular domain of TLR9. In most instances a TLR9 ligand will also induce TLR9 signaling when contacted with TLR9 under suitable conditions. TLR9 signaling refers to TLR/IL-1R signal transduction mediated through the TLR9, as described in further detail elsewhere herein. As mentioned above, CpG nucleic acids have been reported to be TLR9 ligands, but TLR9 ligands may include other entities as well, including, for example, small molecules. As also previously mentioned, there appears to be a species-specific preference for at least certain TLR9s and certain CpG motifs. As used herein, a species-preferred CpG DNA refers to a particular CpG DNA that is optimized for signal induction by a TLR9 of a particular species. A CpG DNA that is optimized for signal induction by a TLR9 of a particular species refers to a CpG DNA having a sequence that preferentially binds to and/or induces signaling by TLR9 of that species. For example, a human-preferred CpG DNA shall refer to a CpG DNA that optimally stimulates human TLR9 to signal through its TIR domain. Likewise, a murine-preferred CpG DNA

- 31 -

shall refer to a CpG DNA that optimally stimulates murine TLR9 to signal through its TIR domain. Examples of human-preferred and murine-preferred CpG DNA are ODN 2006 (SEQ ID NO:58) and 1668 (SEQ ID NO:60), respectively.

5 The binding and species specificity of TLR9s are believed to be influenced by key amino acids present in the extracellular domain of TLR9. Key amino acids in a TLR9 as used herein refer to those amino acids which contribute significantly to ligand binding and ligand specificity of a particular TLR9 polypeptide.

A "CpG nucleic acid" or a "CpG immunostimulatory nucleic acid" as used herein is a nucleic acid containing at least one unmethylated CpG dinucleotide (cytosine-guanine
10 dinucleotide sequence, i.e., "CpG DNA" or DNA containing a 5' cytosine followed by 3' guanine and linked by a phosphate bond) which activates a component of the immune system. The entire CpG nucleic acid can be unmethylated or portions may be unmethylated but at least the C of the 5' CG 3' must be unmethylated.

In one embodiment a CpG nucleic acid is represented by at least the formula:

15
$$5'\text{-N}_1\text{X}_1\text{CGX}_2\text{N}_2\text{-}3'$$

wherein X_1 and X_2 are nucleotides, N is any nucleotide, and N_1 and N_2 are nucleic acid sequences composed of from about 0-25 N's each. In some embodiments X_1 is adenine, guanine, or thymine and/or X_2 is cytosine, adenine, or thymine. In other embodiments X_1 is cytosine and/or X_2 is guanine.

20 Nucleic acids having modified backbones, such as phosphorothioate backbones, also fall within the class of immunostimulatory nucleic acids. U.S. Pat. Nos. 5,723,335 and 5,663,153 issued to Hutcherson, et al. and related PCT publication WO95/26204 describe immune stimulation using phosphorothioate oligonucleotide analogues. These patents describe the ability of the phosphorothioate backbone to stimulate an immune response in a
25 non-sequence specific manner.

An immunostimulatory nucleic acid molecule, including for example a CpG DNA, may be double-stranded or single-stranded. Generally, double-stranded molecules may be more stable *in vivo*, while single-stranded molecules may have increased activity. The terms "nucleic acid" and "oligonucleotide" refer to multiple nucleotides (i.e., molecules comprising
30 a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)) or a modified base. As

- 32 -

used herein, the terms “nucleic acid” and “oligonucleotide” refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base-containing polymer. The terms “nucleic acid” and “oligonucleotide” also encompass nucleic acids or oligonucleotides with a covalently modified base and/or sugar. For example, they include nucleic acids having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have amino acid backbone with nucleic acid bases). In some embodiments the nucleic acids are homogeneous in backbone composition.

The substituted purines and pyrimidines of the immunostimulatory nucleic acids include standard purines and pyrimidines such as cytosine as well as base analogs such as C-5 propyne substituted bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, thymine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, 2,6-diaminopurine, hypoxanthine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

The immunostimulatory nucleic acid is a linked polymer of bases or nucleotides. As used herein with respect to linked units of a nucleic acid, “linked” or “linkage” means two entities are bound to one another by any physicochemical means. Any linkage known to those of ordinary skill in the art, covalent or non-covalent, is embraced. Such linkages are well known to those of ordinary skill in the art. Natural linkages, which are those ordinarily found in nature connecting the individual units of a nucleic acid, are most common. The individual units of a nucleic acid may be linked, however, by synthetic or modified linkages.

Whenever a nucleic acid is represented by a sequence of letters it will be understood that the nucleotides are in 5' to 3' (or equivalent) order from left to right and that “A” denotes adenine, “C” denotes cytosine, “G” denotes guanine, “T” denotes thymidine, and “U” denotes uracil unless otherwise noted.

- 33 -

Immunostimulatory nucleic acid molecules useful according to the invention can be obtained from natural nucleic acid sources (e.g., genomic nuclear or mitochondrial DNA or cDNA), or are synthetic (e.g., produced by oligonucleotide synthesis). Nucleic acids isolated from existing nucleic acid sources are referred to herein as native, natural, or isolated nucleic acids. The nucleic acids useful according to the invention may be isolated from any source, including eukaryotic sources, prokaryotic sources, nuclear DNA, mitochondrial DNA, etc. Thus, the term nucleic acid encompasses both synthetic and isolated nucleic acids.

The immunostimulatory nucleic acids can be produced on a large scale in plasmids, (see *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989) and separated into smaller pieces or administered whole. After being administered to a subject the plasmid can be degraded into oligonucleotides. One skilled in the art can purify viral, bacterial, eukaryotic, etc. nucleic acids using standard techniques, such as those employing restriction enzymes, exonucleases or endonucleases.

For use in the instant invention, the immunostimulatory nucleic acids can be synthesized *de novo* using any of a number of procedures well known in the art. For example, the β -cyanoethyl phosphoramidite method (Beaucage SL and Caruthers MH, *Tetrahedron Let* 22:1859 (1981)); nucleoside H-phosphonate method (Garegg et al., *Tetrahedron Let* 27:4051-4054 (1986); Froehler et al., *Nucl Acid Res* 14:5399-5407 (1986); Garegg et al., *Tetrahedron Let* 27:4055-4058 (1986); Gaffney et al., *Tetrahedron Let* 29:2619-2622 (1988)). These chemistries can be performed by a variety of automated oligonucleotide synthesizers available in the market.

The immunostimulatory nucleic acid may be any size of at least 6 nucleotides but in some embodiments are in the range of between 6 and 100 or in some embodiments between 8 and 35 nucleotides in size. Immunostimulatory nucleic acids can be produced on a large scale in plasmids. These may be administered in plasmid form or alternatively they can be degraded into oligonucleotides before administration.

A "stabilized immunostimulatory nucleic acid" shall mean a nucleic acid molecule that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endo-nuclease).

Stabilization can be a function of length or secondary structure. Nucleic acids that are tens to hundreds of kbs long are relatively resistant to *in vivo* degradation. For shorter nucleic acids, secondary structure can stabilize and increase their effect. For example, if the 3' end of an

- 34 -

oligonucleotide has self-complementarity to an upstream region, so that it can fold back and form a sort of stem loop structure, then the oligonucleotide becomes stabilized and therefore exhibits more activity.

Some stabilized immunostimulatory nucleic acids have a modified backbone. It has
5 been demonstrated that modification of the oligonucleotide backbone provides enhanced activity of the immunostimulatory nucleic acids when administered *in vivo*. Nucleic acids, including at least two phosphorothioate linkages at the 5' end of the oligonucleotide and multiple phosphorothioate linkages at the 3' end, preferably 5, may provide maximal activity and protect the oligonucleotide from degradation by intracellular exo- and endo-nucleases.
10 Other modified oligonucleotides include phosphodiester modified oligonucleotide, combinations of phosphodiester and phosphorothioate oligonucleotide, methylphosphonate, methylphosphorothioate, phosphorodithioate, and combinations thereof. Each of these combinations and their particular effects on immune cells is discussed in more detail in U.S. Pat. Nos. 6,194,388 and 6,207,646, the entire contents of which are incorporated herein by
15 reference. It is believed that these modified oligonucleotides may show more stimulatory activity due to enhanced nuclease resistance, increased cellular uptake, increased protein binding, and/or altered intracellular localization. Both phosphorothioate and phosphodiester nucleic acids are active in immune cells.

Other stabilized immunostimulatory nucleic acids include: nonionic DNA analogs,
20 such as alkyl- and aryl-phosphates (in which the charged phosphonate oxygen is replaced by an alkyl or aryl group), phosphodiester and alkylphosphotriesters, in which the charged oxygen moiety is alkylated. Oligonucleotides which contain diol, such as tetraethyleneglycol or hexaethyleneglycol, at either or both termini have also been shown to be substantially resistant to nuclease degradation.

25 Phosphorothioate nucleic acid molecules may be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Patent No. 092,574) can be prepared by automated solid
30 phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described. Uhlmann E and Peyman A (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165.

- 35 -

Other sources of immunostimulatory nucleic acids useful according to the invention include standard viral and bacterial vectors, many of which are commercially available. In its broadest sense, a "vector" is any nucleic acid material which is ordinarily used to deliver and facilitate the transfer of nucleic acids to cells. The vector as used herein may be an empty
 5 vector or a vector carrying a gene which can be expressed. In the case when the vector is carrying a gene the vector generally transports the gene to the target cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In this case the vector optionally includes gene expression sequences to enhance expression of the gene in target cells such as immune cells, but it is not required that the gene
 10 be expressed in the cell.

Nucleic acid-binding fragments of TLRs are believed to include the extracytoplasmic (extracellular) domain or subportions thereof, such as those which include at least an MBD motif, a CXXC motif, or both an MBD motif and a CXXC motif.

Both mouse and human TLR9 have an N-terminal extension of approximately 180
 15 amino acids compared to other TLRs. An insertion also occurs at amino acids 253-268, which is not found in TLRs 1-6 but is present in human TLR7 and human TLR8. This insert has two CXXC motifs which participate in forming a CXXC domain. The CXXC domain resembles a zinc finger motif and is found in DNA-binding proteins and in certain specific CpG binding proteins, e.g., methyl-CpG binding protein-1 (MBD-1). Fujita N et al. (2000)
 20 *Mol Cell Biol* 20:5107-18. Both human and mouse TLR9 CXXC domains occur at aa 253-268:

CXXC motif:	GNCXXCXXXXXXXXCXXC	SEQ ID NO:62
Human TLR9:	GNCRRCDHAPNFCMEC	SEQ ID NO:63
25 Murine TLR9:	GNCRRCDHAPNFCMIC	SEQ ID NO:64

An additional motif believed to be involved in CpG binding is the MBD motif, also found in MBD-1, listed below as SEQ ID NO:53. Fujita, N et al.(2000) *Mol Cell Biol* 20:5107-18; Ohki I et al. (1999) *EMBO J* 18:6653-61. Amino acids 524-554 of hTLR9 and
 30 aa 525-555 of mTLR9 correspond to the MBD motif of MBD-1 as shown:

MBD motif:

- 36 -

	MBD-1	R-XXXXXXX-R-X-D-X-Y-XXXXXXXXXX-R-S-XXXXXX-Y	SEQ ID NO:65
	hTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXXX-R-L-XXXXXX-Y	SEQ ID NO:66
	mTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXXX-Q-L-XXXXXX-Y	SEQ ID NO:67
5	hTLR9	Q-VLDLSRN-K-L-D-L-Y-HEHSFTELP-R-L-EALDLS-Y	SEQ ID NO:68
	mTLR9	Q-VLDLSHN-K-L-D-L-Y-HWKSFSLEP-Q-L-QALDLS-Y	SEQ ID NO:69

Although the signaling functions of MBD-1 and TLR9 are quite different, the core D-X-Y is conserved and is believed to be involved in CpG binding.

10 According to another aspect of the invention, a screening method is provided for identifying an immunostimulatory compound. The method according to this aspect of the invention involves contacting a functional TLR9 with a test compound; detecting presence or absence of a response mediated by a TLR9 signal transduction pathway in the presence of the test compound arising as a result of an interaction between the functional TLR9 and the test
15 compound; and determining the test compound is an immunostimulatory compound when the presence of a response mediated by the TLR9 signal transduction pathway is detected.

An immunostimulatory compound is a natural or synthetic compound that is capable of inducing an immune response when contacted with an immune cell. A TLR9 ligand that is an immunostimulatory compound is a natural or synthetic compound that is capable of
20 inducing an immune response when contacted with an immune cell that expresses TLR9. A TLR9 ligand that is an immunostimulatory compound is also a natural or synthetic compound that is capable of inducing a TLR/IL-1R signal transduction pathway when contacted with a TLR9. Immunostimulatory compounds include but are not limited to immunostimulatory
25 nucleic acids. The immunostimulatory compound can be, for example, a nucleic acid molecule, polynucleotide or oligonucleotide, a polypeptide or oligopeptide, a lipid or lipopolysaccharide, a small molecule.

A basis for certain of the screening assays is the presence of a functional TLR9 in a cell. The functional TLR9 in some instances is naturally expressed by a cell. In other instances, expression of the functional TLR9 can involve introduction or reconstitution of a
30 species-specific TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact with an

- 37 -

immunostimulatory nucleic acid. In yet other instances, expression of the functional TLR9 can involve introduction of a chimeric or modified TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact
5 with an immunostimulatory nucleic acid. Examples of cell lines lacking TLR9 or immunostimulatory nucleic acid responsiveness include, but are not limited to, 293 fibroblasts (ATCC CRL-1573), MonoMac-6, THP-1, U937, CHO, and any TLR9 knock-out. The introduction of the species-specific, chimeric or modified TLR9 into the cell or cell line is preferably accomplished by transient or stable transfection of the cell or cell line with a
10 TLR9-encoding nucleic acid sequence operatively linked to a gene expression sequence (as described above). Methods for transient and for stable transfection of a cell are well known in the art.

The screening assays can have any of a number of possible readout systems based upon either TLR/IL-1R signaling pathway or other assays useful for assessing response to
15 immunostimulatory nucleic acids. It has been reported that immune cell activation by CpG immunostimulatory sequences is dependent in some way on endosomal processing.

In certain embodiments, the readout for the screening assay is based on the use of native genes or, alternatively, cotransfected or otherwise co-introduced reporter gene constructs which are responsive to the TLR/IL-1R signal transduction pathway involving
20 MyD88, TRAF, p38, and/or ERK. Häcker H et al. (1999) *EMBO J* 18:6973-6982. These pathways activate kinases including κ B kinase complex and c-Jun N-terminal kinases. Thus reporter genes and reporter gene constructs particularly useful for the assays can include a reporter gene operatively linked to a promoter sensitive to NF- κ B. Examples of such promoters include, without limitation, those for NF- κ B, IL-1 β , IL-6, IL-8, IL-12 p40, CD80,
25 CD86, and TNF- α . The reporter gene operatively linked to the TLR-sensitive promoter can include, without limitation, an enzyme (e.g., luciferase, alkaline phosphatase, β -galactosidase, chloramphenicol acetyltransferase (CAT), etc.), a bioluminescence marker (e.g., green-fluorescent protein (GFP, U.S. Pat. No. 5,491,084), blue fluorescent protein, etc.), a surface-expressed molecule (e.g., CD25), and a secreted molecule (e.g., IL-8, IL-12 p40, TNF- α). In
30 certain embodiments the reporter is selected from IL-8, TNF- α , NF- κ B-luciferase (NF- κ B-luc; Häcker H et al. (1999) *EMBO J* 18:6973-6982), IL-12 p40-luc (Murphy TL et al. (1995)

- 38 -

Mol Cell Biol 15:5258-5267), and TNF-luc (Häcker H et al. (1999) *EMBO J* 18:6973-6982). At least one of these reporter constructs (NF- κ B-luc) is commercially available (Stratagene, La Jolla, CA). In assays relying on enzyme activity readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using FACS analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many such readout systems are well known in the art and are commercially available.

According to one embodiment of this method, comparison can be made to a reference immunostimulatory nucleic acid. The reference immunostimulatory nucleic acid may be any suitably selected immunostimulatory nucleic acid, including a CpG nucleic acid. In certain embodiments the screening method is performed using a plurality of test nucleic acids. In certain embodiments comparison of test and reference responses is based on comparison of quantitative measurements of responses in each instance.

In another aspect the invention provides a screening method for identifying species specificity of an immunostimulatory nucleic acid. The method involves contacting a TLR9 of a first species with a test immunostimulatory nucleic acid; contacting a TLR9 of a second species with the test immunostimulatory nucleic acid; measuring a response mediated by a TLR signal transduction pathway associated with the contacting the TLR9 of the first species with the test immunostimulatory nucleic acid; measuring a response mediated by the TLR signal transduction pathway associated with the contacting the TLR9 of the second species with the test immunostimulatory nucleic acid; and comparing the two responses. The TLR9 may be expressed by a cell or it may be part of a cell-free system. The TLR9 may be part of a complex, with either another TLR or with another protein, e.g., MyD88, IRAK, TRAF, I κ B, NF- κ B, or functional homologues and derivatives thereof. Thus for example a given ODN can be tested against a panel of human fibroblast 293 fibroblast cells transfected with TLR9 from various species and optionally cotransfected with a reporter construct sensitive to TLR/IL-1R activation pathways. Thus in another aspect, the invention provides a method for screening species selectivity with respect to a given nucleic acid sequence.

Test compounds can include but are not limited to peptide nucleic acids (PNAs), antibodies, polypeptides, carbohydrates, lipids, hormones, and small molecules. Test

- 39 -

compounds can further include variants of a reference immunostimulatory nucleic acid incorporating any one or combination of the substitutions described above. Test compounds can be generated as members of a combinatorial library of compounds.

In preferred embodiments, the screening methods can be performed on a large scale
5 and with high throughput by incorporating, e.g., an array-based assay system and at least one automated or semi-automated step. For example, the assays can be set up using multiple-well plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening
10 assay are well known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are well known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the
15 throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

20 The following examples are provided for illustrative purposes and are not meant to be limiting in any way.

Examples

25 Example 1. Cloning and Sequencing of Rat, Porcine, Bovine, Equine, Ovine, Canine, and Feline TLR9

Cells and Tissues. Lymphoid tissues, primarily spleen or blood mononuclear cells (PBMC) from five mammalian species were collected: mouse, pig, bovine, rat and horse. Spleen samples were collected in RNeasyTM (Ambion[®], Austin, TX, USA), stabilized at
30 4°C overnight and stored at -70°C. Blood samples were centrifuged at 500 x g for 25 min at room temperature and the buffy coat, containing enriched PBMC, was then removed and stored at -70°C. The mouse specimen was used as a comparative positive control.

- 40 -

First-strand cDNA synthesis. Total RNA from the spleen and PBMC samples was isolated using a monophasic solution of phenol and guanidine isothiocyanate: TRIzol™ reagent (GIBCO BRL®, Burlington, ON, Canada) according to the manufacturer's instructions. First-strand cDNA was synthesized from the total RNA using
5 SUPERScript™ II reverse transcriptase (GIBCO BRL®, Burlington, ON, Canada). Approximately 3 µg of total RNA was added to 50 pmoles of oligo(dT) primer [poly T₍₁₈₎]; the mixture was heated to 70°C for 10 min and subsequently chilled on ice. The following was added to the cooled reaction mixture: 1 µl of mixed dNTP stock containing 10 mM each dATP, dCTP, dGTP and dTTP (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) at
10 neutral pH, 1X first strand buffer (50 mM Tris-HCl pH 8.3/ 75 mM KCl/ 3 mM MgCl₂) and 2 µl of 0.1 M DTT. The mixture was subsequently heated to 42°C for 2 min, followed by addition of 200 units of SUPERScript™ II reverse transcriptase. The reaction was carried out at 42°C for 50 min, followed by 70°C for 15 min. The first-strand cDNA was used as the template for subsequent polymerase chain reaction (PCR) amplifications.

15 *PCR amplification.* TLR9 gene was PCR amplified from each of the above-mentioned species using primers designed from known mouse and human TLR9 sequence in Genbank: Accession AF314224 and AF259262, respectively. The primers were designed using the primer design software, Clone Manager 5 (Scientific and Educational Software, Durham, NC, USA). TLR9 gene-specific primers used were:
20 forward primer 5'-ACCTTGCCCTGCCTTCCTACCCTGTGA-3' (SEQ ID NO:37) and reverse primer 5'-GTCCGTGTGGGCCAGCACAAA-3' (SEQ ID NO:38). The 2.7 Kbp fragment was PCR amplified using Advantage® 2 DNA polymerase mix (BD Biosciences Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions. PCR reaction volumes of 25 µl contained 15 pmoles of each primer, 0.2 mM of dNTP mix
25 and 1 µl of reverse transcription reaction. PCR amplification was conducted by initial denaturation at 94°C for 1 min followed by 30 cycles of 94°C denaturation (15 sec), 65°C annealing (45 sec) and 72°C extensions (2 min), with a final extension at 72°C for 5 min.

Cloning and sequencing. The PCR amplified fragment was treated with 500 units of T4 DNA polymerase (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) for 15 min
30 at room temperature prior to cleaning the reaction with QIAquick PCR purification kit (QIAGEN Inc., Mississauga, ON, Canada). The fragment was then ligated to pZEROTM - 2

- 41 -

vector (Invitrogen™ Life Technologies, Burlington, ON, Canada), treated with *Eco RV* restriction enzyme, using T4 DNA Ligase (GIBCO BRL®, Burlington, ON, Canada). *E. coli* TOP 10 chemically competent cells (Invitrogen™ Life Technologies, Burlington, ON, Canada) were used to transform ligated products. Plasmids containing the 2.7 Kbp fragment were sequenced using an automated DNA sequencer, CEQ™ 2000XL DNA analysis system (Beckman Coulter Inc., Fullerton, CA, USA).

Sequences of the 2.7 Kbp fragment were derived from three clones of each species selected from independent PCR reactions to account for errors that may have been incurred during the PCR amplifications and to confirm the sequence data.

Nucleotide sequences of the rat, porcine, bovine, equine, ovine, canine, and feline TLR9 were extended and completed using standard 5' and 3' RACE PCR and primers designed using the sequences obtained from the 2.7 Kbp fragments.

Results. Nucleotide sequences of rat, porcine, bovine, equine, canine, and feline TLR9 cDNA obtained by the methods above are provided as SEQ ID NOs 3, 7, 11, 15, 19, 23, and 27, respectively. Deduced amino acid sequences are provided as SEQ ID NOs 1, 5, 9, 13, 17, 21, and 25, respectively. Deduced amino acid sequences of full-length murine and human TLR9 are provided as SEQ ID NOs 29 and 33, respectively.

Example 2. Comparison of Aligned Sequences for TLR9 from Various Mammalian Species.

Multiple sequence alignment of deduced amino acid sequences for feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 polypeptides was performed using Clustal W 1.82 (see, for example, www.cmbi.kun.nl/bioinf/tools/clustalw.shtml). In addition, paired sequence alignment of deduced amino acid sequences for murine and human TLR9 polypeptides was performed using Clustal W 1.82. The results of the multiple sequence alignment are presented in **Figure 1**. As will be appreciated from Figure 1, certain amino acids are highly conserved across all species examined. Similarly, certain amino acids differ only by conservative amino acid substitutions among the various species. In addition, it is evident that certain amino acids which are conserved between murine and human TLR9 are not conserved in other species. Furthermore, Figure 1 also indicates that certain amino acids are highly divergent across various species. The information provided by the comparison of multiple species adds significantly to the information available by comparison between only murine and human TLR9 sequences.

- 42 -

The putative transmembrane regions of the TLR9 polypeptides are indicated in boxes in Figure 1. Sequence upstream of each transmembrane region is extracellular domain and is believed to include sequence primarily responsible for binding to TLR9 ligands, including CpG DNA. The extracellular domains of feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 correspond to amino acids numbered 1-820, 1-822, 1-818, 1-821, 1-818, 1-819, 1-820, 1-820, and 1-821, respectively, as shown in Figure 1.

Figure 2 presents an evolutionary relatedness tree for six TLR9 polypeptides examined. The cladogram in Figure 2 was prepared using Clustal W (see above). As can be appreciated from this figure, murine and human TLR9 are nearly the most divergent TLR9s in this group. Surprisingly, human and horse TLR9 appear relatively closely related.

Example 3. Reconstitution of TLR9 Signaling in 293 Fibroblasts.

Mouse TLR9 cDNA (SEQ ID NO:31) and human TLR9 cDNA (SEQ ID NO:35) in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Since NF- κ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-258; Muzio M et al. (1998) *J Exp Med* 187:2097-101), cells were transfected with hTLR9 or co-transfected with hTLR9 and an NF- κ B-driven luciferase reporter construct. Human fibroblast 293 cells were transiently transfected with hTLR9 and a six-times NF- κ B-luciferase reporter plasmid (NF- κ B-luc) or with hTLR9 alone. After stimulus with CpG-ODN (2006, 2 μ M, TCGTCGTTTTGTCGTTTTGTCGTT, SEQ ID NO:58), GpC-ODN (2006-GC, 2 μ M, TGCTGCTTTTGTGCTTTTGTGCTT, SEQ ID NO:59), LPS (100 ng/ml) or media, NF- κ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results representative of three independent experiments showed that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Independently, human fibroblast 293 cells were transiently transfected with mTLR9 and the NF- κ B-luc construct or with mTLR9 alone. After stimulation with CpG-ODN (1668, 2 μ M; TCCATGACGTTTCCTGATGCT, SEQ ID NO:60), GpC-ODN (1668-GC, 2 μ M;

- 43 -

TCCATGAGCTTCCTGATGCT, SEQ ID NO:61), LPS (100 ng/ml) or media, NF- κ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results showed that expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG-DNA stimulation.

5 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- κ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates (2×10^6 cells/plate) with 16 μ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR. The clones were also screened for IL-8 production or NF- κ B-luciferase activity after stimulation with
10 ODN. Four different types of clones were generated.

293-hTLR9-luc:	expressing human TLR9 and 6-fold NF- κ B-luciferase reporter
293-mTLR9-luc:	expressing murine TLR9 and 6-fold NF- κ B-luciferase reporter
293-hTLR9:	expressing human TLR9
15 293-mTLR9:	expressing murine TLR9

Results indicated that stable clones also responded to CpG-ODN.

Example 4. Similar ODN Sequence Specificity of TLR9 of Human and Equine TLR9.

20 3×10^6 293T cells were electroporated with 5 μ g NF- κ B-luc plasmid and 5 μ g of either horse TLR9-pcDNA3.1 plasmid or human TLR9-pcDNA3.1 plasmid at 200V, 975 μ F. After the electroporation the cells were plated in 96-well cell culture plates at 2.5×10^4 cells per well and grown overnight at 37°C. The cells were stimulated with the indicated concentration of ODN for 16h, after which the supernatant was removed and the cells lysed in lysis buffer and
25 frozen for at least 2 hours at -80°C. Luciferase activity was measured by adding Luciferase Assay substrate from Promega. Values are given as fold specific induction over non-stimulated control. Results are shown in Figure 3.

As shown in Figure 3, ODN 2006 (TCGTCGTTTTGTCGTTTTGTCGTT; SEQ ID NO:58) has a strong specificity for human TLR9. ODN 1982
30 (TCCAGGACTTCTCTCAGGTT; SEQ ID NO:70) was the negative control ODN. ODN 5890 (TCCATGACGTTTTTGATGTT; SEQ ID NO:39) has a strong specificity for mouse

- 44 -

TLR9. This experiment demonstrates the similarity of horse TLR9 to human TLR9 in binding specificity, a result predicted by the evolutionary relatedness of horse TLR9 to human TLR9. Mouse TLR9 is more distant from horse TLR9 and human TLR9 in sequence homology, and ODN 5890 was not detected by either human or horse TLR9.

5

Example 5. Non-human, Non-murine Native Mammalian TLR9 Useful in Screening for Human-Preferred CpG DNA.

Native rat, porcine, bovine, equine, and ovine TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Rat, porcine, bovine, equine, or ovine TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

20 Example 6. Chimeric TLR9 Useful in Screening for Human-Preferred CpG DNA.

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

30

Example 7. Chimeric TLR9 Responsive to Both Human-Preferred and Murine-Preferred CpG DNA.

- 45 -

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006) and also screened for binding or TLR9 signaling activity when contacted with murine-preferred CpG DNA (ODN 1668). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in each of these assays are then used as the basis for screening for additional human-preferred CpG DNA and for screening for additional murine-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA or candidate murine-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA. Candidate murine-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as murine-preferred CpG DNA.

Equivalents

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

We claim:

- 46 -

Claims

1. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

5

2. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

3. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

10

4. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

15

5. A vector comprising the nucleic acid of any of claims 3-4.

6. A cell comprising the vector of claim 5.

20

7. An antibody or fragment thereof that binds specifically to the polypeptide of any of claims 1-2.

8. A method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species, comprising:
aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species;
generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the

25

30

- 47 -

TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with
5 the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

10 9. A method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9, comprising:

aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a
15 CpG DNA optimized for murine TLR9;

generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the
20 initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids.

25

10. The method according to claim 9, performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight, said weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred
30 CpG DNA).

- 48 -

11. An isolated polypeptide comprising an amino acid sequence identical to SEQ ID NO:30 except for substitution of at least one key amino acid identified according to the method of any of claims 9 or 10.

5 12. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide according to claim 11.

13. A vector comprising the nucleic acid of claim 12.

10 14. A cell comprising the vector of claim 13.

15. An antibody that binds specifically to the polypeptide of claim 14.

16. A screening method to identify a TLR9 ligand, comprising:
15 contacting a polypeptide according to any of claims 1, 2, or 11 with a candidate TLR9 ligand;
 measuring a signal in response to the contacting; and
 identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling.

20 17. The method of claim 16, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

25 18. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- κ B.

19. The method of claim 17, wherein the candidate TLR9 ligand is an immunostimulatory nucleic acid.

30 20. The method of claim 19, wherein the immunostimulatory nucleic acid is CpG DNA.

- 49 -

21. A screening method to identify species-specific CpG-motif preference of an isolated polypeptide of claim 2 or claim 11, comprising:

contacting an isolated polypeptide of claim 2 or claim 11 with a CpG DNA comprising a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG;

measuring a signal in response to the contacting; and

identifying a species-specific CpG-motif preference when the signal in response to the contacting is consistent with TLR9 signaling.

22. The method of claim 21, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

23. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- κ B.

24. The method of claim 21, wherein the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

20	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
25	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
30	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
35	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),
	TCCATGACGTCTTTGATGTT	(SEQ ID NO:55),
	TCCATGACGTATTTGATGTT	(SEQ ID NO:56), and
	TCCATGACGTGTTTGATGTT	(SEQ ID NO:57).

Figure 1
(1/3)

```
feline      MGPCGHGALHPLSLLVQAAALAVALAOGTLPFAFLPCELPQHGVLNCDWLFKLSVPHFSAAA 60
canine      MGPCRGALHPLSLLVQAAALALALAOGTLPFAFLPCELPQHGVLNCDWLFKLSVPHFSAAA 60
bovine      MGP-YCAPHPLSLLVQAAALAAALAEGTLPFAFLPCELPQHGQVDCNWLFLKSVPHFSAGA 59
mouse       MGP-YCAPHPLSLLVQAAALAAALAEGTLPFAFLPCELPQHGQVDCNWLFLKSVPHFSAGA 59
ovine       MGP-YCAPHPLSLLVQAAALAAALAOGTLPFAFLPCELPQPRGKVCNWLFLKSVPHFSAGA 59
porcine     MGP-RCTLHPLSLLVQVTAALAAALAOGRLPAFLPCELPQHGVLNCDWLFKLSVPHFSAGA 59
horse       MGPCGHGALQPLSLLVQAAMLAVALAOGTLPFAFLPCELPQHGVLNCDWLFKLSVPHFSAAA 60
human       MGFCRSALHPLSLLVQAAMLAVALAOGTLPFAFLPCELPQHGVLNCDWLFKLSVPHFSMAA 60
rat         MVLCRRTLHPLSLLVQAAVLAALALGTLPAFLPCELPKPHGLVDCNWLFLKSVPHFSAAE 60
*           :*****. ** :* * *.*****: * *:*****:***

feline      PRGNVTSLSLYSNRIHHLHDSDFVHLSLRLNLKWNCPASLSPMHFPCMTIEPHTFL 120
canine      PRGNVTSLSLYSNRIHHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCMTIEPNTFL 120
bovine      PRANVTSLSLISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
mouse       PRANVTSLSLISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
ovine       PRANVTSLSLISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
porcine     PRANVTSLSLISNRIHHLHDSDFVHLSLRLNLKWNCPAGLSPMHFPCMTIEPNTFL 119
horse       PRDNVTSLSLISNRIHHLHDSDFVHLSLRLNLKWNCPAGLSPMHFPCMTIEPNTFL 120
human       PRGNVTSLSLISNRIHHLHDSDFVHLSLRLNLKWNCPAGLSPMHFPCMTIEPNTFL 120
rat         PRSNITSLSLIANRIHHLHNLDFVHLFNVRLNLKWNCPAGLSPHLSFSCMTIEPKTFL 120
** :***** :*****: **.: : ***** .***:*.***** **

feline      AVPTLEELNLSYNSITTVPALPSSIVLSLSRTNIIVLDPANLAGHLSLRFLLDGNCCYY 180
canine      AVPTLEELNLSYNSITTVPALPSSIVLSLSRTNIIVLDPATLAGLYALRFLLDGNCCYY 180
bovine      AVPTLEELNLSYNGITTVPALPSSIVLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCYY 179
mouse       AVPTLEELNLSYNGITTVPALPSSIVLSLSHTSILVLGPTHFTGLHALRFLYMDGNCCYY 179
ovine       AVPTLEELNLSYNGITTVPALPSSIVLSLSRTSILVLGPTHFTGLHALRFLYMDGNCCYY 179
porcine     AVPTLEELNLSYNSITTVPALPDSIVLSLSRTNIIVLDPHTLGLHALRFLYMDGNCCYY 179
horse       AVPTLEELNLSYNGITTVPALPSSIVLSLSRTNIIQLDPTSLTGLHALRFLYMDGNCCYY 180
human       AVPTLEELNLSYNNIMTVPALPSSIVLSLSHTNIIIMLDSASLAGLHALRFLYMDGNCCYY 180
rat         AMRMLEELNLSYNGITTVPRLPSSITNLSHTNIIVLDASSLAGLHSLRVLFMDGNCCYY 180
*: ** :*****. * ** * *.** * *:*.** *.: :*:** *:*****

feline      KNPCQALQVAPGALLGLGNLTHLSLKYNLTAVPRGLPSPSLEYLLLSYNHIIITLAPEDL 240
canine      KNPCQALQVAPGALLGLGNLTHLSLKYNLTVPRGLPSPSLEYLLLSYNHIIITLAPEDL 240
bovine      MNPCPRALEVAPGALLGLGNLTHLSLKYNLTVPRRLPSPSLDTLLLSYNHIVTLAPEDL 239
mouse       MNPCPRALEVAPGALLGLGNLTHLSLKYNLTVPRRLPSPSLDTLLLSYNHIVTLAPEDL 239
ovine       KNPCQAVEVAPGALLGLGNLTHLSLKYNLTVPRRLPSPSLDTLLLSYNHIVTLAPEDL 239
porcine     KNPCQGALEVAPGALLGLGNLTHLSLKYNLTVPRSLPSPSLETLLLSYNHIVTLAPEDL 239
horse       KNPCGRALEVAPGALLGLGNLTHLSLKYNLTVPRSLPSPSLEYLLLSYNHIVTLAPEDL 240
human       KNPCQRALEVAPGALLGLGNLTHLSLKYNLTVPRNLSPSLEYLLLSYNRIVKLAPEDL 240
rat         KNPCNGAVNVTDPDAFLGLSNLTHLSLKYNLTVPRQLPSPSLEYLLLSYNLIVKLGAEDL 240
*** *:*.** :*****.***** ***** ** *:***** *:*.***

feline      ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLHNLHLEGLVLKDSLSYLN 300
canine      ANLTALRVLDVGGNCRRCDHARNPCRECPKGFQHPNTFGHLSHLEGLVLKDSLSYSLD 300
bovine      ANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSLHSLRLEGLVLKDSLSYKLE 299
mouse       ANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSLHSLRLEGLVLKDSLSYKLE 299
ovine       ANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSLHSLRLEGLVLKDSLSYKLE 299
porcine     ANLTALRVLDVGGNCRRCDHARNPCRECPKDHPLHSDTFSLHSLRLEGLVLKDSLSYLN 299
horse       ANLTALRVLDVGGNCRRCDHARNPCVECPHKFPQLHSDTFSLHSLRLEGLVLKDSLSYQLN 300
human       ANLTALRVLDVGGNCRRCDHARNPCMECPRHFPQLHPDTFSLHSLRLEGLVLKDSLSYQLN 300
rat         ANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHLSHLEGLVLKDSLSHSLN 300
*****:*****: * * : .*:** *:*****:***

feline      PRWFHALGNLMVLDLSENFLYDCITKTAFQGLARLRNLNLSFNYHKKVSFAHLHLAPSF 360
canine      PRWFHGLGNLMVLDLSENFLYDCITKTAFYGLARLRNLNLSFNYHKKVSFAHLHLASSF 360
bovine      KDWFRGLGRLQVLDLSENFLYDYITKTTFIENDLTQLRRLNLSFNYHKKVSFAHLHLASSF 359
mouse       KDWFRGLGRLQVLDLSENFLYDYITKTTFIENDLTQLRRLNLSFNYHKKVSFAHLHLASSF 359
ovine       KDWFRGLGRLQVLDLSENFLYDYITKTTFIENDLTQLRRLNLSFNYHKKVSFAHLHLASSF 359
porcine     TRWFRGLDRLQVLDLSENFLYDCITKTAFQGLARLRNLNLSFNYHKKVSFAHLHLAPSF 359
horse       PRWFRGLGNLTVLDLSENFLYDCITKTAFQGLARLRNLNLSFNYHKKVSFAHLHLAPSF 360
human       ASWFRGLGNLRVLDLSENFLYKCTKTAFQGLTQLRKLNLNLSFNYQKRVSAHLHLAPSF 360
rat         SKWFQGLANLTVLDLSENFLYKCTKTAFQGLTQLRKLNLNLSFNYQKRVSAHLHLASSF 360
*:*.** * *****. *.*. * .*:** *:***** :*****:***
```


Figure 1
(2/3)

[illegible]

feline	SFFALATRLRELNLSANALKTVEPSWFGSLAGTLKVLVDVTGNPLHCACGAAFVDFLLEVV	778
canine	SFFALAVRLRELNLSANALKTVEPSWFGSLAGALKVLVDVTGNPLHCACGAATFVDFLLEVV	780
bovine	GFFVVRATRLIELNLSANALKTVDPSWFGSLAGTLKILVDVSANPLHCACGAAFVDFLLERQ	776
mouse	GFFVVRATRLIELNLSANALKTVDPSWFGSLAGTLKILVDVSANPLHCACGAAFVDFLLERQ	776
ovine	GFFVLANRLKELNLSANALKTVDPSWFGSLAGTLKILVDVSANPLHCACGAAFVDFLLEMM	776
porcine	GFFALAKQLEELNLSANALKTVEPSWFGSMVGNLKVLDVSANPLHCACGAATFVDFLLEVV	777
horse	GFFALATRLRELNLSANALRTEEPSWFGSLAGSLVLVDVSANPLHCACGAATFVDFLLQVQ	778
human	GFFSKAKELRELNLSANALKTVDHSWFGPLASALQILVDVSANPLHCACGAATFVDFLLQVQ	778
rat	AFFFALAVELKEVNLKSHNLTVDPSWFGPIVMNLTVLDVSSNPLHCACGAATFVDFLLLEVV	779
	..** * . * * :*** * * : * : * : * : * : * : * : * : * : * : * : * : * : * : *	
feline	AAPVGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCCFG	838
canine	AAPVGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCCFG	840
bovine	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSLDCFCG	836
mouse	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSLDCFCG	836
ovine	AAPVGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETLSLDCFCG	836
porcine	AAPVGLPSRVKCGSPGQLQGRSIFAQDLRLCLDETLSDWNCFCG	837
horse	AAPVGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSDWDCFCG	838
human	AAPVGLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCCFG	838
rat	TKVPGLANGVCKSPGQLQGRSIFAQDLRLCLDDVLSRDCFCG	839
	****. * .**** * * * :*****. * * ** .*** :* . :***** *	
feline	CGWDLWYCFHLCIAWLPRRGR--RGADALPYDAFVVFDKAQSAVADWVYNELRVLEER	896
canine	CGWDLWYCFHLCIAWLPRRGR--RGVDALYDAFVVFDKAQSSVADWVYNELRVQLEER	898
bovine	CGWDLWYCFHLCIAHLPRRRRQ--RGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEER	894
mouse	CGWDLWYCFHLCIAHLPRRRRQ--RGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEER	894
ovine	CGWDLWYCFHLCIAHLPRRRRQ--RGEDTLLYDAFVVFDKAQSAVADWVYNELRVQLEER	894
porcine	CGWDLWYCFHLCIAWLPHRGQ--RGADALFYDAFVVFDKAQSAVADWVYNELRVQLEER	895
horse	CGWDLWYCFHLCIAWLPHRGQ--RGADALSYDAFVVFDKAQSAVADWVYNELRVLEER	896
human	CGWDLWYCFHLCIAWLPRGRQSGRDEALPYDAFVVFDKTSQSAVADWVYNELRGQLEEC	898
rat	CGWDVWYCFHLCIAWLPLTRGR--RSAQALPYDAFVVFDKAQSAVADWVYNELRVLEER	898
	*****.***** ** ** * . : * ***.*****.***.*****.***** *	
feline	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQR	956
canine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQQR	958
bovine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTFMFLDHTDRVSGLLRASFLLAQQR	954
mouse	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTFMFLDHTDRVSGLLRASFLLAQQR	954
ovine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTFMFLDHTDRVSGLLRASFLLAQQR	954
porcine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQQR	955
horse	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQQR	956
human	RGRRALRLCLEERDWPGLKTLFENLWASVYSGRKTLFVLAHTDRVSGLLRASFLLAQQR	958
rat	RGRRALRLCLEERDWPGLKTLFENLWASVYSGRKTLFVLAHTDKVSGLLRTSFLLAQQR	958
	*** *****.***.***.*****.***.***.***.***.*****.***** *	
feline	LEDKRDVVVLVILRPDAHRSRYVRLRQRLCRQSVLLWPHQPSGQSFQAQLGTALTRDNQ	1016
canine	LEDKRDVVVLVILCPDAHRSRYVRLRQRLCRQSVLLWPHQPSGQSFQAQLGTALTRDNR	1018
bovine	LEDKRDVVVLVILRPAAYRSRYVRLRQRLCRQSVLLWPHQPSGQSFQANLGTALTRDNR	1014
mouse	LEDKRDVVVLVILRPAAYRSRYVRLRQRLCRQSVLLWPHQPSGQSFQANLGTALTRDNR	1014
ovine	LEDKRDVVVLVILRPAAYRSRYVRLRQRLCRQSVLLWPHQPSGQSFQANLGTALTRDNR	1014
porcine	LEDKRDVVVLVILRPAAYRSRYVRLRQRLCRQSVLLWPHQPSGQSFQANLGTALTRDNR	1015
horse	LEDKRDVVVLVILSPDARRSRYVRLRQRLCRQSVLFWPHQPSGQSFQAQLGMALTRDNR	1016
human	LEDKRDVVVLVILSPDARRSRYVRLRQRLCRQSVLFWPHQPSGQSFQAQLGMALTRDNR	1018
rat	LEDKRDVVVLVILRPDAHRSRYVRLRQRLCRQSVLFWPHQPSGQSFQAQLSTALTRDNR	1018
	*****.***** * . *****.*****.***** ** *****. * . ***** *	
feline	HFYNQNFRCRGPTAE-----	1031
canine	HFYNQNFRCRGPTA-----	1032
bovine	HFYNRNFCRGPTAE-----	1029
mouse	HFYNRNFCRGPTAE-----	1032
ovine	HFYNRNFCRGPTAE-----	1029
porcine	HFYNRNFCRGPTAE-----	1030
horse	HFYNQNFRCRGPTAE-----	1031
human	HFYNRNFCRGPTAE-----	1032
rat	HFYNRNFCRGPTAE-----	1032
	*****.***** *	

Figure 2





Figure 3



SEQUENCE LISTING

<110> Coley Pharmaceutical GmbH
University of Saskatchewan
Qiagen GmbH

<120> TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

<130> C1041.70040W000

<150> US 60/412,479

<151> 2002-09-19

<160> 70

<170> PatentIn version 3.1

<210> 1

<211> 1032

<212> PRT

<213> Rattus norvegicus

<400> 1

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe
20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn
50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn
65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp
85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met
100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu
115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe

610					615					620					
Phe 625	Gln	Asp	Leu	Arg	Ser 630	Leu	Ile	His	Leu	Asp 635	Leu	Ser	Gln	Asn	Lys 640
Leu	His	Ile	Leu	Arg 645	Pro	Gln	Asn	Leu	Asn 650	Tyr	Leu	Pro	Lys	Ser	Leu 655
Thr	Lys	Leu	Ser 660	Phe	Arg	Asp	Asn	His 665	Leu	Ser	Phe	Phe	Asn	Trp	Ser 670
Ser	Leu	Ala 675	Phe	Leu	Pro	Asn	Leu 680	Arg	Asp	Leu	Asp	Leu	Ala	Gly	Asn 685
Leu 690	Leu	Lys	Ala	Leu	Thr	Asn 695	Gly	Thr	Leu	Pro	Asn 700	Gly	Thr	Leu	Leu
Gln 705	Lys	Leu	Asp	Val	Ser 710	Ser	Asn	Ser	Ile	Val 715	Phe	Val	Val	Pro	Ala 720
Phe	Phe	Ala	Leu	Ala 725	Val	Glu	Leu	Lys	Glu 730	Val	Asn	Leu	Ser	His 735	Asn
Ile	Leu	Lys	Thr 740	Val	Asp	Arg	Ser	Trp 745	Phe	Gly	Pro	Ile	Val	Met	Asn 750
Leu	Thr 755	Val	Leu	Asp	Val	Ser	Ser 760	Asn	Pro	Leu	His	Cys 765	Ala	Cys	Gly
Ala 770	Pro	Phe	Val	Asp	Leu	Leu 775	Leu	Glu	Val	Gln	Thr 780	Lys	Val	Pro	Gly
Leu 785	Ala	Asn	Gly	Val	Lys 790	Cys	Gly	Ser	Pro	Arg 795	Gln	Leu	Gln	Gly	Arg 800
Ser	Ile	Phe	Ala	Gln 805	Asp	Leu	Arg	Leu	Cys 810	Leu	Asp	Asp	Val	Leu	Ser 815
Arg	Asp	Cys	Phe 820	Gly	Leu	Ser	Leu	Leu 825	Ala	Val	Ala	Val	Gly	Thr	Val 830
Leu	Pro 835	Leu	Leu	Gln	His	Leu	Cys 840	Gly	Trp	Asp	Val	Trp 845	Tyr	Cys	Phe

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Thr Arg Gly Arg Arg Ser
 850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln
 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp
 900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr
 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Lys Val Ser
 930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
 980 985 990

Leu Phe Trp Pro His Gln Pro Asn Gly Gln Gly Ser Phe Trp Ala Gln
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu
 1025 1030

<210> 2
 <211> 821
 <212> PRT
 <213> Rattus norvegicus

<400> 2

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn
 50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn
 65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met
 100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
 130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp
515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe
545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser
565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val
580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly
595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe
610 615 620

Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu
645 650 655

Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser
660 665 670

Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn
675 680 685

Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn

	725							730						735			
Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn																	
	740							745						750			
Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly																	
	755							760						765			
Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly																	
	770							775						780			
Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg																	
785	790							795						800			
Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser																	
	805							810						815			
Arg Asp Cys Phe Gly																	
	820																

```
<210> 3
<211> 3099
<212> DNA
<213> Rattus norvegicus
```

<400>	3								
atggttctctc	gtcgagggac	cctgcacccc	ttgtctctcc	tggtagaggc	cgcagtgtctg				60
gctgaggctc	tggccctggg	taccctgcct	gccttcctac	cctgtgaact	gaagcctcat				120
ggcctggtag	actgcaactg	gctcttcctg	aagtctgtgc	ctcacttctc	tgccgcagaa				180
ccccgttcca	acatcacccg	cctttccttg	atcgccaacc	gcattccacca	cctgcacaac				240
ctcgactttg	tccacctgcc	caacgtgcga	cagctgaacc	tcaagtggaa	ctgtccgccc				300
cctggcctca	gcccttgtca	cttctcctgc	cgcattgacca	ttgagcccaa	aaccttcctg				360
gctatgcgca	tgtctggaaga	gctgaacctg	agctataacg	gtatcaccac	tgtgccccgc				420
ctgcccagct	ccctgacgaa	tctgagccta	agccacacca	acattcctgg	actcgatgcc				480
agcagcctcg	ctggcctgca	cagcctgcga	gttctcttca	tggacgggaa	ctgtacttac				540
aagaacccct	gcaacggggc	ggtgaacgtg	accccgagc	ccttcctggg	cttgagcaac				600
ctcaccact	tgtcccttaa	gtataacaac	ctcacagagg	tgccccgcca	actgcccccc				660
agcctggagt	acctcctgct	gtcctataac	ctcatcgtca	agctgggggc	cgaagacct				720
gccaacctga	cctcccttcg	aatgcttgat	gtgggtggga	attgccgtcg	ctgtgatcac				780

gcccccgacc tctgtacaga atgccggcag aagtcccttg atctgcaccc tcagactttc 840
 catcacctga gccaccttga aggccctggtg ctgaaggaca gttctctcca ctcgctgaac 900
 tccaagtggc tccagggctc gccgaacctc tcggtgctgg acctaaagca gaactttctc 960
 tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac 1020
 ctgtccttca attactgcaa gaaggatatc ttccgccgcc tccacctggc aagttccttc 1080
 aagagcctgg tgctcgctga ggagctgaac atgaacggca tcttcttccg cttactcaac 1140
 aagaacacgc tcaggtggct ggctggctctg cccaagctcc acacgctgca ccttcaaatg 1200
 aatttcatca accaggcgca gctcagcgtc tttagtacct tccgagccct tcgctttgtg 1260
 gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320
 gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccagc tctcccagc 1380
 actcccgctc caaagaactt catggctcagg tgtaagaacc tcagattcac catggacctg 1440
 tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500
 tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccc 1560
 ctgaccaacc tgaaggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620
 tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680
 agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740
 cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800
 gtggagtatc tggacttcag cggcaacggt gtggggccgca tgtgggacga ggaggacctt 1860
 tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920
 ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980
 ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttcct gcccaatctg 2040
 cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100
 ggacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160
 ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220
 gtggatcgct cctggtttgg gccatttggt atgaacctga cggttctaga cgtgagcagc 2280
 aaccctctgc attgtgcctg cgggtgaccc tttgtagact tactgctgga agtgagacc 2340
 aagggtgctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400
 agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460
 ggcttttca ccttggtgtg ggccgtgggc acggtgttgc ctttactgca gcattctctg 2520
 ggctgggacg tctggtactg tttccatctg tgcctggcat ggctaccttt gctgaccctg 2580

ggccggcgca gcgccaagc tctcccttat gatgccttcg tgggtgttcga taaggcgag 2640
 agcgcggttg ctgactgggt gtataacgag cttcgagtgc ggctagagga gcggcgcggt 2700
 cgccgagccc tacgcttggt tctggaggac cgagattggc tgccctggcca gacactcttc 2760
 gagaacctct gggcctccat ctatggcagc cgcaagactc tgtttgtgct ggccacacg 2820
 gacaagggtca gtggcctcct gcgcaccagc ttcctgctgg ctcagcagcg cctgctggag 2880
 gaccgcaagg acgtgggtgt gttgggtgatc ctgcgccttg atgcccaccg ctcccgtac 2940
 gtgcgactgc gccagcgctt ctgccgccag agtgtgctct tctggcccca tcagcccaac 3000
 gggcagggca gcttctgggc ccagctgagt acagccctga ctagggacaa ccaccacttc 3060
 tataaccgga acttctgccc gggacctaca gcagaatag 3099

<210> 4
 <211> 2463
 <212> DNA
 <213> Rattus norvegicus

<400> 4
 atggttctct gtgcaggac cctgcacccc ttgtctctcc tggtagaggc cgcagtgtgt 60
 gctgaggctc tggccctggg taccctgcct gccttcctac cctgtgaact gaagcctcat 120
 ggcttggttag actgcaactg gctcttcctg aagtctgtgc ctcacttctc tgccgcagaa 180
 ccccggtcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac 240
 ctgcactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300
 cctggcctca gcccttgca cttctcctgc cgcctgacca ttgagcccaa aaccttcctg 360
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420
 ctgcccagct ccctgacgaa tctgagccta agccacacca acatcctggg actcgatgcc 480
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac 540
 aagaaccctt gcaacggggc ggtgaacgtg accccggacg ccttcctggg cttgagcaac 600
 ctcacccact tgtcccttaa gtataacaac ctcacagagg tgccccgcca actgcccccc 660
 agcctggagt acctcctgct gtcctataac ctcctcgtca agctgggggc cgaagacctc 720
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780
 gcccccgacc tctgtacaga atgccggcag aagtccttg atctgcaccc tcagaacttc 840
 catcacctga gccacctga aggcctgggt ctgaaggaca gttctctcca ctcgctgaac 900
 tccaagtggg tccaggtctt ggcgaaacct tcggtgctgg acctaaagca gaactttctc 960
 tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac 1020

```

ctgtccttca attactgcaa gaaggtatcg ttcgcccgcc tccacctggc aagttccttc 1080
aagagcctgg tgctgctgca ggagctgaac atgaacggca tcttcttcog cttactcaac 1140
aagaacacgc tcaggtggct ggctgggtctg cccaagctcc acacgctgca ctttcaaagt 1200
aatttcatca accaggcgca gctcagcgtc tttagtaoct tccgagccct tcgctttgtg 1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320
gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccagc tctcccagc 1380
actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440
tctcggaaca accagggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500
tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccc 1560
ctgaccaacc tgaaggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620
tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680
agcatgcagg g gataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800
gtggagtatc tggacttcag cggcaacggg gtgggcccga tgtgggacga ggaggacctt 1860
tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920
ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980
ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttcct gccaatctg 2040
cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160
ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220
gtggatcgct cctggtttgg gccattgtg atgaacctga cggttctaga cgtgagcagc 2280
aaccctctgc attgtgcctg cgggtgcacc tttgtagact tactgctgga agtgagacc 2340
aagggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400
agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460
ggc 2463

```

```

<210> 5
<211> 1030
<212> PRT
<213> Sus scrofa

<400> 5

```

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val
 1 5 10 15
 Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu
 20 25 30
 Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe
 35 40 45
 Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val
 50 55 60
 Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80
 Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn
 85 90 95
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr
 100 105 110
 Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
 115 120 125
 Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu
 130 135 140
 Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr
 145 150 155 160
 His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn
 165 170 175
 Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly
 180 185 190
 Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205
 Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu
 210 215 220
 Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala
 225 230 235 240

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg
465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe

705	710	715	720
Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu	725	730	735
Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys	740	745	750
Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr	755	760	765
Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro	770	775	780
Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile	785	790	795
Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn	805	810	815
Cys Phe Gly Ile Ser Leu Leu Ala Met Ala Leu Gly Leu Val Val Pro	820	825	830
Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu	835	840	845
Cys Leu Ala Trp Leu Pro His Arg Gly Gln Arg Arg Gly Ala Asp Ala	850	855	860
Leu Phe Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val	865	870	875
Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg	885	890	895
Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro	900	905	910
Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg	915	920	925
Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu Leu	930	935	940

Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys
 945 950 955 960

Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala Tyr Arg Ser Arg
 965 970 975

Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp
 980 985 990

Pro His Gln Pro Arg Gly Gln Gly Ser Phe Trp Ala Gln Leu Gly Thr
 995 1000 1005

Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg Asn Phe Cys
 1010 1015 1020

Arg Gly Pro Thr Thr Ala Glu
 1025 1030

<210> 6
 <211> 819
 <212> PRT
 <213> Sus scrofa

<400> 6

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe
 705 710 715 720

Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu
 725 730 735

Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys
 740 745 750

Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr
 755 760 765

Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro
 770 775 780

Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile
 785 790 795 800

Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn
 805 810 815

Cys Phe Gly

<210> 7
 <211> 3352
 <212> DNA
 <213> Sus scrofa

<400> 7
 gagcacgaac atccttcact gtagctgctg cccggtctgc cagccagacc ctttgagaa 60
 gacccactc cctgtcatgg gccccgctg caccctgcac cccctttctc tcctgggtgca 120
 ggtgacagcg ctggtgctgg ctctggccca gggcaggctg cctgccttcc tgccctgtga 180
 gctccagccc cacggcctgg tgaactgcaa ctggctcttc ctgaagtccg tgccccactt 240
 ctcgggcgga gcgccccggg ccaacgtcac cagcctctcc ttactctcca accgcatcca 300
 ccacctgcac gactccgact tcgtccacct gtccagccta cgaactctca acctcaagtg 360
 gaactgcccg cgggtggcc tcagcccat gcacttcccc tgccacatga ccacgagcc 420
 caacaccttc ctggcctgct ccacctgga ggagctgaac ctgagctaca acagcatcac 480
 gaccgtgcct gccctgcccg actccctcgt gtccctgtcg ctgagccgca ccaacatcct 540
 ggtgctagac cccaccacc tcactggcct acatgccctg cgctacctgt acatggatgg 600
 caactgctac tacaagaacc cctgccaggg ggcgctggag gtggtgccgg gtgccctcct 660
 cggcctgggc aacctcacac atctctcact caagtacaac aatctcacgg aggtgccccg 720
 cagcctgccc cccagcctgg agacctgct gttgtcctac aaccacattg tcacctgac 780
 gcctgaggac ctggccaatc tgactgccct gcgcgtgctt gatgtggggg ggaactgccg 840
 ccgctgtgac catgcccga acccctgcag ggagtgccca aaggaccacc ccaagctgca 900
 ctctgacacc ttcagccacc tgagccgcct cgaaggcctg gtgttgaaag acagttctct 960
 ctacaacctg gacaccaggt ggttccgagg cctggacagg ctccaagtgc tggacctgag 1020
 tgagaacttc ctctacgact gcatcaccaa gaccacggcc ttccagggcc tggcccgact 1080
 gcgcagcctc aacctgtcct tcaattacca caagaaggct tcctttgccc acctgcacct 1140
 ggcacctcc tttgggcacc tccggtccct gaaggagctg gacatgcatg gcatcttctt 1200
 ccgctcgctc agtgagacca cgctccaacc tctggtccaa ctgcctatgc tccagaccct 1260
 gcgctgcag atgaacttca ttaaccaggc ccagctcagc atctttgggg ccttccctgg 1320
 cctgctgtac gtggacctat cggacaaccg catcagcgga gctgcaaggc cagtggccat 1380
 tactagggag gtggatggta gggagagggt ctggctgcct tccaggaacc tcgctccacg 1440
 tcactggac actctccgct cagaggactt catgccaaac tgcaaggcct tcagcttcac 1500

cttggacctg tctcggaaca acctggtgac aatccagtcg gagatgtttg ctgcctctc 1560
 acgcctcgag tgccctgcgc tgagccacaa cagcatctcc caggcggtca atggctctca 1620
 gtttgtgccg ctgaccagcc tgcgggtgct ggacctgtcc cacaacaagc tggacctgta 1680
 tcacgggcgc tcgttcacgg agctgccgcg cctggaagca ctggacctca gctacaatag 1740
 ccagcccttt accatgcagg gtgtgggcca caacctcagc ttcgtggccc agctgccgcg 1800
 cctgcgctac ctcagcctgg cgcacaatga catccatagc cgagtgtccc agcagctctg 1860
 tagcgctca ctgtgcgccc tggacttttag cggcaacgat ctgagccgga tgtgggctga 1920
 gggagacctc tatctccgct tcttccaagg cctaagaagc ctagtctggc tggacctgtc 1980
 ccagaaccac ctgcacaccc tcctgccacg tgccctggac aacctcccca aaagcctgaa 2040
 gcatctgcat ctccgtgaca ataacctggc cttcttcaac tggagcagcc tgacctcct 2100
 gcccaagctg gaaacctgg acttggtgg aaaccagctg aaggccctaa gcaatggcag 2160
 cctgccatct ggcaccagc tgcggaggct ggacctcagt ggcaacagca tcggctttgt 2220
 gaacctggc tcttttgccc tggccaagca gttagaagag ctcaacctca gcgccaatgc 2280
 cctcaagaca gtggagccct cctggtttgg ctcgatggtg ggcaacctga aagtcctaga 2340
 cgtgagcgcc aacctctgc actgtgcctg tggggcgacc ttcgtgggct tcctgctgga 2400
 ggtacaggct gccgtgcctg ggctgccag ccgcgtcaag tgtggcagtc cggggcagct 2460
 ccagggccat agcatctttg cgcaagacct gcgcctctgc ctggatgaga ccctctctg 2520
 gaactgtttt ggcatctgc tgctggccat ggccctgggc ctggttgtgc ccatgctgca 2580
 ccacctctgc ggctgggacc tctggtactg cttccacctg tgccctggcct ggctgcccc 2640
 ccgagggcag cggcggggcg cagacgccct gttctatgat gccttcgtgg tctttgacaa 2700
 agctcagagt gctgtggccg actgggtgta caacgagctg cgggtgcagc tggaggagcg 2760
 ccgtgggcgc cgcgcactgc gcctgtgcct ggaggagcga gactggttac ctggcaagac 2820
 gctcttcgag aacctgtggg cctcagtcta cagcagccgc aagacctgt ttgtgctggc 2880
 ccacacggac cgtgtcagcg gcctcttgcg tgccagttc ctgctggccc agcagcgct 2940
 gctggaggac cgcaaggacg ttgtagtgt ggtgatcctg cgcgccgatg cctaccgctc 3000
 ccgtacgtg cggctgcgc agcgcctctg ccgccagagt gtccctctct ggccccacca 3060
 gcccctggg cagggcagct tctgggcca gctgggcaca gccctgacca gggacaacca 3120
 ccacttctat aaccggaact tctgccgggg cccacgcaga gccgaatagc actgagtgc 3180
 agcccagttg cccagcccc cctggatttg cctctctgcc tggggtgccc caacctgctt 3240
 tgctcagcca caccactgct ctgctccctg tccccaccc cccccccag cctggcatgt 3300

aacatgtgcc caataaatgc taccggaggg ccaagaaaaa aaaaaaaaaa aa 3352

<210> 8

<211> 2457

<212> DNA

<213> Sus scrofa

<400> 8

atggggcccc gctgcaccct gcacccccctt tctctcctgg tgcaggtgac agcgctggct 60
 ggggctctgg cccagggcag gctgcctgcc ttcttgccct gtgagctcca gccccacggc 120
 ctggtgaact gcaactggct ctctctgaag tccgtgcccc acttctcggc ggcagcgccc 180
 cgggccaaacg tcaccagcct ctcttactc tccaaccgca tccaccacct gcacgactcc 240
 gacttcgtcc acctgtccag cctacgaact ctcaacctca agtggaaactg cccgccggct 300
 ggctcagcc catgcactt cccctgccac atgaccatcg agcccaaacac ctctctggcc 360
 gtgcccaccc tggaggagct gaacctgagc tacaacagca tcacgaccgt gcctgcctg 420
 cccgactccc tcgtgtccct gtcgctgagc cgcaccaaca tcctgggtgct agacccacc 480
 cacctcactg gcctacatgc cctgcgctac ctgtacatgg atggcaactg ctactacaag 540
 aacccctgcc agggggcgct ggaggtgggtg ccgggtgccc tcctcggcct gggcaacctc 600
 acacatctct cactcaagta caacaatctc acggaggtgc cccgcagcct gccccccagc 660
 ctggagaccc tgctgttgtc ctacaaccac attgtcacc tgacgcctga ggacctggcc 720
 aatctgactg ccctgcgcgt gcttgatgtg ggggggaact gccgccgctg tgacctgcc 780
 cgcaaccct gcagggagtg cccaaaggac caccccaagc tgcactctga caccttcagc 840
 cacctgagcc gcctcgaagg cctggtgttg aaagacagtt ctctctacaa cctggacacc 900
 aggtggttcc gaggcctgga caggctccaa gtgctggacc tgagtgagaa ctctctctac 960
 gactgcatca ccaagaccac ggcttccag ggctggccc gactgcgcag cctcaacctg 1020
 tccttcaatt accacaagaa ggtgtccttt gccacctgc acctggcacc ctctttggg 1080
 cacctccggt ccctgaagga gctggacatg catggcatct tcttcgctc gctcagttag 1140
 accacgctcc aacctctggt ccaactgcct atgctccaga ccctgcgcct gcagatgaac 1200
 ttcattaacc agggccagct cagcatcttt ggggccttcc ctggcctgct gtacgtggac 1260
 ctatcggaca accgcatcag cggagctgca aggcagtggt ccattactag ggaggtggat 1320
 ggtagggaga gggctctggct gccttccagg aacctcgctc cacgtccact ggacactctc 1380
 cgctcagagg acttcatgcc aaactgcaag gccttcagct tcaccttga cctgtctcgg 1440
 aacaacctgg tgacaatcca gtcggagatg ttgctcgcc tctcacgcct cgagtgcctg 1500

cgctgagcc acaacagcat ctcccaggcg gtcaatggct ctgagtttgt gccgctgacc 1560
 agcctgctggg tgctggacct gtcccacaac aagctggacc tgtatcacgg gcgctcgttc 1620
 acggagctgc cgcgcctgga agcactggac ctgagctaca atagccagcc ctttaccatg 1680
 caggggtgtgg gccacaacct cagcttcgtg gccagctgc cgcgcctgag ctacctcagc 1740
 ctggcgacaca atgacatcca tagccgagtg tcccagcagc tctgtagcgc ctgactgtgc 1800
 gccctggact ttagcggcaa cgatctgagc cggatgtggg ctgagggaga cctctatctc 1860
 cgcttcttcc aaggcctaag aagcctagtc tggctggacc tgtcccagaa ccacctgcac 1920
 accctcctgc cagctgccct ggacaacctc cccaaaagcc tgaagcatct gcatctccgt 1980
 gacaataacc tggccttctt caactggagc agcctgacct tcctgcccac gctggaaacc 2040
 ctggacttgg ctggaaacca gctgaaggcc ctaagcaatg gcagcctgcc atctggcacc 2100
 cagctgcgga ggctggacct cagtggcaac agcatcggct ttgtgaacct tggcttcttt 2160
 gccctggcca agcagttaga agagctcaac ctgagcgcca atgccctcaa gacagtggag 2220
 ccctcctggt ttggctcgat ggtgggcaac ctgaaagtcc tagacgtgag cgccaaccct 2280
 ctgcaactgtg cctgtggggc gaccttcgtg ggcttcctgc tggaggtaca ggctgccgtg 2340
 cctgggctgc ccagccgct caagtgtggc agtccggggc agctccaggg ccatagcatc 2400
 tttgcgaag acctgcgcct ctgcctggat gagacctct cgtggaactg ttttggc 2457

<210> 9
 <211> 1029
 <212> PRT
 <213> Bos taurus

<400> 9

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu
210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala
225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro
260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg
290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr

305		310		315		320
Asp Tyr Ile Thr	Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg					
	325		330		335	
Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His						
	340		345		350	
Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu						
	355		360		365	
Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln						
	370		375		380	
Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn						
	385		390		395	400
Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu						
	405		410		415	
Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro						
	420		425		430	
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu						
	435		440		445	
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp						
	450		455		460	
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn						
	465		470		475	480
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu						
	485		490		495	
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly						
	500		505		510	
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His						
	515		520		525	
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln						
	530		535		540	

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
 805 810 815

Phe Gly Leu Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu
 850 855 860

Leu Tyr Asp Ala Val Val Val Phe Asp Lys Val Gln Ser Ala Val Ala
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg
 930 935 940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp
 945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr
 965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro
 980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Ile Ala
 995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg
 1010 1015 1020

Gly Pro Thr Thr Ala Glu
1025

<210> 10
<211> 818
<212> PRT
<213> Bos taurus

<400> 10

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln
 370 375 380

Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro

420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu		
435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp		
450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn		
465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu		
485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly		
500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His		
515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln		
530	535	540
Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln		
545	550	555
Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg		
565	570	575
Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys		
580	585	590
Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu		
595	600	605
Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly		
610	615	620
Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr		
625	630	635
Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu		
645	650	655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
 805 810 815

Phe Gly

<210> 11

<211> 3191

<212> DNA

<213> Bos taurus

<400> 11

gggaagtggg cgccaagcat ccttccttgc agctgcctcc caacctgccc gccagaccct 60
 ctggagaagc cgcattccct gtcattggcc cctactgtgc ccgcacccc ctttctctcc 120
 tgggtgcaggc ggcggcactg gcagcggccc tggccgaggg caccctgcct gccttctctgc 180
 cctgtgagct ccagcccat ggtcaggtgg actgcaactg gctgttctctg aagtctgtgc 240
 cgcacttttc ggctggagcc ccccgggcca atgtcaccag cctctcctta atctccaacc 300

gcatccacca cttgcatgac tctgacttcg tccacctgtc caacctgcgg gtcctcaacc 360
 tcaagtggaa ctgcccgcgg gccggcctca gcccctatgca cttcccctgc cgtatgacca 420
 tcgagcccaa caccttcctg gctgtgccc aacctggagga gctgaacctg agctacaacg 480
 gcatcacgac cgtgcctgcc ctgcccagtt cctcgtgtc cctgtcgtg agccacacca 540
 gcatcctggt gctaggcccc acccaacttca ccggcctgca cgccctgcgc tttctgtaca 600
 tggacggcaa ctgctactac atgaaccctt gcccgcgggc cctggagggtg gcccaggcg 660
 cctcctcgg cctgggcaac ctacgcacc tgtcgtcaa gtacaacaac ctacaggagg 720
 tgccccgcgg cctgcccccc agcctggaca cctgctgtc gtcctacaac cacattgtca 780
 ccctggcacc cgaggacctg gccaacctga ctgccctgcg cgtgcttgac gtgggtggga 840
 actgccgcgg ctgcgaccat gcccgcaacc cctgcaggga gtgccccaaag aacttcccc 900
 agctgcacc tgacaccttc agtcacctga gccgcctcga aggcctggtg ttgaaggaca 960
 gttctctcta caaactagag aaagattggt tccgcggcct gggcaggctc caagtgtcgt 1020
 acctgagtga gaacttctc tatgactaca tcaccaagac caccatcttc aacgacctga 1080
 cccagctgcg cagactcaac ctgtccttca attaccacaa gaagggtgcc ttcgcccacc 1140
 tgcaacctagc gtctctctt gggagtctgg tgtccctgga gaagctggac atgcacggca 1200
 tcttcttccg ctccctcacc aacatcacgc tccagtcgtc gaccgggtg cccaagctcc 1260
 agagtctgca tctgcagctg aacttcatca accaggccca gctcagcatc tttggggcct 1320
 tcccagacct gctcttcgtg gacctgtcgg acaaccgcat cagcggagcc gcgacgccag 1380
 cggccgcctt gggggagggtg gacagcagggtg tggaagtctg gcgattgccc aggggcctcg 1440
 ctccaggccc gctggacgcc gtcagctcaa aggacttcat gccaagctgc aacctcaact 1500
 tcaccttga cctgtcacgg aacaacctgg tgacaatcca gcaagagatg tttaccgcgc 1560
 tctccgcct ccagtgcctg cgcctgagcc acaacagcat ctgcaggcg gttaatggct 1620
 cccagttcgt gccgctgacc agcctgcgag tgctcgacct gtcccacaac aagctggacc 1680
 tgtaccatgg gcgctcattc acggagctgc cgcagctgga ggcactggac ctgagctaca 1740
 acagccagcc cttcagcatg cagggcggtg gccacaacct cagcttcgtg gccagctgc 1800
 cctccctgcg ctacctcagc cttgcgcaca atggcatcca cagccgcgtg tcacagaagc 1860
 tcagcagcg ctcgttgcg gccctggact tcagcggcaa ctccctgagc cagatgtggg 1920
 ccgagggaga cctctatctc tgctttttca aaggcttgag gaacctggtc cagctggacc 1980
 tgtccgagaa ccattctcac accctcctgc ctgcgtacct ggacaacctg cccaagagcc 2040

tgcggcagct gcgtctccgg gacaataacc tggccttctt caactggagc agcctgaccg 2100
 tcctgccccg gctggaagcc ctggatctgg caggaaacca gctgaaggcc ctgagcaacg 2160
 gcagcctgcc gcctggcatc cggctccaga agctggacgt gagcagcaac agcatcggct 2220
 tcgtgatccc cggcttcttc gtccgcgcga ctccggctgat agagcttaac ctccagcgcca 2280
 atgccctgaa gacagtggat cctccttggg tgggttcctt agcagggacc ctgaaaatcc 2340
 tagacgtgag cgccaacccg ctccactgcg cctgcggggc ggcctttgtg gacttcctgc 2400
 tggagagaca ggaggccgtg cccgggctgt ccaggcgcgt cacatgtggc agtccggggc 2460
 agctccaggc ccgcagcatc ttcacacagg acctgcgcct ctgcctggat gagaccctct 2520
 ccttggactg ctttggcctc tccactgtaa tgggtggcgt gggcctggca gtgccatgc 2580
 tgcaccacct ctgtggctgg gacctctggg actgcttcca cctgtgtctg gccatttgc 2640
 cccgacggcg gcggcagcgg ggcgaggaca cctgctcta tgatgccgtc gtggtcttcg 2700
 acaagggtgca gagtgcagtg gctgattggg tgtacaacga gctccgcgtg cagctggagg 2760
 agcgcggggg gcgccggggc ctccgcctct gcctggagga gcgagactgg ctccctggta 2820
 agacgtctct cgagaacctg tgggcctcgg tctacagcag ccgaagacc atgttcgtgc 2880
 tggaccacac ggaccgggtc agcggcctcc tgcgcgccag ctctctgctg gccagcagc 2940
 gcctgttggg ggaccgcaag gacgtcgtag tgctgggtgat cctgcgcccc gccgcctatc 3000
 ggtcccgtca cgtgcggctg cgccagcgcc tctgcgcga gagegtctc ctctggcccc 3060
 accagcccag tggccagggt agtttctggg ccaacctggg catagccctg accagggaca 3120
 accgtcactt ctataaccgg aacttctgcc gggggccccc gacagccgaa tagcacagag 3180
 tgactgccc g 3191

<210> 12

<211> 2454

<212> DNA

<213> Bos taurus

<400> 12

atgggcccct actgtgcccc gcacccctt tctctcctgg tgcaggcggc ggcactggca 60
 gcggccctgg ccgaggcac cctgcctgcc ttctgccct gtgagctcca gcccctggg 120
 cagggtggact gcaactggct gtctctgaag tctgtgcgc acttttcggc tggagcccc 180
 cgggccaatg tcaccagcct ctctttaatc tccaaccgca tccaccactt gcatgactct 240
 gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtggaaactg cccgccggcc 300
 ggcctcagcc ccatgcactt cccctgccgt atgaccatcg agcccaacac ctctctggct 360

gtgcccaccc tggaggagct gaacctgagc tacaacggca tcacgaccgt gcctgccctg 420
 cccagttccc tcgtgtccct gtcgtgagc cacaccagca tcctggtgct agggcccacc 480
 cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactacatg 540
 aacctctgcc cgcgggccct ggagggtggc ccaggcgccc tcctcggcct gggcaacctc 600
 acgcacctgt cgctcaagta caacaacctc acggagggtgc ccgcgcgcct gccccccagc 660
 ctggacaccc tgctgctgtc ctacaaccac attgtcaccc tggcaccga ggacctggcc 720
 aacctgactg ccctgcgcgt gcttgacgtg ggtgggaact gccgcgcgtg cgaccatgcc 780
 cgcaacccct gcagggagtg ccaaagaac ttcccaagc tgcaccctga caccttcagt 840
 cacctgagcc gcctcgaagg cctggtgttg aaggacagtt ctctctacaa actagagaaa 900
 gattggttcc gcggcctggg caggctccaa gtgctcgacc tgagtgagaa cttcctctat 960
 gactacatca ccaagaccac catcttcaac gacctgaccc agctgcgcag actcaacctg 1020
 tccttcaatt accacaagaa ggtgtccttc gccacacctg acctagcgtc ctcctttggg 1080
 agtctggtgt ccctggagaa gctggacatg cacggcatct tcttcgcgtc cctcaccaac 1140
 atcacgtcc agtcgtgac cgggctgccc aagctccaga gtctgcatct gcagctgaac 1200
 ttcacaaacc agggccagct cagcatcttt ggggccttcc cgagcctgct cttcgtggac 1260
 ctgtcggaca accgcatcag cggagccgcg acgccagcgg ccgcctggg ggagggtggac 1320
 agcaggggtg aagtctggcg attgcccagg ggcctcgctc caggcccgct ggacgccgtc 1380
 agctcaaagg acttcatgcc aagctgaac ctcaacttca ccttggaact gtcacggaac 1440
 aacctggtga caatccagca agagatgttt accgcctct cccgcctcca gtgcctgcgc 1500
 ctgagccaca acagcatctc gcaggcggtt aatggctccc agttcgtgcc gctgaccagc 1560
 ctgcgagtg tcgacctgtc ccacaacaag ctggacctgt accatgggcg ctcattcacg 1620
 gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680
 ggcgtgggcc acaacctcag cttcgtggcc cagctgccct ccctgcgcta cctcagcctt 1740
 gcgcacaatg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gttgcgcgcc 1800
 ctggacttca gcggcaactc cctgagccag atgtgggccg agggagacct ctatctctgc 1860
 tttttcaaag gcttgaggaa cctggtccag ctggacctgt ccgagaacca tctgcacacc 1920
 ctctgcctc gtcacctgga caacctgccc aagagcctgc ggcagctgcg tctccgggac 1980
 aataacctgg ctttcttcaa ctggagcagc ctgacctcc tgcgccggct ggaagccctg 2040
 gatctggcag gaaaccagct gaaggccctg agcaacggca gcctgccgcc tggcatccgg 2100
 ctccagaagc tggacgtgag cagcaacagc atcggtctcg tgatccccgg cttcttcgtc 2160

cgcgcgactc ggctgataga gcttaacctc agcgccaatg ccctgaagac agtggatccc 2220
 tcttggttcg gttccttagc agggaccctg aaaatcctag acgtgagcgc caaccgctc 2280
 cactgcgctc gcggggcggc ctttgtggac ttcctgctgg agagacagga ggccgtgccc 2340
 gggctgtcca ggcgcgtcac atgtggcagt ccggggccagc tccagggccg cagcatcttc 2400
 acacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 13
 <211> 1031
 <212> PRT
 <213> Equus caballus

<400> 13

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn
 50 55 60

Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
 130 135 140

Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro
 145 150 155 160

Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly
 165 170 175
 Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro
 180 185 190
 Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205
 Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr
 210 215 220
 Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255
 Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe
 260 265 270
 Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285
 Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe
 290 295 300
 Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320
 Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu
 325 330 335
 Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350
 His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365
 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu
 370 375 380
 Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly
 405 410 415
 Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu
 420 425 430
 Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu
 435 440 445
 Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu
 450 455 460
 Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser
 465 470 475 480
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser
 485 490 495
 Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val
 500 505 510
 Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
 515 520 525
 Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
 530 535 540
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
 545 550 555 560
 Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr
 565 570 575
 Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser
 580 585 590
 Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn
 595 600 605
 Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe
 610 615 620
 Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
 755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp
 805 810 815

Asp Cys Phe Gly Leu Ser Leu Leu Val Val Ala Leu Gly Leu Ala Met
 820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His
 835 840 845

Leu Gly Leu Ala Trp Leu Pro Arg Arg Gly Trp Gln Arg Gly Ala Asp
 850 855 860

Ala Leu Ser Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala

```
<210> 14
<211> 820
<212> PRT
<213> Equus caballus

<400> 14
```

- 41 -

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp
805 810 815

Asp Cys Phe Gly
820

<210> 15
<211> 3391
<212> DNA
<213> Equus caballus

<400> 15
ctctgttctc tgagctgttg ccgcgtgaag ggactgcgag cacaaagcat cctcctctgc 60
agctgctgcc cagtgtgcc a gctggacct ctggatcatc tcccaactccc tgtcatgggc 120
ccttgccatg gtgcoctgca gcccctgtct ctccctgggtgc aggcggccat gctggccgtg 180
gctctggccc aaggcaccct gcctcccttc ctgcctgtg agctccagcc ccacggcctg 240
gtgaactgca actggctgtt cctgaagtcc gtgccccact tctcagcagc agcaccgccg 300
gacaatgtca ccagcctttc cttgtctctc aaccgcatcc accacctcca cgactccgac 360
tttgcccaac tgtccaacct gcagaaaactc aacctcaaat ggaactgccc gccagccggc 420
ctcagcccca tgcacttccc ctgccacatg accatcgagc ccaacacttt cctggctgta 480
cccaccctgg aggagctgaa cctgagctac aacggcatca cgactgtgcc tgcctgccc 540
agctccctcg tgtccctgat cctgagccgc accaaccatcc tgcagctaga cccaccagc 600
ctcacggggc tgcattgcct gcgcttccca tacatggatg gcaactgcta ctacaagaac 660
ccctgcgggc gggccctgga ggtggcccca ggcgcctcc ttggcctggg caacctcacc 720
cacctgtcac tcaagtacaa caacctcaca acggtgcccc gcagcctgcc ccctagcctg 780
gagtacctgc tgttgtccta caaccacatt gtcaccctgg cacctgagga cctggccaat 840
ctgactgccc tgcgtgtgct cgatgtgggt ggaaactgcc gccgctgtga ccatgcacgc 900
aaccctgctg tggagtgccc acataaatcc cccagctgc actccgacac cttcagccac 960

ctaagccgcc tagaaggcct cgtgttgaag gatagttctc tctaccagct gaaccccaga	1020
tggttccgtg gcctgggcaa cctcacagtg ctcgacctga gtgagaactt cctctacgac	1080
tgcattacca aaaccaaggc attccagggc ctggcccagc tgcgaagact caacttgtcc	1140
ttcaattacc ataagaaggt gtccttcgcc cacctgacgc tggcaccctc cttcggggagc	1200
ctgctctccc tgcaggaact ggacatgcat ggcatcttct tccgctcact cagccagaag	1260
acgtctccagc cactggcccc cctgcccattg ctccagcgtc tgtatctgca gatgaacttc	1320
atcaaccagg ccagctcgg catcttcaag gacttccctg gtctgcgcta catagacctg	1380
tcagacaacc gcatcagtgg agctgtggag ccggtggcca ccacagggga ggtggatggt	1440
gggaagaagg tctggctgac atccagggac ctcactccag gccactgga cacccccagc	1500
tctgaggact tcatgccaag ctgcaagaac ctgagcttca ccttggacct gtcacggaac	1560
aacctggtaa cagtccagcc agagatgttt gccagctctc cgcgcctcca gtgcctgcgc	1620
ctgagccaca acagcatctc gcaggcgggc aatggctcac agttcgtgcc actgaccagc	1680
ctgcagggtgc tggacctgtc ccataacaaa ctggacctgt accatgggag ctcgtttacg	1740
gagctgccgc gactggaggc cctggacctc agctacaaca gccagccctt cagcatgcgg	1800
ggtgtggggc acaacctcag ctttgtggcc cagctgcca ccctgcgcta cctcagcctg	1860
gcacacaatg gcatccacag ccgtgtgtcc cagcagctct gcagcacctc gctgtggggc	1920
ctggacttca gggcaattc cctgagccag atgtgggctg agggagacct ctatctccgc	1980
ttcttccaag gcctgagaag cctaaccgg ctagacctgt ccagaaatcg tctgcatacc	2040
ctcctgccat gcaccctggg caacctcccc aagagcttgc agctgctgcg tctccgtaac	2100
aattacctgg ccttcttcaa ttggagcagc ctgacctcc tgcccaacct ggaaacctg	2160
gacctggctg gaaaccagct gaaggctctg agcaatggca gcctgccttc tggcaccag	2220
ctccagaggc tggacgtcag caggaacagc atcatcttcg tggccctgg cttctttgct	2280
ctggccacga ggctgcgaga gctcaacctc agtgccaacg ccctcaggac agaggagccc	2340
tcctggtttg gtttcttagc aggtccctt gaagtccctag atgtgagcgc caacctctg	2400
cactgcgcct gtggggcagc ctttgtggac ttctgtctgc aggttcaggc tgccgtgcct	2460
ggtctgcca gccgcgtcaa gtgtggcagt ccgggccagc tccagggccg cagcatcttc	2520
gcacaagacc tgcgcctctg cctggacaag tccctctcct gggactgttt tggctctca	2580
ttgtgtgttg tggccctggg cctggccatg cctatgttgc accacctctg cggtgggac	2640
ctctgggtact gcttccacct gggcctggcc tggctgcccc ggcgggggtg gcagcggggc	2700

gcggatgccc tgagctatga tgcctttgtg gtcttcgaca aggcacagag cgcagtggcc 2760
 gactgggtgt acaatgaact gcgggtgcgg ctgaggagag gccgtgggag ccggggcgctc 2820
 cgcctgtgtc tggaggagcg tgactggcta cctggcaaga cgctgttcga aaacctgtgg 2880
 gcctcagtct acagcagccg caagatgctg tttgtgctgg cccacacgga ccaggtcagt 2940
 ggcctcttgc gtgccagctt cctgctggcc cagcagcgctc tgctggagga ccgcaaggac 3000
 gttgtgggtg tggtaatcct gagccctgac gcccgcggtt cccgttacgt gcggctgcgc 3060
 cagcgcctct gccgccagag tgtcctcttc tggccccacc agcctagtgg ccagcgcagc 3120
 ttctggggcc agctaggcat ggccctgacc agggacaacc gccacttcta taaccagaac 3180
 ttctgccggg gcccgacgat ggctgagtag cacagagtga cagcctggca tgtacaaccc 3240
 ccagccctga ccttgccctc ctgcctatga tgcccagtct gcctcactct gtgacgcccc 3300
 tgctctgcct ccgccaccct caccctggc atacagcagg cactcaataa atgccactgg 3360
 caggccaaac agccaaaaaa aaaaaaaaaa a 3391

<210> 16
 <211> 2460
 <212> DNA
 <213> Equus caballus

<400> 16
 atggggcctt gccatggtgc cctgcagccc ctgtctctcc tgggtgcaggc ggccatgctg 60
 gccgtggctc tggcccaagg caccctgcct ccttcctgc cctgtgagct ccagcccccac 120
 ggctggtga actgcaactg gctgttctg aagtccgtgc cccacttctc agcagcagca 180
 cccgggaca atgtcaccag cctttccttg ctctccaacc gcatccacca cctccacgac 240
 tccgactttg cccaactgtc caacctgcag aaactcaacc tcaaattggaa ctgcccggca 300
 gccggcctca gcccctatgca cttcccctgc cacatgacca tcgagcccaa cactttcctg 360
 gctgtacca cctggagga gctgaacctg agctacaacg gcatcacgac tgtgcctgcc 420
 ctgccagct cctcgtgtc cctgatcctg agccgcacca acatcctgca gctagacccc 480
 accagcctca cgggcctgca tgccctgcgc ttcctataca tggatggcaa ctgctactac 540
 aagaaccct gcgggcgggc cctggagggtg gcccaggcg cctccttgg cctgggcaac 600
 ctcaccacc tgtcactcaa gtacaacaac ctcacaacgg tgccccgag cctgccccct 660
 agcctggagt acctgctgtt gtcctacaac cacattgtca ccctggcacc tgaggacctg 720
 gccaatctga ctgccctgcg tgtgctcgat gtgggtggaa actgccgcg ctgtgaccat 780
 gcacgcaacc cctgcgtgga gtgcccacat aaattcccc agctgcactc cgacaccttc 840

agccacctaa gccgcctaga aggcctcgtg ttgaaggata gttctctcta ccagctgaac 900
 cccagatggg tccgtggcct gggcaacctc acagtgcctg acctgagtga gaacttcctc 960
 tacgactgca tcaccaaaac caaggcattc cagggcctgg cccagctgcg aagactcaac 1020
 ttgtccttca attaccataa gaaggtgtcc ttgcccacc tgacgctggc accctccttc 1080
 gggagcctgc tctccctgca ggaactggac atgcatggca tcttcttccg ctcaactcagc 1140
 cagaagacgc tccagccact ggccgcctg cccatgctcc agcgtctgta tctgcagatg 1200
 aacttcacga accaggccca gctcggcatc ttcaaggact tccctgggtc gcgctacata 1260
 gacctgtcag acaaccgcat cagtggagct gtggagccgg tggccaccac aggggaggtg 1320
 gatgggtggga agaaggtctg gctgacatcc agggacctca ctccaggccc actggacacc 1380
 cccagctctg aggacttcat gccaaagtgc aagaacctca gcttcacctt ggacctgtca 1440
 cggaacaacc tggttaacagt ccagccagag atgtttgccc agctctcgcg cctccagtgc 1500
 ctgcgcctga gccacaacag catctcgagc gcggtcaatg gctcacagtt cgtgccactg 1560
 accagcctgc aggtgctgga cctgtcccat aaaaactgg acctgtacca tgggcgctcg 1620
 tttagcgagc tgccgcgact ggaggccctg gacctcagct acaacagcca gcccttcagc 1680
 atgcgggggtg tgggccacaa cctcagcttt gtggcccagc tgcccaccct gcgctacctc 1740
 agcctggcac acaatggcat ccacagccgt gtgtcccagc agctctgcag cacctcgtcg 1800
 tgggccctgg acttcagcgg caattccctg agccagatgt gggctgaggg agacctctat 1860
 ctccgcttct tccaaggcct gagaagccta atccggctag acctgtccca gaatcgctcg 1920
 cataccctcc tgccatgcac cctgggcaac ctcccgaaga gcttgcagct gctgcgtctc 1980
 cgtaacaatt acctggcctt cttcaattgg agcagcctga cctcctgcc caacctggaa 2040
 acctggacc tggctggaaa ccagctgaag gctctgagca atggcagcct gccttctggc 2100
 accagctcc agaggctgga cgtcagcagg aacagcatca tcttcgtggg ccttggtctc 2160
 tttgctctgg ccacgaggtc gcgagagctc aacctcagtg ccaacgccct caggacagag 2220
 gagccctcct gggttggttt cctagcaggc tcccttgaag tcctagatgt gagcgccaac 2280
 cctctgcact gcgcctgtgg ggcagccttt gtggacttcc tgctgcaggt tcaggctgcc 2340
 gtgcctggtc tgcccagccg cgtcaagtgt ggcagtccgg gccagctcca gggccgcagc 2400
 atcttcgcac aagacctgcg cctctgcctg gacaagtccc tctcctggga ctgttttggg 2460

<210> 17

<211> 1029

<212> PRT

<213> Ovis aries

<400> 17

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu
 210 215 220

Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala
 225 230 235 240
 Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255
 Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro
 260 265 270
 Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285
 Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg
 290 295 300
 Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320
 Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg
 325 330 335
 Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350
 Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu
 355 360 365
 Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg
 370 375 380
 Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn
 385 390 395 400
 Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu
 405 410 415
 Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro
 420 425 430
 Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp
 435 440 445
 Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn
 465 . 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val
 705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
 725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
 755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
 785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
 805 810 815

Phe Gly Phe Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu
 850 855 860

Leu Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg

930 935 940
 Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp
 945 950 955 960
 Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr
 965 970 975
 Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro
 980 985 990
 His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Met Ala
 995 1000 1005
 Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg
 1010 1015 1020
 Gly Pro Thr Thr Ala Glu
 1025
 <210> 18
 <211> 818
 <212> PRT
 <213> Ovis aries
 <400> 18
 Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
 1 5 10 15
 Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu
 20 25 30
 Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe
 35 40 45
 Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
 50 55 60
 Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80
 Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
 85 90 95
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr

100 105 110
 Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
 115 120 125
 Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu
 130 135 140
 Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr
 145 150 155 160
 His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn
 165 170 175
 Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly
 180 185 190
 Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205
 Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu
 210 215 220
 Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala
 225 230 235 240
 Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255
 Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro
 260 265 270
 Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285
 Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg
 290 295 300
 Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320
 Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val
 705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
 725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
 755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
 785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
 805 810 815

Phe Gly

<210> 19

<211> 3199

<212> DNA

<213> *Ovis aries*

<400> 19

```

gtcggcacgg gaagtgagcg ccaagcatcc ttccctgcag ctgccgccc aactgcccgc      60
cagaccctct ggagaagccg cattccctgc catgggcccc tactgtgccc cgcaccccct      120
ttctctcctg gtgcaggcgg cggcgctggc agcagccctg gcccagggca ccctgcctgc      180
cttcctgccc tgtgagctcc agccccgggg taaggtgaac tgcaactggc tgttcctgaa      240
gtctgtgccc cgcttttcgg ccggagcccc cggggccaat gtcaccagcc tctccttaat      300
ctccaaccgc atccaccact tgcacgactc tgacttcgtc cacctgtcca acctgccgggt      360
cctcaacctc aagtggaaact gcccgccggc cggcctcagc cccatgcact tcccctgccg      420
catgaccatc gagccaaca ccttcctggc tgtgcccacc ctggaggagc tgaacctgag      480
ctacaatggc atcacgaccg tgccctgccct gccagttct ctcgtatccc tgtcgtgag      540
ccgcaccagc atcctggtgc taggcccac ccacttcacc ggccctgcag ccctgcgctt      600
tctgtacatg gacggcaact gctactataa gaaccctgc cagcaggccg tggagggtggc      660
cccaggcgcc ctccctggcc tgggcaacct cacgcacctg tcgctcaagt acaacaacct      720
cacggagggtg ccccgccgcc tgccccccag cctggacacc ctgctgctgt cctacaacca      780
catcatcacc ctggcaccog aggacctggc caatctgact gccctgcgtg tgcttgatgt      840
ggcggggaac tgccgcgct ggcaccagc ccgcaacccc tgcagggagt gcccagaaga      900
cttccccaag ctgcaccctg acaccttcag ccacctgagc cgccctgaag gcctggtgtt      960
gaaggacagt tctctctaca aactagagaa agactggttc cgcggcctgg gcaggctcca     1020
agtgtctgac ctgagtgaga acttctctta tgactacatc accaagacca ccatcttcag     1080
gaacctgacc cagctgcgca gactcaacct gtccttcaat taccacaaga aggtgtcctt     1140
cgcccacctg caactggcac cctcctttgg gggcctggtg tccctggaga agctggacat     1200
gcacggcatc ttcttcgct ccctcacaa caccacgctc cggccgctga ccagctgcc     1260
caagctccag agtctgagtc tgcagctgaa cttcatcaac caggccgagc tcagcatctt     1320
tggggccttc ccgagcctgc tcttcgtgga cctgtcggac aaccgcatca gcggagctgc     1380
gaggccggtg gccgccctcg gggagggtgga cagcggggtg gaagtctggc ggtggcccag     1440

```

gggcctcgct ccaggcccg c tggccgccgt cagcgcaaag gacttcatgc caagctgcaa 1500
 cctcaacttc accttggacc tgtcacggaa caacctgggtg acgatccagc aggagatggt 1560
 taccgccttc tccgcctcc agtgccctgcg cctgagccac aacagcatct cgcaggcggt 1620
 taatggctcg cagttcgtgc cgctgacccg cctgcgagtg ctcgacctgt cctacaacaa 1680
 gctggacctg taccatgggc gctcgttcac ggagctgccg cagctggagg cactggacct 1740
 cagctacaac agccagccct tcagcatgca gggcgtgggc cacaacctca gttcgtggc 1800
 ccagctgccg tccctgcgct acctcagcct tgcgcacaac ggcattccaca gccgcgtgtc 1860
 acagaagctc agcagcgctt cgctgcgcgc cctggacttc agcggcaact ccctgagcca 1920
 gatgtgggcc gagggagacc tctatctctg cttcttcaaa ggcttgagga acctgggtcca 1980
 gctggacctg tocaagaacc acctgcacac cctcctgcct cgtcacctgg ataacctgcc 2040
 caagagcctg cggcagctgc gtctccggga caataacctg gccttcttca actggagcag 2100
 cctgactgtt ctgccccagc tgggaagccct ggatctggcg ggaaaccagc tgaaggccct 2160
 gagcaacggc agcctgccac ctggcaccgc gctccagaag ctggacgtga gcagcaacag 2220
 catgggcttt gtgaccctg gcttctttgt ccttgccaac cggtgaaag agcttaacct 2280
 cagcgccaac gccctgaaga cagtggatcc cttctgggtc ggtcgcttaa cagagacct 2340
 gaatactcta gacgtgagcg ccaaccgcct ccactgtgcc tgcggggcgg cctttgtgga 2400
 ctctcgtctg gagatgcagg cggccgtgcc tgggctgtcc aggcgcgtca cgtgtggcag 2460
 tccggggcag ctccagggcc gcagcatctt cgcacaggac ctgcgcctct gcctggatga 2520
 gaccctctcc ttggactgct ttggcttctc gctgctaata gtggcgctgg gcctggcggt 2580
 gcccatgctg caccacctct gtggctggga cctgtggtac tgcttccacc tgtgtctggc 2640
 ccatttgccc cgacggcggc ggcagcgggg cgaggacacc ctgctctacg atgccttcgt 2700
 ggtcttcgac aaggcgcaga gtgcagtggc cgactgggtg tacaacgagc tccgcgtgca 2760
 gctggaggag cgcgcgggc gccgggcgct ccgcctctgc ctggaggagc gagactggct 2820
 ccctggcaag acgctcttcg agaacctgtg ggcctcggtc tacagcagcc gtaagaccat 2880
 gttcgtgctg gaccacacgg accgggtcag tggcctctc cgcgccagct tctgctggc 2940
 ccagcagcgc ctgttgagg accgcaagga tgtcgtggtg ctggtgatcc tgcgccccgc 3000
 cgcctaccgg tcccgctacg tgcggctgcg ccagcgcctc tgccgccaga gcgtcctcct 3060
 ctggccccac cagcccagtg gccagggtag cttctgggcc aacctgggca tggcctgac 3120
 cagggacaac cgccacttct ataaccggaa cttctgcccg ggcgccacga cagccgaata 3180

gcacagagtg actgcccag

3199

<210> 20

<211> 2454

<212> DNA

<213> Ovis aries

<400> 20

```

atggggccct actgtgcccc gcaccccctt tctctcctgg tgcaggcggc ggcgctggca    60
gcagccctgg cccagggcac cctgcctgcc ttctgcccct gtgagctcca gcccgggggt    120
aaggtgaact gcaactggct gttcctgaag tctgtgccgc gcttttcggc cggagccccc    180
cgggccaatg tcaccagcct ctcttaatac tccaaccgca tccaccactt gcacgactct    240
gacttcgtcc acctgtccaa cctgcggggtc ctcaacctca agtggaactg cccgccgggc    300
ggcctcagcc ccatgcactt cccctgccgc atgaccatcg agcccaacac ctctctgggt    360
gtgcccaccc tggaggagct gaacctgagc tacaatggca tcacgaccgt gcctgccttg    420
cccagttctc tcgtatccct gtcgctgagc cgcaccagca tcctgggtgt agggccacc    480
cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactataag    540
aaccctgcc agcaggccgt ggaggtggcc ccaggcgccc tccttggcct gggcaacctc    600
acgcacctgt cgctcaagta caacaacctc acggaggtgc cccgccgcct gccccccagc    660
ctggacaccc tgctgctgtc ctacaaccac atcatcacc tggcacccga ggacctggcc    720
aatctgactg ccctgcgtgt gcttgatgtg ggcggaact gccgccgtg cgaccacgcc    780
cgcaaccctt gcagggagtg cccaaagaac ttccccaagc tgcacctga caccttcagc    840
cacctgagcc gcctcgaagg cctggtgttg aaggacagtt ctctctacaa actagagaaa    900
gactggttcc ggggcctggg caggctccaa gtgctcgacc tgagtgagaa ctctcttat    960
gactacatca ccaagaccac catcttcagg aacctgacct agctgcgcag actcaacctg   1020
tccttcaatt accacaagaa ggtgtccttc gccacctgc aactggcacc ctcttttggg   1080
ggcctggtgt ccctggagaa gctggacatg cacggcatct tcttcgctc cctcaccaac   1140
accacgctcc ggccgctgac ccagctgccc aagctccaga gtctgagtct gcagctgaac   1200
ttcatcaacc aggccgagct cagcatcttt ggggccttcc cgagcctgct ctctgtggac   1260
ctgtcggaca accgcatcag cggagctgag aggccggtgg ccgccctcgg ggaggtggac   1320
agcggggtgg aagtctggcg gtggcccagg ggctcgcctc caggcccgtt ggccgccgtc   1380
agcgcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac   1440
aacctggtga cgatccagca ggagatgttt acccgctctt cccgcctcca gtgcctgcgc   1500

```

ctgagccaca acagcatctc gcaggcgggtt aatggctcgc agttcgtgcc gctgacccgc 1560
 ctgcgagtgc tcgacctgtc ctacaacaag ctggacctgt accatgggcg ctcgttcacg 1620
 gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680
 ggcgtggggc acaacctcag ctctgtggcc cagctgccgt ccctgcgcta cctcagcctt 1740
 gcgcacaacg gcatccacag ccgcgtgtca cagaagctca gcagcgccctc gctgcgcgcc 1800
 ctggacttca gcggcaactc cctgagccag atgtggggcg agggagacct ctatctctgc 1860
 ttcttcaaag gcttgaggaa cctggtccag ctggacctgt ccaagaacca cctgcacacc 1920
 ctctgcctc gtcaacctga taacctgccc aagagcctgc ggcagctgcg tctccgggac 1980
 aataacctgg ccttcttcaa ctggagcagc ctgactgttc tgccccagct ggaagccctg 2040
 gatctggcgg gaaaccagct gaaggccctg agcaacggca gcctgccacc tggcaccggg 2100
 ctccagaagc tggacgtgag cagcaacagc atcggtttg tgaccctgg cttctttgtc 2160
 cttgccaaac ggctgaaaga gcttaacctc agcgccaacg ccctgaagac agtggatccc 2220
 ttctggttcg gtcgcttaac agagaccctg aatatcctag acgtgagcgc caaccgctc 2280
 cactgtgcct gcggggcggc ctttgtggac ttctgtctgg agatgcaggc ggccgtgcct 2340
 gggctgtcca ggcgcgtcac gtgtggcagt ccgggccagc tccagggccg cagcatcttc 2400
 gcacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 21
 <211> 1032
 <212> PRT
 <213> Canis familiaris

<400> 21

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
 145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro

545	550	555	560
Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu	565	570	575
Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg	580	585	590
Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser	595	600	605
Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg	610	615	620
Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn	625	630	635
Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser	645	650	655
Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp	660	665	670
Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly	675	680	685
Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln	690	695	700
Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro	705	710	715
Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala	725	730	735
Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly	740	745	750
Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys	755	760	765
Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro	770	775	780

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly
 785 790 795 800

Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu
 805 810 815

Ser Trp Val Cys Phe Ser Leu Ser Leu Leu Ala Val Ala Leu Ser Leu
 820 825 830

Ala Val Pro Met Leu His Gln Leu Cys Gly Trp Asp Leu Trp Tyr Cys
 835 840 845

Phe His Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly
 850 855 860

Val Asp Ala Leu Ala Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln
 865 870 875 880

Ser Ser Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp
 900 905 910

Trp Val Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr
 915 920 925

Ser Ser Arg Lys Thr Leu Phe Val Leu Ala Arg Thr Asp Arg Val Ser
 930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Cys Pro Asp Ala His
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
 980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln
 995 1000 1005

Leu Gly Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Thr Ala
 1025 1030

<210> 22
 <211> 822
 <212> PRT
 <213> Canis familiaris

<400> 22

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
 145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro
 545 550 555 560

Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu
 565 570 575

Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg
 580 585 590

Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser
 595 600 605

Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg
 610 615 620

Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn
 625 630 635 640

Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser
 645 650 655

Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp

660 665 670
 Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly
 675 680 685
 Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln
 690 695 700
 Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro
 705 710 715 720
 Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala
 725 730 735
 Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly
 740 745 750
 Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys
 755 760 765
 Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro
 770 775 780
 Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly
 785 790 795 800
 Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu
 805 810 815
 Ser Trp Val Cys Phe Ser
 820

<210> 23
 <211> 3334
 <212> DNA
 <213> Canis familiaris

<400> 23
 aggaaggggc tgtgagctcc aagcatcctt tcctgcagct gctgcccagc ctgccagcca 60
 gaccctctgg agaagcccc gtcctctgtc atgggcccct gccgtggcgc cctgcacccc 120
 ctgtctctcc tgggtgcaggc tgccgcgcta gccctggccc tggcccaggg caccctgcct 180
 gccttcctgc cctgtgagct ccagcccat ggcttggtga actgcaactg gctgttcctc 240
 aagtccgtgc cccgcttctc ggcagctgca cccgcggta acgtcaccag cctttccttg 300

tactccaacc gcatccacca cctccatgac tatgactttg tccacttcgt ccacctgcgg	360
cgtctcaatc tcaagtggaa ctgcccggcc gccagcctca gcccacatgca ctttccctgt	420
cacatgacca ttgagcccaa caccttcctg gctgtgcccc ccctagagga cctgaatctg	480
agctataaca gcatcacgac tgtgcccggc ctgcccagtt cgcttgtgtc cctgtccctg	540
agccgcacca acatcctggg gctggaccct gccaccctgg caggccttta tgcctgcgc	600
ttcctgttcc tggatggcaa ctgctactac aagaacccct gccagcaggc cctgcagggtg	660
gcccaggtg ccctcctggg cctgggcaac ctcacacacc tgtcactcaa gtacaacaac	720
ctcaccgtgg tgccgcgggg cctgcccccc agcctggagt acctgctctt gtcctacaac	780
cacatcatca ccctggcacc tgaggacctg gccaatctga ctgccctgcg tgtcctcgat	840
gtgggtggga actgtcgccg ctgtgaccat gcccgtaacc cctgcaggga gtgccccaaag	900
ggcttcccc agctgcaccc caacaccttc ggccacctga gccacctcga aggcctgggtg	960
ttgagggaca gctctctcta cagcctggac ccaggtgggt tccatggcct gggcaacctc	1020
atgggtgctg acctgagtga gaacttcctg tatgactgca tcacaaaaac caaagccttc	1080
tacggcctgg cccggctgcg cagactcaac ctgtccttca attatcataa gaagggtgtcc	1140
tttgcacacc tgcattctggc atcctccttc gggagcctac tgtccctgca ggagctggac	1200
atacatggca tcttcttccg ctctctcagc aagaccacgc tccagtcgct ggcccacctg	1260
cccatgctcc agcgtctgca tctgcagttg aactttatca gccaggccca gctcagcatc	1320
ttcggcgctt tccctggact gcggtacgtg gacttgtcag acaaccgcat cagtggagct	1380
gcagagcccg cggctgccac aggggaggta gaggcagact gtggggagag agtctggcca	1440
cagtcccggt accttctctt gggcccaactg ggcacccccg gctcagaggc cttcatgccg	1500
agctgcagga ccctcaactt caccttggac ctgtctcgga acaacctagt gactgttcag	1560
ccggagatgt ttgtccggct ggcgcgctc cagtgcctgg gcctgagcca caacagcatc	1620
tgcaggcggt tcaatggctc gcagttcgtg cctctgagca acctgcgggt gctggacctg	1680
tcccataaca agctggacct gtaccacggg cgctcgttca cggagctgcc gcggctggag	1740
gccttggacc tcagctacaa cagccagccc ttcagcatgc ggggcgtggg ccacaatctc	1800
agctttgtgg cacagctgcc agccctgcgc tacctcagcc tggcgacaaa tggcatccac	1860
agcccgctgt cccagcagct ccgcagcgcc tcgctccggg ccctggactt cagtggcaat	1920
accctgagcc agatgtgggc cgaggagac ctctatctcc gcttcttcca aggcctgaga	1980
agcctgggtc agctggacct gtcccagaat cgctgcata ccctcctgcc acgcaacctg	2040
gacaacctcc ccaagagcct gcggctcctg cggctccgtg acaattacct ggctttcttc	2100

aactggagca gcctggccct cctacccaag ctggaagccc tggacctggc gggaaaccag 2160
ctgaaggccc tgagcaatgg cagcttgccc aacggcacc agctccagag gctggacctc 2220
agcggcaaca gcatcggctt cgtggtcccc agcttttttg ccctggccgt gaggttcga 2280
gagctcaacc tcagcgccaa cgccctcaag acggtggagc cctcctgggt tggttccctg 2340
gcgggtgccc tgaaagtctt agacgtgacc gccaacccct tgcatctgcg ttgcggcgca 2400
accttcgtgg acttcttgct ggaggtgcag gctgcgggtgc ccggcctgcc tagccgtgtc 2460
aagtgcggca gcccgggcca gctccagggc cgcagcatct tcgcacagga cctgcgcctc 2520
tgcctggacg aagcgtcttc ctgggtctgt ttacagctct cgtgctggc tgtggccctg 2580
agcctggctg tgcccatgct gcaccagctc tgtggctggg acctctggta ctgcttcac 2640
ctgtgcctgg cctggctgcc ccggcggggg cggcgggggg gtgtggatgc cctggcctat 2700
gacgccttcg tggctctga caaggcgag agctcgggtg cggactgggt gtacaatgag 2760
ctgcggttac agctagagga gcgccgtggg cgccggggcg tacgcctgtg tctggaggaa 2820
cgtgactggg taccggcaa aacctcttc gagaacctct gggcctcagt ttacagcagc 2880
cgcaagacgc tgtttgtgct ggcccgacg gacagagtca gcggcctcct gcgtgccagc 2940
ttctgctgg cccaacagcg cctgctggag gaccgcaagg acgtcgtggt gctggtgatc 3000
ctgtgccccg acgcccaccg ctcccgctat gtgcggtgc gccagcgct ctgccgccag 3060
agtgtcctcc tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc 3120
acggccctga ccagggacaa ccgccacttc tacaaccaga acttctgccg gggccccacg 3180
acagcctgat aggcagacag cccagcacct tcgcgcccct acacctgcc tgtctgtctg 3240
ggatgcccga cctgctggct ctacaccgcc gctctgtctc ccctacacc agccctggca 3300
taaagcgacc gctcaataaa tgctgctggg agac 3334

<210> 24

<211> 2466

<212> DNA

<213> *Canis familiaris*

<400> 24

atgggcccct gccgtggcgc cctgcacccc ctgtctctcc tggcgcaggc tgccgcgcta 60
gccctggccc tggcccaggg caccctgcct gccttcctgc cctgtgagct ccagccccat 120
ggcctgggtga actgcaactg gctgttcttc aagtccgtgc ccgcttctc ggcagctgca 180
ccccgcggta acgtcaccag cctttccttg tactccaacc gcatccacca cctccatgac 240
tatgactttg tccacttctg ccacctggcg cgtctcaatc tcaagtggaa ctgcccggcc 300

gccagcctca gccccatgca ctttcctgt cacatgacca ttgagcccaa caccttcctg 360
 gctgtgcccc ccctagagga cctgaatctg agctataaca gcatcacgac tgtgccccgc 420
 ctgcccagtt cgcttgtgtc cctgtccctg agccgcacca acatcctggg gctggaccct 480
 gccaccctgg caggccttta tgccctgctc ttctgttcc tggatggcaa ctgctactac 540
 aagaaccctt gccagcaggc cctgcagggt gcccaggtg ccctcctggg cctgggcaac 600
 ctcacacacc tgtcactcaa gtacaacaac ctcaccgtgg tgccgcgggg cctgcccccc 660
 agcctggagt acctgctctt gtctacaac cacatcatca ccctggcacc tgaggacctg 720
 gccaatctga ctgcctgctg tgctctgat gtgggtggga actgtcgccg ctgtgaccat 780
 gcccgtaacc cctgcaggga gtgcccgaag ggcttcccc agctgcaccc caacaccttc 840
 ggccacctga gccacctcga aggcctgggt ttgagggaca gctctctcta cagcctggac 900
 cccagggtgg tccatggcct gggcaacctc atggtgctgg acctgagtga gaacttcctg 960
 tatgactgca tcacaaaaac caaagccttc tacggcctgg cccggctgctg cagactcaac 1020
 ctgtccttca attatcataa gaagggtgtc tttgccacc tgcatctggc atcctccttc 1080
 gggagcctac tgctcctgca ggagctggac atacatggca tcttcttccg ctgctcagc 1140
 aagaccacgc tccagtcgct ggccacctg cccatgctcc agcgtctgca tctgcagttg 1200
 aactttatca gccaggccca gctcagcatc ttcgggcctt tccctggact gcggtacgtg 1260
 gacttgctcag acaaccgcat cagtggagct gcagagcccg cggctgccac aggggaggta 1320
 gaggcagact gtggggagag agtctggcca cagtcccggt accttgctct gggcccaactg 1380
 ggcccccccg gctcagaggc cttcatgccc agctgcagga ccctcaactt caccttggac 1440
 ctgtctcgga acaacctagt gactgttcag ccggagatgt ttgtccggct ggcgcgctc 1500
 cagtgcctgg gcctgagcca caacagcatc tcgcaggcgg tcaatggctc gcagttcgtg 1560
 cctctgagca acctgcgggt gctggacctg tcccataaca agctggacct gtaccacggg 1620
 cgctcgttca cggagctgcc ggggctggag gccttggacc tcagctacaa cagccagccc 1680
 ttcagcatgc ggggcgtggg ccacaatctc agctttgtgg cacagctgcc agccctgctc 1740
 tacctcagcc tggcgcaaaa tggcatccac agccgctgtt cccagcagct ccgcagcgcc 1800
 tcgctccggg ccctggactt cagtggcaat accctgagcc agatgtgggc cgaggagagc 1860
 ctctatctcc gcttcttcca aggcctgaga agcctggctt agctggacct gtcccagaat 1920
 cgctgcata ccctcctgcc acgcaacctg gacaacctcc ccaagagcct gcggctcctg 1980
 cggctccgtg acaattacct ggctttcttc aactggagca gcctggccct cctaccaaac 2040

ctggaagccc tggacctggc gggaaaccag ctgaaggccc tgagcaatgg cagcttgccc 2100
 aacggcaccc agctccagag gctggacctc agcggcaaca gcatcggtt cgtgggtcccc 2160
 agcttttttg ccctggccgt gaggttcga gagctcaacc tcagcgccaa cgccctcaag 2220
 acggtggagc cctcctgggt tggttccctg gcgggtgccc tgaaagtcct agacgtgacc 2280
 gccaacccct tgcattgcgc ttgcggcgca accttcgtgg acttcttgct ggaggtgcag 2340
 gctgcggtgc ccggcctgcc tagccgtgtc aagtgcggca gcccgggcca gctccagggc 2400
 cgcagcatct tcgcacagga cctgcgcctc tgctggacg aagcgtctc ctgggtctgt 2460
 ttcagc 2466

<210> 25
 <211> 1031
 <212> PRT
 <213> Felis catus

<400> 25

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe

610				615				620							
Arg 625	Gly	Leu	Arg	Ser	Leu 630	Val	Arg	Leu	Asp	Leu 635	Ser	Gln	Asn	Arg	Leu 640
His	Thr	Leu	Leu	Pro 645	Arg	Thr	Leu	Asp	Asn 650	Leu	Pro	Lys	Ser	Leu 655	Arg
Leu	Leu	Arg	Leu 660	Arg	Asp	Asn	Tyr	Leu 665	Ala	Phe	Phe	Asn	Trp 670	Ser	Ser
Leu	Val	Leu 675	Leu	Pro	Arg	Leu	Glu 680	Ala	Leu	Asp	Leu	Ala 685	Gly	Asn	Gln
Leu 690	Lys	Ala	Leu	Ser	Asn	Gly 695	Ser	Leu	Pro	Asn	Gly 700	Thr	Gln	Leu	Gln
Arg 705	Leu	Asp	Leu	Ser	Ser	Asn	Ser	Ile	Ser	Phe 715	Val	Ala	Ser	Ser	Phe 720
Phe	Ala	Leu	Ala	Thr 725	Arg	Leu	Arg	Glu	Leu 730	Asn	Leu	Ser	Ala	Asn 735	Ala
Leu	Lys	Thr	Val 740	Glu	Pro	Ser	Trp	Phe 745	Gly	Ser	Leu	Ala	Gly 750	Thr	Leu
Lys	Val	Leu	Asp	Val	Thr	Gly	Asn 760	Pro	Leu	His	Cys	Ala 765	Cys	Gly	Ala
Ala 770	Phe	Val	Asp	Phe	Leu	Leu 775	Glu	Val	Gln	Ala	Ala 780	Val	Pro	Gly	Leu
Pro 785	Gly	His	Val	Lys	Cys 790	Gly	Ser	Pro	Gly	Gln 795	Leu	Gln	Gly	Arg	Ser 800
Ile	Phe	Ala	Gln	Asp 805	Leu	Arg	Leu	Cys	Leu 810	Asp	Glu	Ala	Leu	Ser 815	Trp
Asp	Cys	Phe	Gly 820	Leu	Ser	Leu	Leu	Thr 825	Val	Ala	Leu	Gly	Leu 830	Ala	Val
Pro	Met	Leu	His	His	Leu	Cys	Gly 840	Trp	Asp	Leu	Trp	Tyr 845	Cys	Phe	His

Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly Ala Asp
 850 855 860
 Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala
 865 870 875 880
 Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg
 885 890 895
 Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu
 900 905 910
 Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser
 915 920 925
 Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu
 930 935 940
 Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg
 945 950 955 960
 Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His Arg Ser
 965 970 975
 Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu
 980 985 990
 Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly
 995 1000 1005
 Thr Ala Leu Thr Arg Asp Asn Gln His Phe Tyr Asn Gln Asn Phe
 1010 1015 1020
 Cys Arg Gly Pro Thr Thr Ala Glu
 1025 1030
 <210> 26
 <211> 820
 <212> PRT
 <213> Felis catus
 <400> 26
 Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe
 610 615 620

Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640

His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg
 645 650 655

Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser
 660 665 670

Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln
 690 695 700

Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala

```
<210> 27
<211> 3235
<212> DNA
<213> Felis catus
```

<400>	27						
agggtctgcg	agctccaggc	attctttctct	gccatcgctg	cccagtcctgc	catccagacc		60
ctctggagaa	gccccactc	cctgtcatgg	gccctgcca	tggcgccctg	caccccctgt		120
ctctcctggg	gcaggtgcc	gcgtggccg	tggccctggc	ccagggcacc	ctgcctgcct		180
ttctgcccctg	tgagctccag	cgccaocggc	tggatgaattg	cgactggctg	ttcctcaagt		240
ccgtgcccc	cttctcggg	gcagcgcccc	gtggtaacgt	caccagcctt	tccctgtact		300
ccaacgcgat	ccaccacctc	ca'cgactccg	actttgtcca	cctgtccagc	ctgcccgcgtc		360
tcaacctcaa	atggaactgc	ccaccgcgcca	gcctcagccc	catgcacttc	ccctgtcaca		420
tgaccattga	gccccacacc	ttcctggccg	tgcccaccct	ggaggagctg	aacctgagct		480
acaacagcat	cacgacagta	cccgcctcgc	ccagttccct	cgtgtccctg	tccttgagcc		540
gtaccaacat	cctgggtgctg	gaccctgcca	acctcgcagg	gctgcactcc	ctgcgcctttc		600
tgttcctgga	tggcaactgc	tactacaaga	acccctgccc	gcaggccctg	caggtggccc		660
cgggcgcct	ccttggcctg	ggcaacctta	cgcacctgtc	actcaagtac	aacaacctca		720
ctgcggtgcc	ccgcggcctg	ccccccagcc	tggagtacct	gctattgtcc	tacaaccaca		780

tcataccacct	ggcacctgag	gacctggcca	acctgaccgc	cctgcgtgtg	ctcgatgtgg	840
gtgggaactg	ccgtcgctgt	gaccacgccc	gcaaccctg	tatggagtgc	cccaagggt	900
tccgcacct	gcacctgac	accttcagcc	acctgaacca	cctcgaaggc	ctgggtgtga	960
aggacagctc	tctctacaac	ctgaacccca	gatggttcca	tgccctgggc	aacctcatgg	1020
tgctggacct	gagtgagaac	ttcctatatg	actgcatcac	caaaaccaca	gccttccagg	1080
gcctggccca	gctgcgcaga	ctcaacttgt	ctttcaatta	ccacaagaag	gtgtcctttg	1140
cccacctgca	tctggcgccc	tccttcggga	gcctgctctc	cctgcagcag	ctggacatgc	1200
atggcatctt	cttccgctcg	ctcagcgaga	ccacgctccg	gtcgctggtc	cacctgcca	1260
tgctccagag	tctgcacctg	cagatgaact	tcatcaatca	ggcccagctc	agcatcttcg	1320
gggccttccc	tggcctgcga	tacgtggacc	tgctagacaa	ccgcataagt	ggagccatgg	1380
agctggcggc	tgccacgggg	gaggtggatg	gtggggagag	agtccggctg	ccatctgggg	1440
acctagctct	gggcccaccg	ggcacccta	gctccgaggg	cttcatgcca	ggctgcaaga	1500
ccctcaactt	caccttgga	ctgtcacgga	acaacctagt	gacaatccag	ccagagatgt	1560
ttgcccggct	ctcgcgctc	cagtgcctgc	tcctgagccg	caacagcatc	tcgcaggcag	1620
tcaacggctc	acaatttatg	ccgctgacca	gcctgcagg	gctggacctg	tcccataaca	1680
agctggacct	gtaccatggg	cgctctttca	cggagctgcc	gcggctggag	gcctggacc	1740
tcagctacaa	cagccagccc	ttcagcatgc	agggcgctgg	tcacaacctc	agctttgtgg	1800
cacagctgcc	ggccctgcgc	tatctcagcc	tggcgacaaa	cgacatccac	agccgtgtgt	1860
cccagcagct	ctgcagcgcc	tcgctgcggg	ccttggactt	cagcggcaat	gccttgagcc	1920
ggatgtgggc	cgagggagac	ctgtatctcc	acttcttcg	aggcctgagg	agcctggctc	1980
ggttgatct	gtcccagaat	cgcctgcata	ccctcttgcc	acgcacctg	gacaacctcc	2040
ccaagagcct	gcggctgctg	cgtctccgtg	acaattatct	ggctttcttc	aactggagca	2100
gcctggtcct	cctccccagg	ctggaagccc	tggacctggc	gggaaaccag	ctgaaggccc	2160
tgagcaacgg	cagcttgctc	aatggaaccc	agctccagag	gctggacctc	agcagcaaca	2220
gtatcagctt	cgtggcctcc	agcttttttg	ctctggccac	caggctgcga	gagctcaacc	2280
tcagtgcmaa	cgcctcaag	acggtggagc	cctcctggtt	cggttctcta	gcgggcaccc	2340
tgaaagtcct	agatgtgact	ggcaaccccc	tgactgcgc	ctgtggggcg	gccttcgtgg	2400
acttcttgct	ggaggtgcag	gctgcagtgc	ccggcctgcc	aggccacgtc	aagtgtggca	2460
gtccaggtca	gctccagggc	cgcagcatct	ttgcgcagga	tctgcgcctc	tgctggatg	2520
aggcctctc	ctgggactgt	tttggcctct	cgctgctgac	cgtggccctg	ggcctggccg	2580

tgcccatgct gcaccacctc tgtggetggg acctctggta ctgcttcac ctgtgcctgg 2640
 cctggctgcc ccggcggggg cggcggcggg gcgcggatgc cctgccctac gatgcctttg 2700
 tggctcttca caaggcacag agcgcggtgg ccgactgggt gtacaacgag ctgcgggtac 2760
 ggctagagga gcgccgtgga cgccgagcgc tccgcctgtg cctggaggaa cgtgactggc 2820
 taccgggtaa aacgctcttt gagaacctgt gggcctcagt ttacagcagc cgcaagatgc 2880
 tgtttgtgct ggccacaca gacagggta gggcctctt gcgcgccagc tttctgctgg 2940
 cccagcagcg cctgctggag gaccgcaagg acgttgtggg gctggatgc ctgcgccccg 3000
 acgcccaccg ctcccgctat gtgcggctgc gccagcgct ctgccgccag agcgctctcc 3060
 tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc acggccctga 3120
 ccagggacaa ccagcacttc tataaccaga acttctgccc gggcccccacg acggcagagt 3180
 gaccgcccag caccccaagc ctctacacc ttgcctgtct gcctgggatg ccggg 3235

<210> 28

<211> 2460

<212> DNA

<213> Felis catus

<400> 28

atgggccccct gccatggcgc cctgcacccc ctgtctctcc tggcgcaggc tgccgcgctg 60
 gccgtggccc tggcccaggg caccctgcct gcctttctgc cctgtgagct ccagcgccac 120
 ggccctgtga attgcgactg gctgttcttc aagtcctgct ccacttctc ggcggcagcg 180
 cccgtgggta acgtcaccag cctttccctg tactccaacc gcattcacca cctccacgac 240
 tccgactttg tccacctgtc cagcctgcgg cgtctcaacc tcaaattggaa ctgcccaccc 300
 gccagcctca gccccatgca cttcccctgt cacatgacca ttgagcccca caccttctctg 360
 gccgtgcccc ccctggagga gctgaacctg agctacaaca gcattcacgac agtaccgccc 420
 ctgcccagtt ccctcggtc cctgtccttg agcgtacca acatcctggg gctggaccct 480
 gccaacctcg cagggtgca ctccctgcgc tttctgttcc tggatggcaa ctgtactac 540
 aagaacccct gccgcaggc cctgcagggt gcccggggcg cctccttgg cctgggcaac 600
 cttacgcacc tgtactcaa gtacaacaac ctactgcgg tgcggcgcg cctgcccccc 660
 agcctggagt acctgctatt gtccataaac cacatcatca ccctggcacc tgaggacctg 720
 gccaacctga ccgcctgag tgtgctcgat gtgggtggga actgccgtcg ctgtgaccac 780
 gcccgcaacc cctgtatgga gtgcccgaag ggcttccgc acctgcaccc tgacaccttc 840
 agccacctga accacctga aggcctgggt ttgaaggaca gctctctcta caacctgaac 900

```

cccagatggg tccatgccct gggcaacctc atggtgctgg acctgagtga gaacttccta 960
tatgactgca tcacaaaaac cacagccttc cagggcctgg ccagctgcg cagactcaac 1020
ttgtctttca attaccacaa gaagggtgtcc ttgtcccacc tgcattctggc gccctccttc 1080
gggagcctgc tctccctgca gcagctggac atgcatggca tcttcttccg ctgctcagc 1140
gagaccacgc tccgggtcgt ggtccacctg cccatgctcc agagtctgca cctgcagatg 1200
aacttcatca atcaggccca gctcagcatc ttcggggcct tccctggcct gcgatacgtg 1260
gacctgtcag acaaccgcat aagtggagcc atggagctgg cggctgccac gggggaggtg 1320
gatggtgggg agagagtccg gctgccatct ggggacctag ctctggggcc accgggcacc 1380
cctagctccg agggcttcat gccaggtgc aagacctca acttcacctt ggacctgtca 1440
cggaacaacc tagtgacaat ccagccagag atgtttgccc ggctctcgcg cctccagtgc 1500
ctgctcctga gccgcaacag catctcgagc gcagtcaacg gtcacaatt tatgccgctg 1560
accagcctgc aggtgctgga cctgtcccat aacaagctgg acctgtacca tgggcgctct 1620
ttcacggagc tgccgaggct ggaggccctg gacctcagct acaacagcca gcccttcagc 1680
atgcagggcg tgggtcacaa cctcagcttt gtggcacagc tgccggccct gcgctatctc 1740
agcctggcgc acaacgacat ccacagccgt gtgtcccagc agctctgcag cgcctcgctg 1800
cgggccttgg acttcagcgg caatgccttg agccggatgt gggccgaggg agacctgtat 1860
ctccacttct tccgaggcct gaggagcctg gtccggttgg atctgtccca gaatcgctg 1920
catacctct tgccacgcac cctggacaac ctccccaaaga gcctgaggct gctgcgtctc 1980
cgtgacaatt atctggcttt cttcaactgg agcagcctgg tcctcctccc caggctggaa 2040
gccctggacc tggcgggaaa ccagctgaag gccctgagca acggcagctt gcctaattgga 2100
accagctcc agaggctgga cctcagcagc aacagtatca gcttcgtggc ctccagcttt 2160
tttgctctgg ccaccaggct gcgagagctc aacctcagt ccaacgccct caagacggtg 2220
gagccctcct gggtcggttc tctagcgggc accctgaaag tcctagatgt gactggcaac 2280
cccctgcact gcgcctgtgg ggcggccttc gtggacttct tgctggaggt gcaggtgca 2340
gtgcccggcc tgccaggcca cgtcaagtgt ggcagtccag gtcagctcca gggccgcagc 2400
atctttgcgc aggatctgcg cctctgcctg gatgaggccc tcctctggga ctgttttggc 2460

```

```

<210> 29
<211> 1032
<212> PRT
<213> Mus musculus

```

<400> 29

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu

225		230		235		240
Ala Asn Leu Thr Ser	Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg					
	245		250		255	
Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser						
	260		265		270	
Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly						
	275		280		285	
Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe						
	290		295		300	
Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu						
305		310		315		320
Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu						
	325		330		335	
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala						
	340		345		350	
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu						
	355		360		365	
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu						
	370		375		380	
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met						
385		390		395		400
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala						
	405		410		415	
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr						
	420		425		430	
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu						
	435		440		445	
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser						
	450		455		460	

Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu
 465 470 475 480

Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu
 485 490 495

Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp
 515 520 525

Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe
 545 550 555 560

Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser
 565 570 575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser
805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val
820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe
835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
 980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu
 1025 1030

<210> 30
 <211> 821
 <212> PRT
 <213> Mus musculus

<400> 30

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ser Cys Ser Asn
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser
 260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe
 290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala

340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu		
355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu		
370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met		
385	390	395
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala		
405	410	415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr		
420	425	430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu		
435	440	445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser		
450	455	460
Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu		
465	470	475
Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu		
485	490	495
Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala		
500	505	510
Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp		
515	520	525
Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu		
530	535	540
Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe		
545	550	555
Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser		
565	570	575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala
 705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn
 725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn
 740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly
 755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly
 770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg
 785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser
 805 810 815

Trp Asp Cys Phe Gly
820

<210> 31

<211> 3200

<212> DNA

<213> Mus musculus

<400> 31

```

tgtcagaggg agcctcgggga gaatcctcca tctcccaaca tggttctccg tcgaaggact      60
ctgcaccctt tgtccctcct ggtacaggct gcagtgtctgg ctgagactct ggccctgggt      120
accctgcctg ccttcctacc ctgtgagctg aagcctcatg gcctgggtgga ctgcaattgg      180
ctgttctctga agtctgtacc ccgtttctct gcggcagcat cctgtctcaa catcaccctg      240
ctctccttga tctccaaccg tatccaccac ctgcacaact ccgacttcgt ccacctgtcc      300
aacctgcggc agctgaacct caagtggaaac tgtccacca ctggccttag cccctgcac      360
ttctcttgcc acatgacct tgagcccaga accttcctgg ctatgcgtac actggaggag      420
ctgaacctga gctataatgg tatcaccact gtgccccgac tgcccagctc cctgggtgaat      480
ctgagcctga gccacaccaa catcctgggt ctagatgcta acagcctcgc cggcctatac      540
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaaccctg cacaggagcg      600
gtgaagggtga cccagggcg cctcctgggc ctgagcaatc tcaccatct gtctctgaag      660
tataacaacc tcacaaagggt gccccgcaa ctgccccca gcctggagta cctcctgggtg      720
tcctataaacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttctga      780
gtacttgatg tgggtgggaa ttgccgtcgc tgcgacctat cccccaatcc ctgtatagaa      840
tgtggccaaa agtccctcca cctgcaccct gagaccttcc atcacctgag ccatctggaa      900
ggcctgggtg tgaaggacag ctctctccat aactgaact cttcctgggt ccaaggctctg      960
gtcaacctct cgggtgctgga cctaagcgag aactttctct atgaaagcat caaccacacc     1020
aatgcctttc agaacctaac ccgcctgcgc aagctcaacc tgtccttcaa ttaccgcaag     1080
aaggtatcct ttgcccgcct ccacctggca agttccttca agaacctgggt gtcactgcag     1140
gagctgaaca tgaacggcat cttcttccgc tcgctcaaca agtacacgct cagatggctg     1200
gccgatctgc ccaaactcca cactctgcat cttcaaatga acttcatcaa ccaggcacag     1260
ctcagcatct ttggtacctt ccgagccctt cgctttgtgg acttgtcaga caatcgcctc     1320
agtgggcctt caacgctgtc agaagccacc cctgaagagg cagatgatgc agagcaggag     1380
gagctgttgt ctgcggatcc tcaccagct ccaactgagca cccctgcttc taagaacttc     1440

```

atggacaggt gtaagaactt caagttcacc atggacctgt ctcggaacaa cctggtgact	1500
atcaagccag agatgtttgt caatctctca cgccctcagt gtcttagcct gagccacaac	1560
tccattgcac aggctgtcaa tggctctcag ttccctgccgc tgactaatct gcaggtgctg	1620
gacctgtccc ataacaaact ggacttgtac cactggaaat cgttcagtga gctaccacag	1680
ttgcaggccc tggacctgag ctacaacagc cagcccttta gcatgaaggg tataggccac	1740
aatttcagtt ttgtggccca tctgtccatg ctacacagcc ttagcctggc acacaatgac	1800
attcataccc gtgtgtcctc acatctcaac agcaactcag tgaggtttct tgacttcagc	1860
ggcaacggta tgggcccgcgcat gtgggatgag gggggccttt atctccattt cttccaaggc	1920
ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcataatcct ccggccccag	1980
aaccttgaca acctcccaa gagcctgaag ctgctgagcc tccgagacaa ctacctatct	2040
ttctttaact ggaccagtct gtccctcctg cccaacctgg aagtcctaga cctggcaggc	2100
aaccagctaa aggcctgac caatggcacc ctgcctaata gcacctcct ccagaaactg	2160
gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct ggcggtcgag	2220
ctgaaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctggtttggg	2280
cccattgtga tgaacctgac agttctagac gtgagaagca accctctgca ctgtgcctgt	2340
ggggcagcct tcgtagactt actgttggag gtgcagacca aggtgcctgg cctggctaata	2400
ggtgtgaagt gtggcagccc cggccagctg cagggccgta gcatcttcgc acaggacctg	2460
cggctgtgcc tggatgaggt cctctcttgg gactgctttg gcctttcact cttggctgtg	2520
gccgtgggca tgggtgtgcc tatactgcac catctctgcg gctgggacgt ctggtactgt	2580
tttcatctgt gcctggcatg gctacctttg ctggcccgca gccgacgcag cgcccaagct	2640
ctcccctatg atgccttcgt ggtgttcgat aaggcacaga gcgcagttgc ggactgggtg	2700
tataacgagc tgcggtgtcg gctggaggag cggcgcggtc gccgagccct acgcttgtgt	2760
ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc	2820
tatgggagcc gcaagactct atttgtctg gcccacacgg accgcgtcag tggcctcctg	2880
cgcaccagct tcctgctggc tcagcagcgc ctggttgaag accgcaagga cgtggtggtg	2940
ttggtgatcc tgcgtccgga tgcccaccgc tcccgtatg tgcgactcgc ccagcgtctc	3000
tgccgccaga gtgtgctctt ctggccccag cagcccaacg ggcaaggggg cttctgggcc	3060
cagctgagta cagccctgac tagggacaac cgccacttct ataaccagaa cttctgccgg	3120
ggacctacag cagaatagct cagagcaaca gctggaaaca gctgcatctt catgcctggt	3180
tcccagattg ctctgcctgc	3200

<210> 32
 <211> 2463
 <212> DNA
 <213> Mus musculus

<400> 32
 atggttctcc gtcgaaggac tctgcacccc ttgtccctcc tggtagagc tgcagtgtg 60
 gctgagaactc tggccctggg taccctgcct gccttcctac cctgtgagct gaagcctcat 120
 ggccctgggtg actgcaattg gctgttcctg aagtctgtac ccggtttctc tgcggcagca 180
 tctgtctcca acatcacccg cctctccttg atctccaacc gtatccacca cctgcacaac 240
 tccgacttcg tccacctgtc caacctgcgg cagctgaacc tcaagtggaa ctgtccaccc 300
 actggcctta gccccctgca cttctcttgc cacatgacca ttgagcccag aaccttcctg 360
 gctatgcgta cactggagga gctgaacctg agctataatg gtatcaccac tgtgccccga 420
 ctgcccagct ccctgggtgaa tctgagcctg agccacacca acatcctggt tctagatgct 480
 aacagcctcg ccggcctata cagcctgcgc gttctcttca tggacgggaa ctgctactac 540
 aagaaccctt gcacaggagc ggtgaagggtg accccaggcg ccctcctggg cctgagcaat 600
 ctcaaccatc tgtctctgaa gtataacaac ctcaaaagg tgccccgcca actgcccccc 660
 agcctggagt acctcctggt gtcctataac ctcatgttca agctggggcc tgaagacctg 720
 gccaatctga cctcccttcg agtacttgat gtgggtggga attgccgtcg ctgcgaccat 780
 gcccccaatc cctgtataga atgtggccaa agtccctcc acctgcaccc tgagaccttc 840
 catcacctga gccatctgga aggctgggtg ctgaaggaca gctctctcca tacactgaac 900
 tcttctctggt tccaagggtc ggtcaacctc tcggtgctgg acctaaagca gaactttctc 960
 tatgaaagca tcaaccacac caatgccttt cagaacctaa ccgcctgcg caagctcaac 1020
 ctgtccttca attaccgcaa gaaggtatcc tttgcccgcc tccacctggc aagttccttc 1080
 aagaacctgg tgtcactgca ggagctgaac atgaacggca tcttcttccg ctgctcaac 1140
 aagtacacgc tcagatggct ggccgatctg cccaaactcc aactctgca tcttcaaatg 1200
 aacttcatca accaggcaca gctcagcatc tttggtacct tccgagccct tcgctttgtg 1260
 gacttgtcag acaatcgcat cagtgggcct tcaacgtgtg cagaagccac ccctgaagag 1320
 gcagatgatg cagagcagga ggagctgttg tctgcggtac ctcaccacgc tccactgagc 1380
 acccctgctt ctaagaactt catggacagg tgtaagaact tcaagttcac catggacctg 1440
 tctcggaaca acctgggtgac tatcaagcca gagatgtttg tcaatctctc acgcctccag 1500
 tgtcttagcc tgagccacaa ctccattgca caggctgtca atggctctca gttcctgccg 1560

ctgactaatc tgcaggtgct ggacctgtcc cataacaaac tggacttgta ccaactggaaa 1620
 tcgttcagtg agctaccaca gttgcaggcc ctggacctga gctacaacag ccagcccttt 1680
 agcatgaagg gtataggcca caatttcagt tttgtggccc atctgtccat gctacacagc 1740
 cttagcctgg cacacaatga cattcatacc cgtgtgtcct cacatctcaa cagcaactca 1800
 gtgaggtttc ttgacttcag cggcaacggt atgggccgca tgtgggatga ggggggcctt 1860
 tatctccatt tcttccaagg cctgagtggc ctgctgaagc tggacctgtc tcaaaataac 1920
 ctgcatatcc tccggcccca gaaccttgac aacctcccca agagcctgaa gctgctgagc 1980
 ctccgagaca actacctatc tttctttaac tggaccagtc tgtccttcct gcccaacctg 2040
 gaagtccatg acctggcagg caaccagcta aaggccctga ccaatggcac cctgcctaata 2100
 ggcacctcc tccagaaact ggatgtcagc agcaacagta tcgtctctgt ggtcccagcc 2160
 ttcttcgctc tggcggtcga gctgaaagag gtcaacctca gccacaacat tctcaagacg 2220
 gtggatcgct cctgggttgg gccattgtg atgaacctga cagttctaga cgtgagaagc 2280
 aaccctctgc actgtgcctg tggggcagcc ttcgtagact tactgttgga ggtgcagacc 2340
 aaggtgcctg gcctggctaa tgggtgtgaag tgtggcagcc ccggccagct gcagggccgt 2400
 agcatcttcg cacaggacct gcggctgtgc ctggatgagg tcctctcttg ggactgcttt 2460
 ggc 2463

<210> 33
 <211> 1032
 <212> PRT
 <213> Homo sapiens

<400> 33

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
 50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu

305		310		315		320
Tyr Lys Cys Ile Thr	Lys Thr Lys Ala Phe Gln Gly Leu Thr	Gln Leu				
	325		330			335
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala						
	340		345			350
His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu						
	355		360			365
Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu						
	370		375			380
Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met						
	385		390			395
Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly						
	405		410			415
Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu						
	420		425			430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu						
	435		440			445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu						
	450		455			460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser						
	465		470			475
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser						
	485		490			495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val						
	500		505			510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu						
	515		520			525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu						
	530		535			540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly
 545 550 555 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr
 565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe
 610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln
 645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser
 660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg
 675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg
 690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe
 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
 725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu
 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
 755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val
820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His
835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp
850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu
885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp
900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln
995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg
1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu
1025 1030

<210> 34
<211> 820
<212> PRT
<213> Homo sapiens

<400> 34

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp
85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met
100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser
130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser
145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala
 340 345 350

His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu
 370 375 380

Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu

420	425	430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu		
435	440	445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu		
450	455	460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser		
465	470	475
480		
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser		
485	490	495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val		
500	505	510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu		
515	520	525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu		
530	535	540
Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly		
545	550	555
560		
Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr		
565	570	575
Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser		
580	585	590
Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn		
595	600	605
Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe		
610	615	620
Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635
640		
His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln		
645	650	655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
805 810 815

Asp Cys Phe Ala
820

<210> 35

<211> 3352

<212> DNA

<213> Homo sapiens

<400> 35

aggctggtat aaaaatctta cttcctctat tctctgagcc gctgctgccc ctgtgggaag 60

ggacctcgag tgtgaagcat ccttcctgt agctgctgtc cagtctgccc gccagacct 120

ctggagaagc ccttgccccc cagcatgggt ttctgccgca gcgccctgca cccgctgtct 180

ctcctggtgc aggccatcat gctggccatg accctggccc tgggtacctt gctgccttc 240

ctaccctgtg agctccagcc ccacggcctg gtgaactgca actggctgtt cctgaagtct 300

gtgccccact tctccatggc agcaccocgt ggcaatgtca ccagccttcc cttgtcctcc 360
 aaccgcatcc accacctcca tgattctgac tttgccacc tgcccagcct gcggcatctc 420
 aacctcaagt ggaactgccc gccggttgcc ctccagccca tgcacttccc ctgccacatg 480
 accatcgagc ccagcacctt cttggtctgtg cccaccctgg aagagctaaa cctgagctac 540
 aacaacatca tgactgtgcc tgcgttgccc aaatccctca tatccctgtc cctcagccat 600
 accaacatcc tgatgctaga ctctgccagc ctccgcccgc tgcatgccct gcgcttccta 660
 ttcattggacg gcaactgtta ttacaagaac cctctgagcc aggcaactgga ggtggccccg 720
 ggtgccctcc ttggcctggg caacctcacc cacctgtcac tcaagtacaa caacctcact 780
 gtggtgcccc gcaacctgcc ttccagcctg gagtatctgc tgttgtccta caaccgcatc 840
 gtcaaaactgg cgcctgagga cctggccaat ctgaccgccc tgcgtgtgct cgatgtgggc 900
 ggaaattgcc gccgctgcca ccacgtccc aaccctgca tggagtgcc tcgtcacttc 960
 cccagctac atcccgatac cttcagccac ctgagccgtc ttgaaggcct ggtgttgaag 1020
 gacagttctc tctcctggct gaatgccagt tgggtccgtg ggctgggaaa cctccgagtg 1080
 ctggacctga gtgagaactt cctctacaaa tgcactacta aaaccaaggc cttccagggc 1140
 ctaacacagc tgcgcaagct taacctgtcc ttcaattacc aaaagagggt gtcctttgcc 1200
 cacctgtctc tggccccttc cttcgggagc ctggctgccc tgaaggagct ggacatgcac 1260
 ggcactctct tccgctcact cgatgagacc acgctccggc cactggcccc cctgcccattg 1320
 ctccagactc tgcgtctgca gatgaacttc atcaaccagg cccagctcgg catcttcagg 1380
 gccttccctg gcctgcgcta cgtggacctg tccgacaacc gcatcagcgg agcttcggag 1440
 ctgacagcca ccatggggga ggcagatgga ggggagaagg tctggctgca gcctggggac 1500
 cttgctccgg cccagtgga cactcccagc tctgaagact tcaggcccaa ctgcagcacc 1560
 ctcaacttca ccttggtatc gtcacggaac aacctggtga ccgtgcagcc ggagatgttt 1620
 gccagctct cgcacctgca gtgcctgcgc ctgagccaca actgcacttc gcaggcagtc 1680
 aatggctccc agttcctgcc gctgaccggc ctgcaggtgc tagacctgtc ccgcaataag 1740
 ctggacctct accacgagca ctcatcagc gagctaccgc gactggaggc cctggacctc 1800
 agctacaaca gccagccctt tggcatgcag ggcgtgggcc acaacttcag cttcgtggct 1860
 cacctgcgca ccctgcgcca cctcagcctg gccacaaca acatccacag ccaagtgtcc 1920
 cagcagctct gcagtacgtc gctgcggggc ctggacttca gcggcaatgc actgggcat 1980
 atgtgggccc agggagacct ctatctgcac ttcttccaag gcctgagcgg ttgatctgg 2040

ctggacttgt cccagaaccg cctgcacacc ctctgcccc aaaccctgcg caacctcccc 2100
 aagagcctac aggtgctgcg tctccgtgac aattacctgg ccttctttaa gtggtggagc 2160
 ctccacttcc tgcccaaact ggaagtcctc gacctggcag gaaaccggct gaaggccctg 2220
 accaatggca gcctgcctgc tggcaccccg ctccggaggc tggatgtcag ctgcaacagc 2280
 atcagcttcg tggcccccg cttcttttcc aaggccaagg agctgcgaga gctcaacctt 2340
 agcgccaacg ccctcaagac agtggaccac tctgtggttg ggccccctggc gagtgccttg 2400
 caaatactag atgtaagcgc caaccctctg cactgcgctt gtggggcggc ctttatggac 2460
 ttctctgtgg aggtgcaggc tgcctgccc ggtctgcca gccgggtgaa gtgtggcagt 2520
 ccggggccagc tccagggcct cagcatcttt gcacaggacc tgcgcctctg cctggatgag 2580
 gccctctcct gggactgttt cgcctctctg ctgctggctg tggctctggg cctgggtgtg 2640
 cccatgctgc atcacctctg tggctgggac ctctggtact gcttccacct gtgcctggcc 2700
 tggcttccct ggcgggggcg gcaaagtggg cgagatgagg atgcctgcc ctacgatgcc 2760
 ttctgtgtct tcgacaaaac gcagagcgca gtggcagact ggggtgtacaa cgagcttcgg 2820
 gggcagctgg aggagtgccg tgggcgctgg gcactccgcc tgtgcctgga ggaacgcgac 2880
 tggctgcctg gcaaaaccct ctttgagaac ctgtgggcct cggctctatgg cagccgcaag 2940
 acgctgtttg tgctggccca cacggaccgg gtcagtggtc tcttgcgcg cagcttctctg 3000
 ctggcccagc agcgctctgt ggaggaccgc aaggacgtcg tggctgtggt gatcctgagc 3060
 cctgacggcc gccgctcccg ctacgtgcgg ctgcgccagc gcctctgccg ccagagtgtc 3120
 ctctctggc cccaccagcc cagtggtcag cgcagcttct ggcccagct gggcatggcc 3180
 ctgaccaggg acaaccacca cttctataac cggaacttct gccagggacc cacggccgaa 3240
 tagccgtgag ccggaatcct gcacggtgcc acctccacac tcacctcacc tctgcctgcc 3300
 tggctgacc ctccctgct cgcctccctc accccacacc tgacacagag ca 3352

<210> 36

<211> 2460

<212> DNA

<213> Homo sapiens

<400> 36

atgggtttct gccgcagcgc cctgcaccgc ctgtctctcc tgggtgcaggc catcatgctg 60
 gccatgaccc tggccctggg taccttgctt gccttctac cctgtgagct ccagccccac 120
 ggctgtgga actgcaactg gctgttctct aagtctgtgc cccacttctc catggcagca 180
 cccgtggca atgtcaccag ctttctctt tctccaacc gcatccacca cctccatgat 240

tctgactttg cccacctgcc cagcctgcgg catctcaacc tcaagtggaa ctgcccgcg 300
gttggcctca gcccacatgca ctccccctgc cacatgacca tcgagcccag caccttcttg 360
gctgtgcccc ccctggaaga gctaaacctg agctacaaca acatcatgac tgtgcctgcg 420
ctgcccacaa cctcatatc cctgtccctc agccatacca acatcctgat gctagactct 480
gccagcctcg cgggcctgca tgccctgcgc ttcctattca tggacggcaa ctgttattac 540
aagaacccct gcaggcaggc actggagggtg gccccgggtg ccctccttgg cctgggcaac 600
ctcaccacac tgtcactcaa gtacaacaac ctcaactgtg tgccccgcaa cctgccttcc 660
agcctggagt atctgctgtt gtcctacaac cgcactgtca aactggcgcc tgaggacctg 720
gccaatctga ccgccttgcg tgtgctcgat gtgggcggaa attgccgcg ctgcgaccac 780
gctcccaacc cctgcatgga gtgcctcgt cacttcccc agctacatcc cgataccttc 840
agccacctga gccgtcttga aggcctggtg ttgaaggaca gttctctctc ctggctgaat 900
gccagttggt tccgtgggct gggaaacctc cgagtgtggt acctgagtga gaacttctc 960
tacaaatgca tcactaaaac caaggccttc cagggcctaa cacagctgcg caagcttaac 1020
ctgtccttca attacaaaa gaggggtgtcc tttgccacc tgtctctggc cccttcttc 1080
gggagcctgg tcgcctgaa ggagctggac atgcacggca tcttcttccg ctcaactgat 1140
gagaccacgc tccggccact ggcccgctg cccatgtcc agactctgcg tctgcagatg 1200
aacttcatca accaggccca gctcggcatc ttcaggcct tccctggcct gcgctacgtg 1260
gacctgtcgg acaaccgcat cagcggagct tcggagctga cagccaccat gggggaggca 1320
gatggagggg agaaggctctg gctgcagcct ggggaccttg ctccggcccc agtggacact 1380
cccagctctg aagacttcag gcccaactgc agcaccctca acttcacctt ggatctgtca 1440
cggaacaacc tgggtgaccgt gcagccggag atgtttgcc agctctcgca cctgcagtgc 1500
ctgcgcctga gccacaactg catctcgcag gcagtcaatg gctcccagtt cctgccgctg 1560
accggtctgc aggtgctaga cctgtccgc aataagctgg acctctacca cgagcactca 1620
ttcacggagc taccgcgact ggaggccctg gacctcagct acaacagcca gccctttggc 1680
atgcagggcg tgggccacaa cttcagcttc gtggctcacc tgcgaccct gcgccacctc 1740
agcctggccc acaacaacat ccacagccaa gtgtcccagc agctctgcag tacgtcgtg 1800
cgggcccctg acttcagcgg caatgcactg ggccatatgt gggccgagg agacctctat 1860
ctgcacttct tccaaggcct gagcggtttg atctggctgg acttgtccca gaaccgcctg 1920
cacaccctcc tgccccaaac cctgcgcaac ctccccaaga gcctacaggt gctgcgtctc 1980
cgtgacaatt acctggcctt ctttaagtgg tggagcctcc acttcctgcc caaactggaa 2040

gtcctcgacc tggcaggaaa ccggtgaag gccctgacca atggcagcct gcctgctggc 2100
 acccggtctcc ggaggctgga tgtcagctgc aacagcatca gcttcgtggc ccccggttc 2160
 ttttccaagg ccaaggagct gcgagagctc aaccttagcg ccaacgccct caagacagtg 2220
 gaccactcct ggtttggggc cctggcgagt gccctgcaaa tactagatgt aagcgccaac 2280
 cctctgcact gcgcctgtgg ggcggccttt atggacttcc tgctggaggt gcaggctgcc 2340
 gtgcccggtc tgcccagccg ggtgaagtgt ggagtcocgg gccagctcca gggcctcagc 2400
 atctttgcac aggacctgcg cctctgcctg gatgaggccc tctcctggga ctgtttcgcc 2460

<210> 37

<211> 26

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 37

accttgctg ccttctacc ctgtga

26

<210> 38

<211> 21

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 38

gtccgtgtgg gccagcaca a

21

<210> 39

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 39

tccatgacgt ttttgatgtt

20

<210> 40

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 40
tccataacgt ttttgatggt 20

<210> 41
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 41
tccatcacgt ttttgatggt 20

<210> 42
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 42
tccattacgt ttttgatggt 20

<210> 43
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 43
tccatggcgt ttttgatggt 20

<210> 44
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 44
tccatgccgt ttttgatggt 20

<210> 45
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 45

tccatgtcgt ttttgatggt

20

<210> 46

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 46

tccatgatgt ttttgatggt

20

<210> 47

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 47

tccatgaagt ttttgatggt

20

<210> 48

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 48

tccatgaggt ttttgatggt

20

<210> 49

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 49

tccatgacat ttttgatggt

20

<210> 50

<211> 20

<212> DNA

<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 50
tccatgacct ttttgatggt 20

<210> 51
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 51
tccatgactt ttttgatggt 20

<210> 52
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 52
tccatgacgc ttttgatggt 20

<210> 53
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 53
tccatgacga ttttgatggt 20

<210> 54
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 54
tccatgacgg ttttgatggt 20

<210> 55
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 55
tccatgacgt ctttgatggt 20

<210> 56
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 56
tccatgacgt atttgatggt 20

<210> 57
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 57
tccatgacgt gtttgatggt 20

<210> 58
<211> 24
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 58
tcgctgctttt gtcgcttttgt cggt 24

<210> 59
<211> 24
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 59
tgctgctttt gtgcttttgt gctt 24

<210> 60
<211> 20
<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60

tccatgacgt tcctgatgct

20

<210> 61

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61

tccatgagct tcctgatgct

20

<210> 62

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus oligopeptide

<220>

<221> MISC_FEATURE

<222> (4)..(5)

<223> Any amino acid

<220>

<221> MISC_FEATURE

<222> (7)..(12)

<223> Any amino acid

<220>

<221> MISC_FEATURE

<222> (14)..(15)

<223> Any amino acid

<400> 62

Gly Asn Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys
1 5 10 15

<210> 63

<211> 16

<212> PRT

<213> Homo sapiens

<400> 63

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys
 1 5 10 15

<210> 64
 <211> 16
 <212> PRT
 <213> Mus musculus

<400> 64

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Ile Cys
 1 5 10 15

<210> 65
 <211> 31
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Consensus oligopeptide

<220>
 <221> MISC_FEATURE
 <222> (2)..(8)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(22)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (25)..(30)
 <223> Any amino acid

<400> 65

Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Asp Xaa Tyr Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Ser Xaa Xaa Xaa Xaa Xaa Xaa Tyr
 20 25 30

<210> 66
 <211> 31
 <212> PRT
 <213> Homo sapiens

<220>
 <221> MISC_FEATURE
 <222> (2)..(8)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(22)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (25)..(30)
 <223> Any amino acid

<400> 66

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Leu Xaa Xaa Xaa Xaa Xaa Xaa Tyr
 20 25 30

<210> 67
 <211> 31
 <212> PRT
 <213> Mus musculus

<220>
 <221> MISC_FEATURE
 <222> (2)..(8)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(22)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (25)..(30)
 <223> Any amino acid

<400> 67

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Gln Leu Xaa Xaa Xaa Xaa Xaa Tyr
 20 25 30

<210> 68
 <211> 31
 <212> PRT
 <213> Homo sapiens

<400> 68

Gln Val Leu Asp Leu Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His
 1 5 10 15

Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr
 20 25 30

<210> 69
 <211> 31
 <212> PRT
 <213> Mus musculus

<400> 69

Gln Val Leu Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys

```
<210> 70
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 70
tccaggactt ctctcaggtt
```